



AUTOMOTIVE PRICE LIST

State of Montana Price Contract Per Bid Number IFB # 13-2641T

Kent D. Bruce Company, LLC
P.O. Box 225
Black Diamond, Washington 98010
(360) 886-9410 - FAX: (360) 886-9411
e-mail: amsr10@whelen.com

**Order Anytime Day or Night by E-mail: autoorder@whelen.com
or Toll Free Facsimile 1-800-637-8762**

Many products listed in this price list meet or exceed AMECA, SAE and California Title XIII requirements. For details contact your regional sales office. Every effort will be made to hold prices through the end date. We reserve the right to increase prices on certain and/or all products. Whelen Engineering Company, Inc. is not responsible for typographical errors.



Follow us on   

WHELEN® NEW PRODUCTS FOR PL13.0

PRODUCT INDEX LOCATED AT THE END OF THIS DOCUMENT

Dominator Hatch Mount Bracket

DBKT6 2008-2012 Chevy Tahoe, interior mount for models DP8, TADP8, and D8

Vertex™ Competitor Series Super-LED® 6-LED Light

VTC6* Self contained light, Red, Blue, Amber or White

ION™ Surface Mount Series Super-LED

IONSMC* Red, Blue, Amber or White, Chrome housing

ION Options

DBKT6 Optional universal license plate bracket for 2 ION lightheads, horizontal mount

PAR-46 Super-LED California Replacement Light

P46S2X 12VDC, steady Red and 8° spotlight, for Unity mounting



Micro Pioneer™ Series Super-LED Work/Scene Light

Low profile pedestal/swivel mount which includes three additional interchangeable optic lenses.

MPPW White housing

MPPWCS White housing, Chrome cover and on/off switch

MPPB Black housing

MPPBBS Black housing, Black cover and on/off switch

MPPBCS Black housing, Chrome cover and on/off switch

Pioneer™ Series and Pioneer Plus™ Series

White housing, 12 VDC unless noted, Super-LED spot/flood lights.



PFA1LP PFA1 with low profile pedestal/swivel mount

PFP1LP PFP1 with low profile pedestal/swivel mount

PSP1LP PSP1 with low profile pedestal/swivel mount

PTP1LP PTP1 with low profile pedestal/swivel mount

PSP1AC Single panel Pioneer Plus, spot light, 8°, 120 VAC, UL® Approved

PSP1ALP PSP1A with low profile pedestal/swivel mount, 120 VAC, UL Approved

PCP2AFS Dual panel Pioneer Plus combination flood (left)/spotlight (right), 120 VAC, UL Approved

PCP2F Dual panel Pioneer Plus combination spot (left)/floodlight (right), 120 VAC, UL Approved

PCP3 Pioneer Plus Max combination floodlight and 8° spotlight

PSP1AP Single panel Pioneer Plus, 8° spotlight, 120 VAC, UL Approved with pole/pedestal mount adapter

PSP1AP1 Single panel Pioneer Plus, 8° spotlight, 120 VAC, UL Approved with pole/pedestal mount adapter and On/Off switch

PCP2AP Dual panel Pioneer Plus combination flood/8° spotlight, 120 VAC, UL Approved with pole/pedestal mount adapter

PCP2AP1 Dual panel Pioneer Plus combination Flood/8° Spotlight, 120 VAC, UL Approved with pole/pedestal mount adapter and on/off switch

PCP3P Pioneer Plus Max™ combination floodlight and 8° spotlight with pole/pedestal mount adapter

PCP3P1 Pioneer Plus Max combination floodlight and 8° spotlight with pole/pedestal mount adapter and on/off switch

Pioneer SlimLine™ Series

12 VDC, Standard spotlight includes interchangeable flood/flood and combination flood/spot lenses. PSL2 also includes a combination spot/flood light lens. White or Black housing and choice of mounting: bail/stud, low profile pedestal/swivel, semi-recessed Chrome flange, or semi-recessed 15° angle Chrome flange.

PSL1 Single panel

PSL2 Dual panel



Pioneer SlimLine™ Brow Mount Series

12 VDC, Standard spotlight includes interchangeable flood/flood and combination flood/spot lenses. Mounting for PSL2 only

PSL2 Dual panel, White or Black housing, and mounting purchased separately

PBSL Brow mount bracket, White or Black housing, center mount only or left and right mount (pair) for M2 Freightliner or International Chassis



CenCom Sapphire™ Options

5 year warranty on amplifier.

CCSRN32 Three-position progressive push button switches and 18 push button control head with amplifier module with pigtailed, microphone and CCMICX20

CCSRN33 Single master push button switch and 18 push button control head with amplifier module with pigtailed, microphone and CCMICX20

CCSRN34 Three-position slide switch and 6 push button control head with amplifier module with pigtailed, microphone and CCMICX20

CCSRN35 Three-position progressive push button switches and 9 push button hand held control head with amplifier module with pigtailed, and CCMICX20

CCSRNT32 Same as CCSRN32, with Traffic Advisor™ module

CCSRNT33 Same as CCSRN33, with Traffic Advisor module

CCSRNT34 Same as CCSRN34, with Traffic Advisor module

CCSRNT35 Same as CCSRN35, with Traffic Advisor module

Justice® JV & JY WeCan® Series Super-LED

62.375" Lightbars, Amber, Blue, Red and/or White.

JV0**** Includes four corner Linear-LED® modules with 9 Super-LEDs per module.

JY0**** Includes four corner Linear-LED modules with 6 Super-LEDs per module.

Justice JC & JE Competitor® Series Super-LED

62.375" Lightbars, Amber, Blue, Red and/or White.

JC0**** Includes four corner Linear-LED modules with 9 Super-LEDs per module.

JEO**** Includes four corner Linear-LED modules with 6 Super-LEDs per module.

Century Elite Series LED Lightbars & Options

Includes four corner Linear-LED® modules

CE4**** 44", 4 Amber, Red, Blue or White

CE8**** 50", 4 Amber, Red, Blue or White

CEDLX* One LIN12™ LED Amber, Red, Blue or White

CETAT8 Eight TIR lamp Amber LED Traffic Advisor, requires no special control head, for CE4, 44", models only

CETAL5 Five LED lamp Amber Linear-LED Traffic Advisor, requires no special control head, For CE8, 50", models only

CTLS1 Two LR11 LED take-down lights

CALF1 Two LR11 LED alley lights

Century™ Series Super-LED Mini Lightbar

Aluminum base.

Color outer dome

unless

specified.

permanent mount,

magnet mount, or stud mount available

MC11 11", Amber, Blue or Red,

MC16 16", Amber, Blue or Red, driver side Red,

passenger side Blue with Clear dome, or

driver side Amber, passenger side White

with Clear dome, vacuum/magnet mount also

available for this model

MC23 23", Amber, Blue or Red, vacuum/magnet

mount also available for this model



Power Control Centers and Switches

PCC6W1 Similar to PCC6W, except last on/off switch is replaced with a momentary switch

PCC10W1 Similar to PCC10W, except last on/off switch is replaced with a momentary switch

Optional Mounting Brackets for SA315 Series

SAK44 Ford Explorer, 2011-2012 and 2013 Ford Police Interceptor Utility

SAK47 Dodge Ram 1500, 2012, passenger side

SAK48 Dodge Ram 1500, 2012, driver side

Traffic Advisor Series Accessories

TANBKT1 Mounting bracket for top of vehicle (horizontal) mounting

Towman's Century Series

CEDLXA One Amber LIN12™ Super-LED

Mounting Kits For Edge®, Justice & Liberty™

MKEZ85 Durango / 48"-50" / 2011-2012

MKEZ62 Durango / 2004-2010 / 48"-50"

MKAJ62 Durango, Adjustable Leveling Foot / 2004-2010 / 48"-50"

MKEZ86 Ram 1500 / 2012 / 52" - 55"

Mounting Kits For Century™, Liberty and Justice

MKLP81 Chevy Caprice / 2011-2012 / 48" - 50"

MKLP82 Dodge Charger / 2011-2012 / 48" - 50"

MKLP76 Ford Taurus / 2010-2012 and 2013 Police Interceptor / 48" - 50"

TABLE OF CONTENTS

Whelen Engineering maintains all of the tools and designs for every product manufactured over the last 50 plus years. Items not listed in this price list may be available as a special order. Contact the factory for price and availability.

“Made-To-Order Products” are defined as either models listed in this price sheet with a "MTO" symbol in front of the model field of each “made-to-order” model; or any model not listed in this price sheet. All such "MTO" noted models or those not listed in this price sheet are special order, non-returnable, non-cancelable. Please allow sufficient time for production, as these models may require multiple machines for the processing of these special parts.

Dash/ Deck/ Visor	1
Dash/ Deck/ Visor, Directional	1
Beacons	2
LED, Halogen, Rotating Beacons - Rota-Beam™ Series	3
Strobe Beacons, Self-Contained	3
Strobe Beacons, Self-Contained, HDP®.....	3
LED Beacons, Self-Contained.....	4
Power Supplies & Flashers	6
Power Supplies, Strobe	6
Flashers, Halogen & LED.....	6
Lighthoods	6
Lighthoods, Directional Strobe, Super-LED®, LED, Halogen & Combination.....	6
Cables, Extensions And Connector Kits	19
Tools, Crimpers And Extractors.....	19
Systems - DOT & Motorcycle	20
Hide-A-Way Strobe Systems	20
DOT Wing Plow Super-LED® Lighthoods	20
DOT3® Super-LED®.....	20
Motorcycle Warning Products	20
Motorcycle Systems.....	21
Sirens, Switches & Speakers	22
Switches And Control Boxes	22
Siren Amplifiers, Amplifiers & Airhorns	22
Siren Amplifier & Speaker Combination.....	24
Siren Speakers, SA315 & SA314 Projector™ Series	24
Siren Speakers, Other.....	24
Safety Site, Emitters & Back-Up Alarms	25
Back-Up Alarms, Electronic	25
Safety Site™ & Emitters	25
Traffic Advisors	25
Traffic Advisor™ Series & Accessories	25
Lightbars, Mini	26
Century™ Series Mini Lightbars.....	26
Guardian™ Series Mini Lightbars	27
Responder® LP Series Mini Lightbars.....	27
Responder® HD Series Mini Lightbars	27
Mini 9M Series Lightbars.....	28
Mini Edge® Ultra Freedom™ Series Lightbars	28
Mini Liberty™ Series Lightbars	28
Mini Justice® Series	28
Lightbars	28
DELTA™ ROTA-BEAM™ Super -LED® Lightbars	28
NFPA Lightbars	29
Inner Edge® XLP, Extra Low Profile Series Lightbars	29
Inner Edge® Series Lightbars.....	31
Outer Edge®.....	34
Freedom™ Super-LED® Series Lightbars.....	35
Legacy™ Super-LED® Series Lightbars.....	36
Liberty™ Super-LED® Series Lightbars	36
Liberty TRIO Series Super-LED Lightbars.....	39
Justice® Super-LED® WeCan® Series Lightbars	39
Justice® Super-LED® Competitor™ Series Lightbars	40
Century™ Elite Series LED Lightbars	41
Towman's™ Strobe Series Lightbars	41
Towman's™ Super-LED® Series Lightbars	41
4500 Series Surface Mount Lightbars.....	41
Options, Mounting Kits.....	42
Replacement Parts, Mounting Kits & Strap Kits	43
Options, Low Profile Mounting Kits	44
Replacement Parts, Low Profile Mounting Kits & Strap Kits	44
24 VDC, Green Products & Parts	44
24 VDC Products	44
Green Products.....	45
Replacement Parts, Lens Kits.....	45
Replacement Parts, Bulbs For Whelen Lights	46



↓  - Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

MODEL DESCRIPTION COST

Dash/ Deck/ Visor, Directional

Avenger™ AVN Linear Super-LED®, Includes Swivel/Bail Bracket with Suction Cups, Hood, Cigar Plug with On/Off and Scan-Lock Flash Pattern Switch. (For Green, Contact Factory for Price, Availability and Minimum Order Requirements).

AVN1*	Red, Blue, Amber, White or Amber	105.84
AVN1#	Split Red/Blue or Red/White	112.32
AVN2**	Red, Blue, Amber and/or White	184.68

Avenger™ AVNS Linear Super-LED® Series with Synchronize Feature, Includes Scan-Lock™ Flash Patterns, Swivel/Bail Bracket with Suction Cup, Hood, 4-Wire Pigtail. (For Green, Contact Factory for Price, Availability and Minimum Order Requirements).

AVNS1*	Red, Blue, Amber or White, with Synchronize Wire	118.26
AVNS2**	Red, Blue, Amber and/or White, with Synchronize Wire	196.02

Options for Avenger™ Series

AVNBKT1	Low Profile Mounting (Headliner) Bracket for AVN1 Series	7.29
AVNBKT2	Low Profile Mounting (Headliner) Bracket for AVN2 Series	8.10
AVNBKT3	Visor Mounting Bracket (2 required for Dual Unit), Each	7.29
AVNBKT4	Adjustable Height Bracket Kit, for All Avengers	24.30

Dominator™ Plus LINZ6™ Super-LED® Series, Includes Slide Bolt Mounting. For Interior or Exterior Use. 1.74" High x 2.17" Deep Housing, Six Super-LED@s per Lamp. Replace symbol "\$" with number of color LED lightheads required (maximum 8 modules). Order of colors are Red, Blue, Amber and White (i.e., DP22220 = 2 Red, 2 Blue, 2 Amber & 2 White, DP06020 = 0 Red, 6 Blue, 0 Amber & 2 White).

DP2**	2 LINZ6™, 7.11", Amber, Blue, Red and/or White	171.72
DP4****	4 LINZ6™, 14.21", Amber, Blue, Red and/or White	337.50
DP6\$\$\$\$0	6 LINZ6™, 23.26", Amber, Blue, Red and/or White	484.92
DP8\$\$\$\$0	8 LINZ6™, 30.36", Amber, Blue, Red and/or White	627.48
DBKT3	Swivel Mount Bracket Kit for DP2 & DP4 Series Only, Customer Installed	16.47
DBKT4	"L" Angle Mounting Bracket Kit, Customer Installed	12.42
DBKT5	Upper Rear Window Mounting Bracket Kit for 2008-2012 Chevy Tahoe and 2013 Police Interceptor Utility	12.42
DBKT6	Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, DP8 Only	22.14

Dominator™ Plus Traffic Advisor™, LINZ6™ Super-LED® Low Profile, Control Head Optional. 1.74" High x 2.17" Deep Housing, Six Super-LED@s per Lamp.

TADP6	Six Lamp LINZ6™ Super-LED Traffic Advisor™, 23.26" Long, Less Control Head	496.80
TADP8	Eight Lamp LINZ6™ Super-LED Traffic Advisor™, 30.36" Long, Less Control Head	648.00
TADP8**	Eight Lamp, Six Lamp LINZ6™ Super-LED Traffic Advisor™, 30.36" Long, with Two End Flashing LEDs, Blue, Red and/or Amber, Less Control Head	656.10
TADCTL1	TAD/TADP Series Control Head Only	70.20
TADSW1	On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1	8.37
TADSW2	On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1	8.37
DBKT6	Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, TADP8 Only	22.14

Dominator™ TIR3™ Super-LED® Series, Includes Slide Bolt Mounting. For Interior or Exterior Use. 1.74" High x 2.17" Deep Housing, Three Super-LED@s per lamp. Replace symbol "\$" with number of color LED lightheads required (maximum 8 modules). Order of colors are Red, Blue, Amber and White (i.e. D822220 = 2 Red, 2 Blue, 2 Amber & 2 White, D806020 = 0 Red, 6 Blue, 0 Amber & 2 White).

D2**	2 TIR3™, 7.11", Amber, Blue, Red and/or White	120.42
D4****	4 TIR3™, 14.21", Amber, Blue, Red and/or White	185.76
D6*****	6 TIR3™, 23.26", Amber, Blue, Red and/or White	273.78
D8\$\$\$\$0	8 TIR3™, 30.36", Amber, Blue, Red and/or White	349.92
DBKT3	Swivel Mount Bracket Kit for D2 & D4 Series Only, Customer Installed	16.47
DBKT4	"L" Angle Mounting Bracket Kit, Customer Installed	12.42
DBKT5	Upper Rear Window Mounting Bracket Kit for 2010 Chevy Tahoe and 2013 Police Interceptor Utility	12.42
DBKT6	Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, D8 Only	22.14

Dominator™ Traffic Advisor™, TIR3™ Super-LED® Low Profile, Control Head Optional, 1.74" High x 2.17" Deep Housing, Three Super-LED@s per lamp.

TAD6	Six Lamp TIR3™ Super-LED® Traffic Advisor™, 23.26" Long, Less Control Head	289.44
TAD8	Eight Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head	361.26
TAD8**	Eight Lamp, Six Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, with Two End Flashing LEDs, Blue, Red and/or Amber, Less Control Head	367.20
TADCTL1	TAD/TADP Series Control Head Only	70.20
TADSW1	On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1	8.37
TADSW2	On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1	8.37
DBKT6	Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, TAD8 Only	22.14

FlatLighter™ LED Series, Dual 400 Series High Intensity 5mm LEDs with Multiple Scan-Lock™ Flash Patterns. Color LEDs with Clear Outer Lens for Stealth Look (For Green, Contact Factory for Price, Availability and Minimum Order Requirements)..

FLLED**	Red and/or Amber	122.58
FLLED**	1 Red or Amber and 1 White or Blue	156.60
FLLED**	Blue and/or White	196.56



43LENS*	400 Series Color Lens for FLLED Series, Customer Installed, Each	7.29
ION™ Series Super-LED® Universal Light , Includes Universal Mount, Scan-Lock™ Flash Patterns and a 4-wire Pigtail. (For Green, Contact Factory for Price, Availability and Minimum Order Requirements).		
ION*	Red, Blue, Amber or White, Black Housing	84.49
IONJ	Split Red/Blue, Black Housing	89.49
IOND	Split Red/White, Black Housing	84.49
†† IONM	Split Blue/Amber, Black Housing	84.49
IONW*	Red, Blue, Amber or White, White Housing	84.49
IONWJ	Split Red/Blue, White Housing	84.49
IONWD	Split Red/White, White Housing	84.49
†† IONWM	Split Blue/Amber, White Housing	84.49
IONK1B	Optional Swivel Mount Bracket, Black	16.47
IONK1W	Optional Swivel Mount Bracket, White	16.47
IONGROM	Grommet Mount Kit	3.78
IONPEDB	Pedestal Mount Kit, Black	35.10
IONPEDC	Pedestal Mount Kit, Chrome	38.34
IONBKT1	Optional Universal License Plate Bracket for 2 ION™ Lighthead, Horizontal Mount	16.47
IONBKT2	NEW Optional Rear Hatch Mounting brackets (pair) for 2013 Ford Police Interceptor Utility, Requires Six ION™ Series Lighthead Purchased Separately	37.80
IONBKT3	NEW Optional Rear Hatch Mounting brackets (pair), 2013 Chevy Tahoe, Requires Six ION™ Series Lighthead Purchased Separately	37.80



Beacons

ION™ Wide Angle Series Super-LED® Universal Light, Includes Universal Mount, Scan-Lock Flash Patterns and a 4-Wire Pig Tail. (For Green, Contact Factory for Price, Availability and Minimum Order Requirements).

WION*	Wide Angle, Red, Blue, Amber or White, Black Housing	84.49
WIONJ	Wide Angle, Split Red/Blue, Black Housing	84.49
WIOND	Wide Angle, Split Red/White, Black Housing	84.49
†† WIONM	Wide Angle, Split Blue/Amber, Black Housing	84.49
WIONW*	Wide Angle, Red, Blue, Amber or White, White Housing	84.49
WIONWJ	Wide Angle, Split Red/Blue, White Housing	84.49
WIONWD	Wide Angle, Split Red/White, White Housing	84.49
†† WIONWM	Wide Angle, Split Blue/Amber, White Housing	84.49
IONK1B	Optional Swivel Mount Bracket, Black	16.47
IONK1W	Optional Swivel Mount Bracket, White	16.47
IONGROM	Grommet Mount Kit	3.78
IONPEDB	Pedestal Mount Kit, Black	35.10
IONPEDC	Pedestal Mount Kit, Chrome	38.34
IONBKT1	Optional Universal License Plate Bracket for 2 ION™ Lighthead, Horizontal Mount	16.47
IONBKT2	NEW Optional Rear Hatch Mounting brackets (pair) for 2013 Ford Police Interceptor Utility, Requires Six ION™ Series Lighthead Purchased Separately	37.80
IONBKT3	NEW Optional Rear Hatch Mounting brackets (pair), 2013 Chevy Tahoe, Requires Six ION™ Series Lighthead Purchased Separately	37.80

Raider™ Linear Super-LED®, Includes Slide Mounting Bolts, Weather Resistant, Scan-Lock™ Flash Patterns. 2.35" High x 1.83" Deep. For Interior or Exterior Use. Clear Outer Lens.

R1*	1 Linear-LED, 5.5", Amber, Blue, Red or White, with Synchronize Wire	137.16
R2**	2 Linear-LED, 11", Amber, Blue, Red and/or White	248.94



Slim-Miser™ LED Series, Dual 5mm LED Panels, Side-by-Side with Scan-Lock™ Flash Patterns, Includes a Cigar Plug with On/Off Switch and California Flash Patterns.

SMLLAA	Amber/Amber	79.38
SMLLRR	Red/Red	79.38
SMLLBR	Blue/Red	79.38
SMLLBB	Blue/Blue	79.38
†† SMLLBC	Blue/White	79.38
†† SMLLCR	White/Red	79.38



SlimLighter™ Super-LED® Series, Six Super-LED@s (per panel), Includes a Cigar Plug with an On/Off Switch and Scan-Lock™ Flash Patterns, Switch & Swivel Brackets with Suction Cups.

SLPMM**	Amber, Blue, Red and/or White	205.20
---------	-------------------------------	--------

SpitFire™ Plus LINZ6™ Super-LED® Series, Includes Integral Hood, Two Suction Cups and a Cigar Plug with an On/Off and a Scan-Lock™ Flash Pattern Switch. Available in Single Color or Split Colors.

SFP1*	Amber, Blue, Red or White	78.30
SFP1G	Green	84.24
SFP1J	Split Red/Blue	81.00
SFP1E	Split Blue/White	81.00
SFP1D	Split Red/White	81.00



SpitFire™ ION™ Super-LED® Series, Includes Integral Hood, Two Suction Cups, Cigar Plug with On/Off and a Scan-Lock™ Flash Pattern Switch.

SFION*	Red, Blue, Amber or White	95.04
†† SFIOND	Split Red/White	95.04
SFIONJ	Split Red/Blue	95.04
†† SFIONE	Split Blue/White	95.04



All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: **A** = Amber; **B** = Blue; **C** = Clear/White; **R** = Red; **G** = Green

† Replace symbol in model number with letter indicating SPLIT lens or LED color desired: **D** = Red/Clear; **E** = Blue/Clear; **F** = Amber/Clear; **H** = Green/Clear

‡ (to be discontinued, check availability) †† (special order, check availability, non-returnable, non-cancelable) **J** = Red/Blue; **K** = Red/Amber; **L** = Red/Green; **M** = Blue/Amber

! Indicate length desired: 5 foot, 6 foot, 7 foot or 8 foot \$ Indicates Lower Price

↓ †† - Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

Beacons

MODEL DESCRIPTION COST

LED, Halogen, Rotating Beacons - Rota-Beam™ Series

RB6 Series, Amber, Blue or Red Only (For Green or Clear, Contact Factory for Price, Availability and Minimum Order Requirements).

RB6T*P	Rota-Beam™ 6 Dual Reflector, 60 Watt Halogen, Permanent Mount	77.76
RB6P*P	Single Reflector, with 50 Watt Halogen Lamp, Perm/Pipe Mount	64.26
RB6P*M	Single Reflector with 50 Watt Halogen Lamp, Magnet Mount	83.70
WMM6K	Optional Magnet Mount Kit	25.92

B6LED Series, Amber, Blue or Red Only (For Green or Clear, Contact Factory for Price, Availability and Minimum Order Requirements)

B6MM**P	Super-LED Beacon with Polished Base, Upper Section & Directional Linear Super-LED® Lighthouse in Lower Section, Amber, Blue and/or Red	581.04
---------	--	--------

B6T Series, Amber, Blue or Red Only (For Green or Clear, Contact Factory for Price, Availability and Minimum Order Requirements).

B6TM**P	RB6T Rotating Beacon with Polished Base, Upper Section & Directional Linear-LED® in Lower Section, Amber, Blue or Red LED	291.06
---------	---	--------



Strobe Beacons, Self-Contained

1500, 2000 & 2500 Series, 12/24 VDC Unless Specified.

1500 Series Strobe Beacons

1510*	10 Watt, Permanent Mount, 12/24 VDC SingleFlash	70.74
1510M*	10 Watt, Magnetic Mount, 12/24 VDC SingleFlash	78.84
BBKT15	Shelf Mount Bracket for L50/1500 Series, Stainless Steel, Mounts to Flat Vertical Surface	25.92
MIRROR15	Mirror Mount Bracket for 1500/L53 Series Beacons	25.92
†† FT1510	Linear Tube for 1510 Series, Each	18.09
D1500*	Dome for 1500 & 1510 Series, Each	20.79



2015 & 2022 Flash4™ Series Strobe Beacons - Polycarbonate Base, QuintFlash™ & Manual Hi/Low Unless Specified.

2015LP*	15 Watt, Perm/Pipe Mount, Low Dome	66.96
2015LP*M	15 Watt, Magnetic Mount, Low Dome	77.22
2015LP*V	15 Watt, Magnetic/Suction Cup Mount, Low Dome	77.22
2015HP*	15 Watt, Perm/Pipe Mount, High Dome	66.96
2015HP*M	15 Watt, Magnetic Mount, High Dome	77.22
2015HP*V	15 Watt, Magnetic/Suction Cup Mount, High Dome	77.22
2022LP*	22 Watt, Perm/Pipe Mount, Low Dome	84.24
2022LP*M	22 Watt, Magnetic Mount, Low Dome	93.96
2022LP*V	22 Watt, Magnetic/Suction Cup Mount, Low Dome	93.96
2022HP*	22 Watt, Perm/Pipe Mount, High Dome	84.24
2022HP*M	22 Watt, Magnetic Mount, High Dome	93.96
2022HP*V	22 Watt, Magnetic/Suction Cup Mount, High Dome	93.96
2022AP*	22 Watt, Perm/Pipe Mount, High Dome, Automatic Hi/Low	90.18



2519 Series Strobe Beacons - Polycarbonate Base, Encapsulated, Scan-Lock™ Flash Patterns, Photocell Hi/Low with Hi Power Override. Magnetic Mount with CometFlash® and Hi Power Only.

2519LP*	19 Watt, Perm/Pipe/"J" Hook Mount, Low Dome	95.58
2519HP*	19 Watt, Perm/Pipe/"J" Hook Mount, High Dome	95.58
2519LP*M	19 Watt, Magnetic Mount, Low Dome	104.76
2519HP*M	19 Watt, Magnetic Mount, High Dome	104.76
2519LP*V	19 Watt, Magnetic/Suction Cup Mount, Low Dome	104.76
2519HP*V	19 Watt, Magnetic/Suction Cup Mount, High Dome	104.76



2000 & 2500 Series Parts & Accessories

MIRROR20	Mirror Mount Bracket for 2000/2500/L10/L21/L22 Series Beacons	27.00
BBKT20	Shelf Mount Bracket for 2000/2500/L10/L21/L22 Series Beacons, Stainless Steel, Mounts to Flat Vertical Surface	27.00
BGL	Branch Guard for Low Dome for 2000/2500/L10/L21/L22 Series Beacons	19.98
BGH	Branch Guard for High Dome for 2000/2500/L10/L21/L22 Series Beacons	21.06
DCH	Clear Dust Cover for 2000/2500/L10/L21/L22 Series High Dome Beacons Only	3.51
MMK	90 Lb. Pull Magnetic Mount Kit, with 8 Ft. Straight Cord & Plug for 2000/2500/L10/L21/L22 Series Beacons	15.93
LSK	Single Lighted Switch (15 Amp Rated), Mounted on Bracket, Wired and Fused	21.33
DH2000*	Replacement High Dome for 2000/2500/L10/L21/L22 Series Beacons	37.80
DL2000*	Replacement Low Dome for 2000/2500/L10/L21/L22 Series Beacons	37.80
†† FT10A	3-Pin "U" Strobe Tube, Plug-in, 2004, 2012, & 2015, Each	20.52
†† FT20A	3-Pin Helix 1-1/2 Turn Strobe Tube, Plug-in, 2022, Each	23.76
†† FT25	Flash Tube, 2500 Series Beacons, Each	23.76

Strobe Beacons, Self-Contained, HDP®

With Four Selectable Flash Patterns.

800D Series, Amber, Blue or Red Only (For Green, Contact Factory for Price, Availability and Minimum Order Requirements), 12/24 VDC.

800DH*P	High Dome, Perm/Pipe Mount with High Gain, Self-Cleaning Aerodynamic Dome	157.68
800DL*P	Low Dome, Perm/Pipe Mount	157.68
800DL*M	Low Dome, Magnetic Mount	173.34

1200D Series, Amber, Blue or Red Only (For Green, Contact Factory for Price, Availability and Minimum Order Requirements), 12/24 VDC.

	1200DH*P	Perm/Pipe Mount with High Gain, Self-Cleaning Aerodynamic Dome	197.64
Options for 800D and 1200D Series			
	800BGH	Branch Guard for 800/1200 High Dome	23.22
	BGH	High Dome Branch Guard	21.06
	BGL	Low Dome Branch Guard for Model 800L Only	19.98
	MMK	90 Lb. Pull Magnetic Mount Kit, with 8 Ft. Cord & Plug for 800/1200 Series	15.93
	DL2000*	Low Dome for 2000 Series	37.80
	HGDOMEH*	High Gain Dome for 800 & 1200 Series	43.74
††	80DTUBE	800D/1200D Series Helix 1-1/2 Turn, 3 Pin Plug-In Base Strobe Tube, Each	41.04
Super Strobe® D Series and Options, Amber, Blue or Red Only (For Green, Contact Factory for Price, Availability and Minimum Order Requirements), 12/24 VDC.			
	S360D*P	Perm/Pipe Mount	236.52
	S360D*B	Branch Guard Mount	258.12
††	SSTUBE	Super Strobe® Helix 1-1/2 Turn Strobe Tube and Polished Reflector, DOT6H, S360C/S360D Series, SS361, SS363, SS364, Each	41.04

Beacons

LED Beacons, Self-Contained

L31 Series Super-LED® Beacon, Class 1 High Dome - Cast Aluminum Base, Includes Scan-Lock™, Hi/Low Power, Cruise and Synchronize Features.

	L31H*F	Amber, Blue, Red or White (Single Color Only) Flat Mount	310.50
††	L31H*F4	Amber, Blue or Red (Single Color Only) Flat Mount, 24 VDC	340.20
	L31H*M	Amber, Blue, Red or White (Single Color Only) Magnet Mount	326.70
	L31H*V	Amber, Blue, Red or White (Single Color Only) Magnetic/Suction Cup Mount	330.48
††	L31HKF	Alternating Red/Amber 360°, Flat Mount, For Use in Marine Towing Operation	352.08
	L31HRFN	Red, Meets NFPA Zone C Upper Requirements, Each	310.50
	MIRROR20	Mirror Mount Bracket for 2000/2500/L31/L32/L21/L22/L51/L52 Series Beacons	27.00
	BBKT30	Shelf Mount Bracket for L30 Series, Stainless Steel, Mounts to Flat Vertical Surface	27.00
	L360PMKT	Pipe Mount Kit for L31/32 Flat Mount	19.98
	L360BGB	Branch Guard Kit for L31H Series	89.10



L32 Series Super-LED® Beacon, Class 1 in Amber and Class 2 in Red & Blue, Low Dome - Cast Aluminum Base, Includes Scan-Lock™, Hi/Low Power, Cruise and Synchronize Features.

	L32L*F	Amber, Blue, Red or White (Single Color Only) Flat Mount	193.86
††	L32L*F4	Amber, Blue or Red (Single Color Only) Flat Mount, 24 VDC	211.14
	L32L*M	Amber, Blue, Red or White (Single Color Only) Magnet Mount	210.06
	L32L*V	Amber, Blue, Red or White (Single Color Only) Magnetic/Suction Cup Mount	213.30
	MIRROR20	Mirror Mount Bracket for 2000/2500/L31/L32/L21/L22/L51/L52 Series Beacons	27.00
	BBKT30	Shelf Mount Bracket for L30 Series, Stainless Steel, Mounts to Flat Vertical Surface	27.00
	L360PMKT	Pipe Mount Kit for L31/32 Flat Mount	19.98



L21 Series Super-LED® Encapsulated, Class 1, Polycarbonate Base, Perm Mount Models with Scan-Lock™ Flash Patterns.

	L21H*P	Amber or White, Perm/Pipe/"J" Hook Mount, High Dome	177.66
	L21H*M	Amber or White, Magnet Mount, High Dome	189.00
	L21H*V	Amber or White, Magnetic/Suction Cup Mount, High Dome	194.40
††	L21H*P4	Amber or White, Perm/Pipe/"J" Hook Mount, High Dome, 24 VDC	194.94
	L21L*P	Amber or White, Perm/Pipe/"J" Hook Mount, Low Dome	177.66
	L21L*M	Amber or White, Magnet Mount, Low Dome	189.00
	L21L*V	Amber or White, Magnetic/Suction Cup Mount, Low Dome	194.40
††	L21L*P4	Amber or White, Perm/Pipe/"J" Hook Mount, Low Dome, 24 VDC	194.94
	MIRROR20	Mirror Mount Bracket for 2000/2500/L10/L21/L22 Series Beacons	27.00
	BBKT20	Shelf Mount Bracket for 2000/2500/L10/L21/L22 Series Beacons, Stainless Steel, Mounts to Flat Vertical Surface	27.00
	BGL	Branch Guard for Low Dome for 2000/2500/L10/L21/L22 Series Beacons	19.98
	BGH	Branch Guard for High Dome for 2000/2500/L10/L21/L22 Series Beacons	21.06
	DCH	Clear Dust Cover for 2000/2500/L10/L21/L22 Series High Dome Beacons Only	3.51
	MMK	90 Lb. Pull Magnetic Mount Kit, with 8 Ft. Straight Cord & Plug for 2000/2500/L10/L21/L22 Series Beacons	15.93
	LSK	Single Lighted Switch (15 Amp Rated), Mounted on Bracket, Wired and Fused	21.33
	DH2000*	Replacement High Dome for 2000/2500/L10/L21/L22 Series Beacons	37.80
	DL2000*	Replacement Low Dome for 2000/2500/L10/L21/L22 Series Beacons	37.80



L22 Series Super-LED® Encapsulated Beacon, Class 2 (Amber) - Polycarbonate Base, Includes Scan-Lock™ Flash Patterns.

	L22H*P	Amber, Blue, Red or White (Single Color), Perm/Pipe Mount, High Dome	102.60
	L22H*M	Amber, Blue, Red or White (Single Color), Magnet Mount, High Dome	115.02
	L22H*V	Amber, Blue, Red or White, Magnetic/Suction Cup Mount, High Dome	120.96
††	L22H*P4	Amber, Blue, Red or White (Single Color), Perm/Pipe Mount, 24 VDC, High Dome	114.48
	L22L*P	Amber, Blue, Red or White (Single Color), Perm/Pipe Mount, Low Dome	102.60
	L22L*M	Amber, Blue, Red or White (Single Color), Magnet Mount, Low Dome	115.02
	L22L*V	Amber, Blue, Red or White (Single Color), Magnet/Suction Cup Mount, Low Dome	120.96
	L22L*P4	Amber, Blue, Red or White (Single Color), Perm/Pipe Mount, 24 VDC, Low Dome	114.48

All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: **A** = Amber; **B** = Blue; **C** = Clear/White; **R** = Red; **G** = Green

Replace symbol in model number with letter indicating SPLIT lens or LED color desired: **D** = Red/Clear; **E** = Blue/Clear; **F** = Amber/Clear; **H** = Green/Clear

† (to be discontinued, check availability) †† (special order, check availability, non-returnable, non-cancelable) **J** = Red/Blue; **K** = Red/Amber; **L** = Red/Green; **M** = Blue/Amber

! Indicate length desired: 5 foot, 6 foot, 7 foot or 8 foot \$ Indicates Lower Price

↓  - Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

Beacons

MODEL	DESCRIPTION	COST
MIRROR20	Mirror Mount Bracket for 2000/2500/L10/L21/L22 Series Beacons	27.00
BBKT20	Shelf Mount Bracket for 2000/2500/L10/L21/L22 Series Beacons, Stainless Steel, Mounts to Flat Vertical Surface	27.00
BGL	Branch Guard for Low Dome for 2000/2500/L10/L21/L22 Series Beacon	19.98
BGH	Branch Guard for High Dome for 2000/2500/L10/L21/L22 Series Beacons	21.06
DCH	Clear Dust Cover for 2000/2500/L10/L21/L22 Series High Dome Beacons Only	3.51
MMK	90 Lb. Pull Magnetic Mount Kit, with 8 Ft. Straight Cord & Plug for 2000/2500/L10/L21/L22 Series Beacons	15.93
LSK	Single Lighted Switch (15 Amp Rated), Mounted on Bracket, Wired and Fused	21.33
DH2000*	Replacement High Dome for 2000/2500/L10/L21/L22 Series Beacons	37.80
DL2000*	Replacement Low Dome for 2000/2500/L10/L21/L22 Series Beacons	37.80

L10 Series Super-LED® Beacon, Class 1 Amber, with Scan-Lock™ Flash Patterns

L10HAP	Amber High Dome, Perm/Pipe Hook Mount, 12 VDC	84.24
L10HAP4	Amber, Perm/Pipe Hook Mount, 24 VDC. High Dome	84.24
L10HAM	Amber, High Dome, Magnetic Mount, 12 VDC	93.96
L10HAV	Amber, High Dome, Magnetic/Suction Mount, 12 VDC	93.96
L10LAP	Amber Low Dome, Perm/Pipe Hook Mount, 12 VDC	84.24
L10LAP4	Amber Low Dome, Perm/Pipe Hook Mount, 24 VDC	84.24
L10LAM	Amber, Low Dome, Magnetic Mount, 12 VDC	93.96
L10LAV	Amber, Low Dome, Magnetic/Suction Mount, 12 VDC	93.96
L10H#P	NEW Amber/White or Amber/Blue Dual Color with Individual Control, Scan-Lock™ Flash Pattern and Synchronize Feature. Perm/Pipe Hook Mount, 12 VDC, High Dome	107.46
L10L#P	NEW Amber/White or Amber/Blue Dual Color with Individual Control, Scan-Lock™ Flash Pattern and Synchronize Feature. Perm/Pipe Hook Mount, 12 VDC, Low Dome	107.46
MIRROR20	Mirror Mount Bracket for 2000/2500/L10/L21/L22 Series Beacons	27.00
BBKT20	Shelf Mount Bracket for 2000/2500/L10/L21/L22 Series Beacons, Stainless Steel, Mounts to Flat Vertical Surface	27.00
BGL	Branch Guard for Low Dome for 2000/2500/L10/L21/L22 Series Beacons	19.98
BGH	Branch Guard for High Dome for 2000/2500/L10/L21/L22 Series Beacons	21.06
DCH	Clear Dust Cover for 2000/2500/L10/L21/L22 Series High Dome Beacons Only	3.51
MMK	90 Lb. Pull Magnetic Mount Kit, with 8 Ft. Straight Cord & Plug for 2000/2500/L10/L21/L22 Series Beacons	15.93
LSK	Single Lighted Switch (15 Amp Rated), Mounted on Bracket, Wired and Fused	21.33
DH2000*	Replacement High Dome for 2000/2500/L10/L21/L22 Series Beacons	37.80
DL2000*	Replacement Low Dome for 2000/2500/L10/L21/L22 Series Beacons	37.80

L50 Series Super-LED® Beacon, Polycarbonate Base

L51*P	Class 1, Amber or White, Perm/Pipe Mount	177.12
L51*M	Class 1, Amber or White, Magnet Mount	185.76
L52*P	Class 2, Amber or White, Perm/Pipe Mount	112.32
L52*M	Class 2, Amber or White, Magnet Mount	121.50
L53AP	Class 3, Amber, Flat Mount, Single LED Beacon, Scan-Lock™ Flash Patterns including Steady-Burn and Cruise Mode	34.56
L53AM	Class 3, Amber, Magnet Mount, Single LED Beacon, Scan-Lock™ Flash Patterns including Steady-Burn and Cruise Mode	43.20
MIRROR15	Mirror Mount Bracket for 1500/L50 Series	25.92
BBKT15	Shelf Mount Bracket for L50/1500 Series, Stainless Steel, Mounts to Flat Vertical Surface	25.92



L41 Series Super-LED®, Encapsulated Beacon, 12/24 VDC, Class 1, Cast Aluminum Base, Includes Scan-Lock™, Permanent Mount Models with Hi/Low and Synchronization Feature, Red, Blue, Amber or White

L41*P	Perm/Pipe Mount	165.24
L41*M	Magnetic Mount	176.58
L41*V	Magnetic/Suction Mount	181.98

ROTA-BEAM™ Super-LED® R316 Series Beacon, Class 1 High Dome - Cast Aluminum Base, Includes Scan-Lock™, Hi/Low Power, Cruise and Synchronize Features.

R316*F	NEW Amber, Blue, Red or White (Single Color Only) Flat Mount	429.30
R316*M	NEW Amber, Blue, Red or White (Single Color Only) Magnetic Mount	445.50
R316*V	NEW Amber, Blue, Red or White (Single Color Only) Magnetic/Suction Mount	449.28
R316**F	NEW Amber, Blue, Red and/or White (Two Color, Split Front/Rear) Flat Mount, Clear Dome	429.30
R316**M	NEW Amber, Blue, Red or White (Two Color, Split Front/Rear) Magnetic Mount, Clear Dome	445.50
R316**V	NEW Amber, Blue, Red or White (Two Color, Split Front/Rear) Magnetic/Suction Mount, Clear Dome	449.28
RPHOTO	NEW Photo Cell Option for Hi/Low Power	23.22



ROTA-BEAM™ Super-LED® R416 Series Beacon, Class 1 - Cast Aluminum Base, Includes Scan-Lock™, Hi/Low Power, Cruise and Synchronize Features.

R416*F	NEW Amber, Blue, Red or White (Single Color Only) Flat Mount	429.30
R416*M	NEW Amber, Blue, Red or White (Single Color Only) Magnetic Mount	445.50
R416*V	NEW Amber, Blue, Red or White (Single Color Only) Magnetic/Suction Mount	449.28
R416**F	NEW Amber, Blue, Red and/or White (Two Color, Split Front/Rear) Flat Mount, Clear Dome	429.30

R416**M	NEW Amber, Blue, Red or White (Two Color, Split Front/Rear) Magnetic Mount, Clear Dome	445.50
R416**V	NEW Amber, Blue, Red or White (Two Color, Split Front/Rear) Magnetic/Suction Mount, Clear Dome	449.28
RPHOTO	NEW Photo Cell Option for Hi/Low Power	23.22

Power Supplies, Strobe

Universal® and Intelligent™ Power Supply Series

UPS64LXA	Four Outlet, 75 Watt Output (90 Watt Input), with 10 Scan-Lock™ Flash Patterns and Synchronize Wire, 12/24 VDC	268.92
ISP94	Four Outlet, 90 Watt Output (115 Watt Input), with 16 Flash Patterns, Programmable Configurations for DOT, Serial and UPS Applications (Less Diagnostic Indicator Kit), 12 VDC	441.72
ISP188	Eight Outlet, 180 Watt Output (230 Watt Input), with 16 Flash Patterns, Programmable Configurations for DOT, Serial and UPS Applications (Less Diagnostic Indicator Kit), 12 VDC	626.94

Competitor™ Series Strobe Power Supplies, Fully Encapsulated with 10 Scan-Lock™ Flash Patterns, 12/24 VDC & Hi/Low Feature Standard.

CS240	Two Outlet, 40 Watt Output (54 Watts Input)	73.44
-------	---	-------

Competitor™ Series Plus Strobe Power Supplies, 10 Scan-Lock™ Flash Patterns and Hi/Low Feature Standard.

CSP660	Six Outlet, 60 Watt Output (80 Watts Input), 12/24 VDC	118.26
CSP690	Six Outlet, 90 Watt Output (120 Watts Input), 12 VDC	137.70

Hide-A-Way Strobe Systems, See Hide-A-Way Strobe Tube and Systems Section Under Lightheads.

000	See "Hide-A-Way Strobe Tube and Systems" Section Under Lightheads	
-----	---	--



Power Supplies & Flashers

Flashers, Halogen & LED

Universal® Halogen & LED Flashers

UFM8	Eight Outlet Halogen/LED Flasher, 60 Watts per outlet, 2x2x2x2 Switching, 17 Selectable Flash Patterns	93.96
ULF44	Four Outlet, Four Channel LED Flasher, 60 Watts per Channel, More than 60 Scan-Lock™ Flash Patterns, Allowing for Alternating, Simultaneous and Synchronized Flashing Lightheads	46.98
AFL530	Certified LED Ambulance Flasher, 5 Outlet, 30 Watts	70.74
AFM560	Certified Ambulance Flasher, 5 Outlet, 60 Watts	126.90
AFM1660	Certified Ambulance Flasher, 16 Outlet, 60 Watts	126.90



Headlight/Grille & Taillight Flashers

SSFPOS	100% Solid-State, Headlight/Grille Light Flasher, 2 Outlet, 160 Watts Per Outlet, 7 Flash Patterns, For Positive Switching Headlights (Replaces SSF2150)	41.04
SSFPOS16	100% Solid-State, Headlight and Taillight Flasher, 2 Outlet, 160 Watts Per Outlet, Seven Flash Patterns, For 2006-2012 Chevy Impala, 2011-2012 Chevy Caprice and 2007-2012 Chevy Tahoe Police Package Vehicles, Includes Mating Plug, For Positive Switching Headlights	54.54
UHF2150A	Headlight/Grille Light Flasher with 4 Flash Patterns for Positive or Negative Headlight Switching (not for Chevy Impala)	36.18
PEIMDC12	NEW This module provides conditioned signals to and from the Police Equipment Interface Module (PEIM) found on All 2012-2013 Dodge Charger Police Vehicles. Including Flashing Headlights and Taillights. For further information, refer to the Police Package Owner's Manual supplied with the vehicle.	107.46



Options for LED Lightheads

LEDLOAD	In-line "Load" Resistor Kit to Interface with OEM Turn Signal Circuit	34.56
PROGRAM1	Scan-Lock Flash Pattern Programmer	62.40

Lightheads, Directional Strobe, Super-LED®, LED, Halogen & Combination

Note: In the Model Number the 3rd and 4th Digit are for the LED or Super-LED Color. The 7th Digit is for the Lens Color.

0S Square Lens Series, Marker/Clearance, Illumination and Flashing LED, Chrome Housing, Size is 1" Wide x 1-1/2" Long.

0S*00MCR	Amber or Red Marker/Clearance Light with Clear Lens	13.77
0S*00FCR	Amber or Red with Single Flash and Clear Lens	13.77
0S*00FCR	Blue or White with Single Flash and Clear Lens	19.44
0S*00SCR	Amber or Red Steady-Burn and Clear Lens	13.77
0SB00SCR	Blue Steady-Burn and Clear Lens	19.44
0SC0EDCR	White Illumination Light with Clear Lens	19.44
0AC0EDCR	White Illumination Light with Clear Lens and 45° Angled Chrome-Plated Bezel	20.52

0R Round Lens Series, Steady and Flashing LED, For Door Panel Mounting, No Flange

0R*00FCR	NEW Amber or Red with Single Flash and Clear Lens	13.77
0R*00FCR	NEW Blue or White with Single Flash and Clear Lens	19.44
0R*00SCR	NEW Amber or Red Steady-Burn and Clear Lens	13.77
0RB00SCR	NEW Blue Steady-Burn and Clear Lens	19.44



2" Round 5mm LED Lightheads, Includes 2.5" Adapter for Customer Supplied 2.5" Grommet, 3" and 3.5" Flange Mount. Other Optional Mounting Kit Purchased Separately (See Optional Mounting Section).

T0*00M*R	Clearance Light, Amber or Red	15.93
TOCACCCR	Compartment Light, Intensity Level 3	25.38

Optional Mounting for 2" Round Series

TFLANGEB	Flange Kit, Surface Mount, Black	4.59
TFLANGEC	Flange Kit, Surface Mount, Chrome	8.37

All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: **A** = Amber; **B** = Blue; **C** = Clear/White; **R** = Red; **G** = Green

† Replace symbol in model number with letter indicating SPLIT lens or LED color desired: **D** = Red/Clear; **E** = Blue/Clear; **F** = Amber/Clear; **H** = Green/Clear

‡ (to be discontinued, check availability) **!** (special order, check availability, non-returnable, non-cancelable) **J** = Red/Blue; **K** = Red/Amber; **L** = Red/Green; **M** = Blue/Amber

! Indicate length desired: 5 foot, 6 foot, 7 foot or 8 foot \$ Indicates Lower Price

↓ †† - Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

MODEL	DESCRIPTION	COST
TGROM2	2" Grommet	3.78
3" Round Super-LED® Lightheads, Steady-Burn or Flashing.		
3SC0CDCR	Compartment Light, White	38.34
3S*00F*R	Flashing, Single Pattern, Red, Blue or Amber	38.34
3SBCCDCR	Compartment Light, Combination Blue/White, with Independent Control of Blue and White Light	42.12
3SRCCDCR	Compartment Light, Combination Red/White, with Independent Control of Red and White Light	42.12
3SR0CDRR	Red, Steady-Burn, Nighttime Illumination Lighting	38.34
3FLANGEC	Flange Kit, Surface Mount, Chrome	6.21
3GROMMET	Grommet Mounting Kit	3.78



3.5" Round Super-LED® Lightheads with Clear Extended Lens, Scan-Lock Flash Patterns and Steady Burn, Requires Mounting Purchased Separately.

PAR28*	Amber, Blue, Red or White Warning, with Synchronize Feature	96.12
PAR28J	Split Red/Blue Warning, with Synchronize Feature	101.52
†† PAR28D	Split Red/White Warning, with Synchronize Feature	101.52
†† PAR28E	Split Blue/White Warning, with Synchronize Feature	101.52
†† PAR28D*	Combination Interleaved White Super-LED Driving Light with Red or Blue Warning Light, Clear Outer Lens	124.74
PAR28DJ	Combination Interleaved White Super-LED Driving Light with Blue over Red Warning Light, Clear Outer Lens	130.14
P28DC11	Optional Fog Light Mounting Kit for 2011-2012 Dodge Charger, Requires Optional Dodge OEM Fog Light Hardware and Bracket or the Fog Light Bezel, Purchased from Dodge	4.32
P28FX11	Optional Fog Light Mounting Kit for 2011-2012 Ford Explorer and 2013 Police Interceptor Utility, Requires Optional Ford OEM Fog Light Hardware and Bracket, Purchased from Ford	4.32



4" Round Super-LED® Lightheads, Scan-Lock™ Flash Patterns (with Phase 1 and Phase 2) and Steady-Burn, Includes Adapter for PAR36 Applications. Requires Optional Mounting Kit Purchased Separately (Except FE/FD Series).

FEDC06*R	2011 Dodge Durango with Fog Light Package, Fog Light Mount with Extended Lens, Synchronizable, Amber, Blue, Red or White	100.44
FEDC06JR	2011 Dodge Durango with Fog Light Package, Fog Light Mount with Extended Lens, Synchronizable, Split Red/Blue	105.84
FEDC06DR	2011 Dodge Durango with Fog Light Package, Fog Light Mount with Extended Lens, Synchronizable, Split Red/White	105.84
FEDC06ER	2011 Dodge Durango with Fog Light Package, Fog Light Mount with Extended Lens, Synchronizable, Split Blue/White	105.84
FDCT10*R	2010-2012 Chevy Tahoe, Combination Interleaved White Super-LED Driving Light and Color Warning Light, with Clear Extended Lens, Red or Blue	129.06
FDCT10JR	2010-2012 Chevy Tahoe, Combination Interleaved White Super-LED Driving Light and Blue over Red Warning Light, with Clear Extended Lens	134.46
FDFP11*R	2011-2012 Ford Expedition, Combination Interleaved White Super-LED Driving Light and Color Warning Light, with Clear Extended Lens, Red or Blue	129.06
FDFP11JR	2011-2012 Ford Expedition, Combination Interleaved White Super-LED Driving Light and Blue over Red Warning Light, with Clear Extended Lens	134.46
FECT10*R	2010-2012 Chevy Tahoe Fog Light Mount with Clear Extended Lens, Synchronizable, Amber, Blue, Red or White	100.44
FECT10JR	2010-2012 Chevy Tahoe Fog Light Mount with Clear Extended Lens, Synchronizable, Split Red/Blue	105.84
FECT10DR	2010-2012 Chevy Tahoe Fog Light Mount with Clear Extended Lens, Synchronizable, Split Red/White	105.84
FECT10ER	2010-2012 Chevy Tahoe Fog Light Mount with Clear Extended Lens, Synchronizable, Split Blue/White	105.84
FEFP11*R	2011-2012 Ford Expedition Fog Light Mount with Clear Lens, Synchronizable, Amber, Blue, Red or White	100.44
FEFP11JR	2011-2012 Ford Expedition Fog Light Mount with Clear Lens, Synchronizable, Split Red/Blue	105.84
FEFP11DR	2011-2012 Ford Expedition Fog Light Mount with Clear Lens, Synchronizable, Split Red/White	105.84
FEFP11ER	2011-2012 Ford Expedition Fog Light Mount with Clear Lens, Synchronizable, Split Blue/White	105.84
2F*00Z*R	Flat Lens, Synchronizable, Amber, Blue, Red or White	98.28
2E*00Z*R	Extended Lens, Synchronizable, Amber, Blue, Red or White	98.28
2EJ00ZCR	Extended Lens, Synchronizable, Split Red/Blue	103.68
2ED00ZCR	Extended Lens, Synchronizable, Split Red/White	103.68
2EE00ZCR	Extended Lens, Synchronizable, Split Blue/White	103.68



4" Round Strobe & 5mm LED Lightheads(DIRECTIONAL) Requires Optional Mounting Kit Purchased Separately, See Optional Mounting Section.

201000*R	Strobe, Round, Flat Lens, Extension Cable Purchased Separately	59.40
20R00XRR	5mm LED, Brake/Tail/Turn, Maximum Intensity	52.38
Optional Mounting for 4" Round Series, Except FEDC06*R and 4" Round Super-LED®, Unless Specified.		
2FLANGEB	Black Surface Mount Trim Ring Kit (For LED Models Only)	4.59
2FLANGEC	Chrome Surface Mount Trim Ring Kit (For LED Models Only)	8.37
2GROMMET	Grommet Mounting Kit (For Strobe, LED or Super-LED® Models)	3.78

Lightheads


4" Round, 2G Series Super-LED® & 5mm LED Grommet Mount Lightheads

2G*00F*R	5mm LED Warning Light with 14 Flash Patterns and Steady-Burn, Red or Amber, Includes Grommet	44.82
20C0CDCR	Compartment Light, Level 3 Intensity, Optional Mounting Kit Purchased Separately	71.28
20C0CDCD	Compartment Light, Level 3 Intensity, with Deutsch® Connector, Optional Mounting Kit Purchased Separately	77.22
2GFLANGC	Optional Surface Mount Chrome-Plated Flange Kit for 2G Series & Compartment Lights	8.37
2GFLANGB	Optional Surface Mount Black Flange Kit for 2G Series & Compartment Lights	4.59
2GROMMET	Grommet Mounting Kit for 2G Compartment Lights Only	3.78
2GBKT1	Optional "L" Bracket, For Use with Grommet Mount Lighthead Only, Each	11.07



400 Series Linear Strobe, DIRECTIONAL, Requires Optional Mounting Kit Purchased Separately (See Optional Mounting Section).

402000*R	Strobe, Without Flange, Extension Cable Purchased Separately	70.74
400 Series Linear-LED® Super-LED®, Six Super-LED over Six Super-LED® with Individual Controls of Upper and Lower Level. Requires Remote Flasher, Purchased Separately (NOT TO BE USED AS A Steady-Burn LIGHT).		
40**5SCR	Amber, Blue, Red and/or White	122.58



400 Series Single Level Super-LED®, Includes Scan-Lock™ Flash Patterns (with Phase 1 and Phase 2) and Steady-Burn with Synchronize Feature.

40*02Z*R	Amber, Blue, Red or White	70.74
----------	---------------------------	-------

400 Series 5mm LED Brake/Tail/Turn, Turn & Back Up, Color LEDs with Color Outer Lens. Requires Optional Mounting Kit Purchased Separately (See Optional Mounting Section).

40BTT	NEW LED, Brake/Tail/Turn with 2 Flash Patterns (Replaces 40R00XRR and Available 2/1/13)	68.04
40A00AAR	LED, Turn Light Amber	68.04
40C00VCR	LED, Interior/Back-up Light, Minimum Intensity	97.74



400 Series Snap-In Halogen, Requires Optional Mounting Purchased Separately.

40J000*R	Without Flange	60.48
----------	----------------	-------

Options for 400 Series

4EFLANGE	Chrome-Plated Flange Kit (Not for use with Linear-LED' & Super-LED®), Surface Mount 5mm & Single Level Super-LED® Only	8.37
4FLANGEB	Black Flange Kit (not for use with Linear-LED' & Super-LED®), Surface Mount 5mm & Single Level Super-LED® Only	4.59
4TSMAB	Black Super-LED® Surface Mount Adapter, Linear-LED' & Super-LED Only	9.72
4TSMAC	Chrome-Plated Super-LED® Surface Mount Adapter, Linear-LED' & Super-LED Only	13.50
4EGRILP	Grille-Master™ Chrome Housing with Swivel Bracket. Not for use with LED/Halogen Combination Models	38.34
4EGRILB	Grille-Master™ Black Housing with Swivel Bracket. Not for use with LED/Halogen Combination Models	35.10
†† 4ILKT1	Polished Intersection Housing Kit, Sold in Pairs, 4300/4400 International® Chassis Only	92.34

500 Series Linear Strobe, DIRECTIONAL, Requires Optional Mounting Kit Purchased Separately (See Optional Mounting Section).

502000*R	Strobe, Extension Cable Purchased Separately	66.42
----------	--	-------

500 Series Linear Super-LED® Lightheads, Color LEDs with Color Outer Lens, Split Color Modules with Clear Outer Lens, Scan-Lock™ Flash Patterns, Plus Steady-Burn, and Synchronize Feature. Requires Optional Mounting Kit Purchased Separately (See Optional Mounting Section).

50*02Z*R	Amber, Blue, Red or White, For Horizontal Mounting	91.80
50**2ZCR	Split Colors, Amber, Blue and/or Red, For Horizontal Mounting	95.04
†† 50AC2ZCR	Split Amber/White, For Horizontal Mounting	95.04
†† 50BC2ZCR	Split Blue/White, For Horizontal Mounting	95.04
50CR2ZCR	Split White/Red, For Horizontal Mounting	95.04
†† 50CC2ZCR	Split White/White, For Horizontal Mounting	95.04
5V*02Z*R	Amber, Blue or Red, For Vertical Mounting	91.80



500 Series TIR6™ Super-LED®, Color LEDs with Color Outer Lens, Split Color Modules with Clear Outer Lens, Six Super-LED@s (per panel). Scan-Lock™ Flash Patterns, including Steady and Synchronize Feature. Requires Optional Mounting Kit Purchased Separately (See Optional Mounting Section).

50*03Z*R	Amber, Blue, Red or White	85.86
†† 50**3ZCR	Split Colors Amber, Blue, Red and/or White	89.10
†† 50AC3ZCR	Split Amber/White	89.10
†† 50BC3ZCR	Split Blue/White	89.10
†† 50CR3ZCR	Split White/Red	89.10
†† 50CC3ZCR	Split White/White	89.10



500 Series 5mm LED Surface Mount, Color LEDs with Color Outer Lens. No Mounting Bracket Required.

5S*00F*R	Red or Amber, with 14 Flash Patterns	47.52
5S*00F*R	Blue or White, with 14 Flash Patterns	97.20
5SR00XRR	Brake/Tail/Turn, with 2 Flash Patterns	49.14
5SCA0CCR	Compartment Light, Clear Lens	91.80



500 Series 5mm LED, Color LEDs with Color Outer Lens. Requires Optional Mounting Kit Purchased Separately (See Optional Mounting Section).

50*00F*R	Red or Amber with 14 Flash Patterns	47.52
50*00F*R	Blue or White with 14 Flash Patterns	97.20
50C000ZR	Gradient Opti-Scenelight™	118.26
50R00XRR	Brake/Tail/Turn, with 2 Flash Patterns	49.14
50C00WCR	Back-up	100.98



Lightheads

All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: **A** = Amber; **B** = Blue; **C** = Clear/White; **R** = Red; **G** = Green

† Replace symbol in model number with letter indicating SPLIT lens or LED color desired: **D** = Red/Clear; **E** = Blue/Clear; **F** = Amber/Clear; **H** = Green/Clear

‡ (to be discontinued, check availability) †† (special order, check availability, non-returnable, non-cancelable) **J** = Red/Blue; **K** = Red/Amber; **L** = Red/Green; **M** = Blue/Amber

! Indicate length desired: 5 foot, 6 foot, 7 foot or 8 foot \$ Indicates Lower Price

↓ †† - Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

MODEL DESCRIPTION COST

500 Series Snap-In Halogen, Requires Optional Mounting Purchased Separately (See Optional Mounting Section).

50K000*R	Halogen	51.84
50X000RR	Brake/Tail/Turn	39.42

Options for 500 Series(For all 500 Series Lighthoods, Except 5S & 5G Surface Mount Models).

5FLANGEB	Black Trim Ring, Kit	4.86
5FLANGEC	Chrome-Plated Trim Ring, Kit	8.37
5FLANGEP	Polished Aluminum Flange	19.71
5GROMMET	Grommet Mount Kit	4.32
5GBKT1	Optional "L" Bracket for use with Grommet Mount Lighthouse Only, Each	10.53
52SMAB	Black Surface Mount Adapter, Strobe Only, Requires Flange Purchased Separately	4.59
5TSMAB	Black Surface Mount Adapter, TIR6™ Super-LED® Only	4.59
5TSMAC	Chrome-Plated Surface Mount Adapter, TIR6™ Super-LED® Only	8.37
5LSMAB	Black Surface Mount Adapter for Linear Super-LED® Only	8.37
5LSMAC	Chrome-Plated Surface Mount Adapter for Linear Super-LED® Only	13.50
5BRUSH	Aluminum Brush Guard, Includes Surface Mount Adapter for TIR6™ Super-LED® Series, 5mm Requires Optional Flange Purchased Separately	14.31
5HSGPED	Pedestal Swivel Mount Kit, Includes Housing and Flange	103.68
5HSGB1	7/8" to 1" Round Bar Mount Kit, Includes Housing and Flange	115.02
5HSGB125	1.25" Round Bar Mount Kit, Includes Housing and Flange	115.02
5BKT1	Mounting Bracket for 500 Series Super-LED®, Universal Mounting Bracket	7.29

5G Series Super-LED® and LED Grommet Mount Lighthoods, 5GBKT1, 5GFLANGC and 5GFLANGB are the Only Mounting Options Available.

5G*00F*R	5mm LED Warning Light, Amber or Red with 14 Flash Patterns	44.82
5GC0CCCR	Super-LED®, Compartment Light, White Super-LEDs with Clear Lens	41.58
5GC00WCR	5mm LED Back-up Light, White	59.94
5GFLANGC	Optional Surface Mount Chrome-Plated Flange Kit for 5G Series	10.53
5GFLANGB	Optional Surface Mount Black Flange Kit for 5G Series	4.59
5GBKT1	Optional "L" Bracket, For Use with Grommet Mount Lighthouse Only, Each	10.53

508E Series - Linear Strobe, Surface Mount (DIRECTIONAL)

58EC20*R	Strobe, Extension Cable Purchased Separately	127.44
508TRIM	Chrome-Plated Flange Cover	11.07

508 Series - Relampable Halogen Lights, Surface Mount (Less Cable)

580CAA*R	Dual Halogen	124.20
580CAAZR	8-32 Degree Halogen Scenelight	105.84
508TRIM	Chrome-Plated Flange Cover	11.07

600 Series Linear Strobe, Lighthoods, DIRECTIONAL, Requires Optional Mounting Kit Purchased Separately (See Optional Mounting Section).

602000*R	Without Flange, Extension Cable Purchased Separately	96.12
----------	--	-------

600 Series 5mm LED Brake/Tail, Turn, & Back-Up Lighthoods, Surface Mount, Color LEDs with Color Outer Lens. Requires Optional Mounting Kit Purchased Separately (See Optional Mounting Section).

60A00TAR	Amber Turn Signal, Populated Arrow Shape without Flange, with Multiple Flash Patterns	73.98
60BTT	NEW LED , Brake/Tail/Turn with 2 Flash Patterns (Replaces 60R00BRR/60R00XRR and Available 2/1/13)	100.98
60C00VCR	Interior/Back-up Light, Minimum Intensity	73.98
60C00WCR	Interior/Back-up Light, Maximum Intensity	265.14

600 Series Super-LED® Lighthoods, Surface Mount, Color LEDs with Color Outer Lens (Unless Specified). Requires Optional Mounting Kit Purchased Separately (See Optional Mounting Section).



60*02S*R	Amber, Blue, Red or White, without Flange, Requires LED Flasher Purchased Separately	100.44
60*02F*R	Amber, Blue, Red or White, Includes Internal Flasher with Flash Patterns, Steady-Burn and Hi/Low Power	100.44
†† 60RA6FCR	1/2 Red, 1/2 Amber, Side-By-Side with Clear Outer Lens with 20 Scan-Lock™ Flash Patterns and Independent On/Off Control of Each Side	123.66
60BR6FCR	1/2 Red, 1/2 Blue, Side-By-Side with Clear Outer Lens with 20 Scan-Lock™ Flash Patterns and Independent On/Off Control of Each Side	123.66
60RC6FCR	1/2 Red, 1/2 White, Side-By-Side with Clear Outer Lens with 20 Scan-Lock™ Flash Patterns and Independent On/Off Control of Each Side	123.66
60C0ELZR	Gradient Opti-Scenelight™, Recess Mount	177.12
6SC0ENZR	Gradient Opti-Scenelight™, Surface Mount	159.84

600 Series Snap-In Halogen Lighthoods, Requires Optional Mounting Kit Purchased Separately (See Optional Mounting Section).

60F000*R	Without Flange	64.80
60K000XR	26 Degree Opti-Scenelight™, without Flange	78.30
60K000YR	13 Degree Opti-Scenelight™, without Flange	78.30
60J000CR	Back-up Light without Flange	59.94
60X000RR	Brake/Tail/Turn	59.94
60X000TR	Amber Arrow, without Flange	62.64

Options for 600 Series

64FKIT	Mounting Kit to Convert 600 Series to Fit in Old-Style 64 Series Hole Cutouts	2.70
6FLANGEB	Black Flange Kit for 600 Series	4.59




6EFLANGE	Chrome-Plated Flange Kit for 600 Series	10.53
6EHDLTMK	Headlight Mounting Kit for AT1 & KD Housing, Includes Bracket & Hardware (Lighthouse Purchased Separately)	15.93
PLAST3V	Flange, Chrome-Plated Three Light Vertical (Lighthoods Purchased Separately)	84.78
PLAST4V	Flange, Chrome-Plated Four Light Vertical (Lighthoods Purchased Separately)	119.34
PLAST4VL	Flange, Chrome-Plated Four Light Vertical, 5mm LED and Super-LED® Only (Lighthoods Purchased Separately)	55.62
CAST1L	Polished Aluminum Housing for Horizontal Mounting, 1 Lamp	61.56
CAST3	Polished Aluminum Housing for Vertical Mounting, 3 Lamp	112.32
CAST3H	Polished Aluminum Housing for Horizontal Mounting, 3 Lamp	121.50
CAST4V	Polished Aluminum Housing for Vertical Mounting, 4 Lamp	165.78

700 Series Linear Strobe Lighthoods, DIRECTIONAL, Requires Optional Mounting Kit Purchased Separately (See Optional Mounting Section).

702000*R	Without Flange, Extension Cable Purchased Separately	90.18
----------	--	-------

700 Series Super-LED® Lighthoods, Surface Mount, Color LEDs with Color Outer Lens (Unless Specified). Requires Optional Mounting Kit Purchased Separately (See Optional Mounting Section).

70*02S*R	Amber, Blue, Red or White, without Flange, Requires LED Flasher Purchased Separately	100.44
70*02F*R	Amber, Blue, Red or White, Includes Internal Flasher with Flash Patterns, Steady-Burn and Hi/Low Power	100.44
†† 70RA6FCR	1/2 Red, 1/2 Amber, Side By Side with Clear Outer Lens with 20 Scan-Lock™ Flash Patterns and Independent On/Off Control of Each Side	123.66
70BR6FCR	1/2 Red, 1/2 Blue, Side By Side with Clear Outer Lens with 20 Scan-Lock™ Flash Patterns and Independent On/Off Control of Each Side	123.66
70RC6FCR	1/2 Red, 1/2 White, Side By Side with Clear Outer Lens with 20 Scan-Lock™ Flash Patterns and Independent On/Off Control of Each Side	123.66
70C0ELZR	Gradient Opti-Scenelight™, Recess Mount	177.12



Lighthoods


700 Series 5mm LED Brake/Tail/Turn & Back-Up Lighthoods, Surface Mount, Color LEDs with Color Outer Lens. Requires Optional Mounting Kit Purchased Separately (See Optional Mounting Section).

70BTT	NEW LED, Brake/Tail/Turn with 2 Flash Patterns (Replaces 70R00BRR/70R00XRR and Available 2/1/13)	85.86
70C00VCR	Interior/Back-up Light, Minimum Intensity	100.98
70C00WCR	Interior/Back-up Light, Maximum Intensity, with 14 Flash Patterns	225.72
70A00TAR	Amber Turn Signal, Sequential Chevron Arrow without Flange with Multi-Flash Pattern	68.04



700 Series Snap-In Halogen Lighthoods, Requires Optional Mounting Kit Purchased Separately (See Optional Mounting Section).

70F000*R	Without Flange	60.48
70K000ZR	8-32 Degree Opti-Scenelight™, without Flange	67.50
70J000CR	27 Watt Back-up Light, without Flange	53.46
70X000RR	Brake/Tail/Turn	56.16
70X000TR	Amber Arrow, Left/Right	59.94



Options for 700 Series

7FLANGEB	Black Flange Kit	4.86
7EFLANGE	Chrome-Plated Flange Kit	8.91
7EGRILP	Grille-Master™ Chrome Housing Kit with Swivel Bracket for Linear Strobe & LED Only	38.34
7EGRILB	Grille-Master™ Black Housing Kit with Swivel Bracket for Linear Strobe & LED Only	35.10
7PLAST1C	Composite Housing, One Lamp	38.88
7CAST1	Polished Cast Aluminum Housing, 1 Lamp (Not for use with 702*S0*U)	59.94
7CAST3	Polished Cast Aluminum Housing, 3 Lamps (Not for use with 702*S0*U)	117.72
73FKIT	Mounting Kit to convert 700 Series to fit in Old Style 73 Series Hole Cutouts	3.24
†† 7GIKT1	Polished Grille Housing Kit for 4300/4400 International® Chassis Only, No Grille Modification Required, Pair	170.64
†† 7GCV6LRC	Grille Mount Chrome Housing for 2006-2011 Chevy Express Van, Super-LED® & 5mm will Surface Mount, Pair	38.88

81E Series - Linear Strobe Lighthoods, Surface Mount (DIRECTIONAL)

81EC20*R	Strobe, Extension Cable Purchased Separately	127.98
810TRIM	Chrome-Plated Flange Cover	13.23

810 Series - Relampable Halogen Lighthoods, Surface Mount (Less Cable)

810CAA*R	Dual Halogen	115.56
810CA0ZR	8-32 Degree Halogen Scenelight	105.84
810TRIM	Chrome-Plated Flange Cover	13.23



900 Series Strobe Lighthoods, DIRECTIONAL, Optional Mounting Purchased Separately (See Optional Mounting Section).

902000*R	Linear Strobe without Flange, Extension Cable Purchased Separately	93.42
----------	--	-------

900 Series Super-LED® Lighthoods, Surface Mount (Unless Specified), Color LEDs with Color Outer Lens (Unless Specified). Requires Optional Mounting Flange 90FLANGC & 90FLANGB Purchased Separately.

90**5S*R	Amber, Blue, Red or White (Single Color Only), without Flange, Requires LED Flasher Purchased Separately	159.84
90**5F*R	Amber, Blue, Red or White (Single Color Only), Includes Internal Flasher with Flash Patterns, Steady-Burn and Hi/Low Power	159.84
90RA5FCR	1/2 Red, 1/2 Amber, Over/Under with Clear Outer Lens with Scan-Lock™ Flash Patterns, Independent On/Off Control of Each Level and Hi/Low Power	159.84
90RB5FCR	1/2 Red, 1/2 Blue, Over/Under with Clear Outer Lens with Scan-Lock™ Flash Patterns, Independent On/Off Control of Each Level and Hi/Low Power	159.84



All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: **A** = Amber; **B** = Blue; **C** = Clear/White; **R** = Red; **G** = Green

† Replace symbol in model number with letter indicating SPLIT lens or LED color desired: **D** = Red/Clear; **E** = Blue/Clear; **F** = Amber/Clear; **H** = Green/Clear

‡ (to be discontinued, check availability) †† (special order, check availability, non-returnable, non-cancelable) **J** = Red/Blue; **K** = Red/Amber; **L** = Red/Green; **M** = Blue/Amber

! Indicate length desired: 5 foot, 6 foot, 7 foot or 8 foot \$ Indicates Lower Price

↓  - Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

MODEL	DESCRIPTION	COST
90RC5FCR	1/2 Red, 1/2 White, Over/Under with Clear Outer Lens with Scan-Lock™ Flash Patterns, Independent On/Off Control of Each Level and Hi/Low Power	159.84
9SC0ENZR	Gradient Opti-Scenelight™, Surface Mount, Includes Flange	282.96
90FLANGB	Black Flange Kit for 900 Series Super-LED® Only	6.21
90FLANGC	Chrome-Plated Flange Kit for 900 Series Super-LED® Only	13.23
900 Series 5mm LED Brake/Tail & Turn, Lighthoods , Surface Mount, Color LEDs with Color Outer Lens. Requires Optional Mounting Purchased Separately (See Optional Mounting Section).		
90A00TAR	Turn Signal, Populated Arrow Shape without Flange, with 17 Flash Patterns, Amber, Left/Right Arrow	134.46
90BTT	NEW LED, Brake/Tail/Turn with 2 Flash Patterns (Replaces 90R00BRR/90R00XRR and Available 2/1/13)	201.42
900 Series Snap-In Halogen Lighthoods , Optional Mounting Kit Purchased Separately (See Optional Mounting Section).		
90F000*R	Without Flange	57.78
90E000ZR	Gradient Opti-Scenelight™, Replaces 90K000YR/XR Models	78.84
90J000CR	27 Watt Back-Up Light, without Flange	56.16
90X000RR	Brake/Tail/Turn without Flange	69.12
90X000TR	Amber Arrow, Left/Right	76.14
Options for 900 Series (Except for Super-LED®)		
9FLANGEB	Black Flange Kit for 900 Series (Not for Use With 900 Super-LED® Series)	6.21
9EFLANGE	Chrome-Plated Flange Kit for 900 Series (Not for Use With 900 Super-LED® Series)	13.23
87241L3	Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Front Driver Side	42.12
87241R3	Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Front Passenger Side	42.12
87242L3	Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Rear Driver Side	42.12
87242R3	Chrome-Plated Flange Kit for 2012 Mercedes and Freightliner Sprinters, Rear Passenger Side	42.12
97FKIT	Mounting Kit to Convert 900 Series to Fit in Old Style 97 Series Hole Cutouts	3.78
Vertex™ Super-LED® Light , Single Self-Contained Lighthouse with 25 Scan-Lock™ Flash Patterns, Including Steady-Burn.		
VX609*	Red, Blue, Amber or White, 9' Cable	69.66
†† VX609#	Split Color, Red, Blue, White and/or Amber, with 9' Cable	72.36
VXFB	Flange Kit, Surface Mount, Black	4.59
VXFC	Flange Kit, Surface Mount, Chrome	8.37
Vertex™ VHB Series , For Factory Prepped FORD Interceptor Sedans and SUVs with 1" Hole in Headlight and Taillight Assemblies.		
†† VHB609*	NEW Red, Blue, Amber or White, 9' Cable and VHB Tape	69.66
†† VHB609#	NEW Split Color, Red, Blue, Amber and/or White, 9' Cable and VHB Tape	72.36
Vertex™ Competitor Series™ Super-LED® Light , Self-Contained Lighthouse with 6" pigtail.		
VTC6*	Red, Blue, Amber or White	52.92
VTCFB	Flange Kit, Surface Mount, Black	4.59
VTCFC	Flange Kit, Surface Mount, Chrome	8.37
Hide-A-Way Strobe Tubes & Systems , HA238/HA239 Models Supplied with 15' Shielded Cable (Waterproof Connectors are Highly Recommended on these Tubes & Systems), For Systems with Waterproof Connectors on Lighthouse End, Contact Factory for Pricing.		
HA239C	Clear Strobe, Soft Plug-In with Flange	40.50
HA239CD	Clear Strobe, Soft Plug-In with Flange, Deutsch® Waterproof Connectors on Lighthouse and One Side of Cable	52.38
HA238C	Clear Strobe, Flange Mount	41.58
HA238A	Amber Strobe, Flange Mount	57.78
HA238CD	Clear Strobe, Flange Mount, Deutsch® Waterproof Connectors on Lighthouse and One Side of Cable	53.46
HA238AD	Amber Strobe, Flange Mount, Deutsch® Waterproof Connectors on Lighthouse and One Side of Cable	68.04
S30HACP	Clear Strobe Tube Only (Less Cable), Soft Plug-In with Flange	32.94
S30HACPD	Clear Strobe Tube Only (Less Cable), Soft Plug-In with Flange, Deutsch® Waterproof Connector	39.42
S30HAC	Clear Strobe Tube Only (Less Cable), Flange Mount	34.56
S30HAA	Amber Strobe Tube Only (Less Cable), Flange Mount	49.14
S30HACD	Clear Strobe Tube Only (Less Cable), Flange Mount, Deutsch® Waterproof Connector	40.50
S30HAAD	Amber Strobe Tube Only (Less Cable), Flange Mount, Deutsch® Waterproof Connector	54.54
S240CC	CS240 Power Supply, Two HA238C (Replaces S220CC & S225CC)	149.04
S660CCCC	CSP660 Power Supply with Four HA239C	210.06
S660AAAA	CSP660 Power Supply with Four HA238A	280.26
S690CCCC	CSP690 Power Supply with Four HA238C	235.98
S690CCAA	CSP690 Power Supply with Two HA238C & Two HA238A	267.84
S690AAAA	CSP690 Power Supply with Four HA238A	300.24
Interior Light, 6" Round , Low Profile, Surface Mount Super-LED® Interior Light		
60C0EHCR	Super-LED Ambulance Interior Light. 6" Round Surface Mount	105.84
60C0EJCS	6 Diode Interior Light, White, Includes Switch	95.58
60CREGCS	12 Diode Interior Light, Split White/Red, 6" Round Surface Mount, Includes Switches	105.84
60CBEGCS	12 Diode Interior Light, Split White/Blue, 6" Round Surface Mount, Includes Switches	105.84
Interior Light, 8" Round , Super-LED® Ambulance Interior Lighthouse		
80C0EHCR	Super-LED® Ambulance Interior Light. Fits Industry Standard 8" Cutout (Replaces 80C0EECR)	86.40



Lighthoods

80C00EZR	NEW Super-LED® Ambulance Interior Light. Fits Industry Standard 8" Cutout, No Mounting Hardware Required, Chrome Housing (Replaces 80C0EHCR)	86.40
8WC00EZR	NEW Super-LED® Ambulance Interior Light. Fits Industry Standard 8" Cutout, No Mounting Hardware Required, White Housing (Replaces 80C0EJCR)	81.00
80CBEHCR	9 Diode, Super-LED® Interior Light, 6 White with Hi/Low and 3 Blue	171.72
80CREHCR	9 Diode, Super-LED® Interior Light, 6 White with Hi/Low and 3 Red	171.72
80R0EKCR	3 Diode, Super-LED® Interior Light, RED	75.06
80R0EJCR	6 Diode, Super-LED® Interior Light, RED	91.80

Interior Lights (Less Cable)

8635CU	35 Watt Halogen Interior Dome Light, Rectangular	54.54
86CE1	12 Diode, Super-LED® 8" x 6" Interior Light, White	214.38
CL25C	Round Compartment Light, Clear, 25 Watt Halogen, Surface Mount	34.02

ION™ Series Super-LED® Universal Light, Includes Universal Mount, Scan-Lock™ Flash Patterns and a 4-wire Pigtail. (For Green, Contact Factory for Price, Availability and Minimum Order Requirements).

ION*	Red, Blue, Amber or White, Black Housing	84.49
IONJ	Split Red/Blue, Black Housing	84.49
IOND	Split Red/White, Black Housing	84.49
†† IONM	Split Blue/Amber, Black Housing	84.49
IONW*	Red, Blue, Amber or White, White Housing	84.49
IONWJ	Split Red/Blue, White Housing	84.49
IONWD	Split Red/White, White Housing	84.49
†† IONWM	Split Blue/Amber, White Housing	84.49
IONK1B	Optional Swivel Mount Bracket, Black	16.47
IONK1W	Optional Swivel Mount Bracket, White	16.47
IONGROM	Grommet Mount Kit	3.78
IONPEDB	Pedestal Mount Kit, Black	35.10
IONPEDC	Pedestal Mount Kit, Chrome	38.34
IONBKT1	Optional Universal License Plate Bracket for 2 ION™ Lightheads, Horizontal Mount	16.47
IONBKT2	NEW Optional Rear Hatch Mounting brackets (pair) for 2013 Ford Police Interceptor Utility, Requires Six ION™ Series Lightheads Purchased Separately	37.80
IONBKT3	NEW Optional Rear Hatch Mounting brackets (pair), 2013 Chevy Tahoe, Requires Six ION™ Series Lightheads Purchased Separately	37.80



Lightheads

ION™ Wide Angle Series Super-LED® Universal Light, Includes Universal Mount, Scan-Lock Flash Patterns and a 4-Wire Pigtail. (For Green, Contact Factory for Price, Availability and Minimum Order Requirements).

WION*	Wide Angle, Red, Blue, Amber or White, Black Housing	84.49
WIONJ	Wide Angle, Split Red/Blue, Black Housing	84.49
WIOND	Wide Angle, Split Red/White, Black Housing	84.49
†† WIONM	Wide Angle, Split Blue/Amber, Black Housing	84.49
WIONW*	Wide Angle, Red, Blue, Amber or White, White Housing	84.49
WIONWJ	Wide Angle, Split Red/Blue, White Housing	84.49
WIONWD	Wide Angle, Split Red/White, White Housing	84.49
†† WIONWM	Wide Angle, Split Blue/Amber, White Housing	84.49
IONK1B	Optional Swivel Mount Bracket, Black	16.47
IONK1W	Optional Swivel Mount Bracket, White	16.47
IONGROM	Grommet Mount Kit	3.78
IONPEDB	Pedestal Mount Kit, Black	35.10
IONPEDC	Pedestal Mount Kit, Chrome	38.34
IONBKT1	Optional Universal License Plate Bracket for 2 ION™ Lightheads, Horizontal Mount	16.47
IONBKT2	NEW Optional Rear Hatch Mounting brackets (pair) for 2013 Ford Police Interceptor Utility, Requires Six ION™ Series Lightheads Purchased Separately	37.80
IONBKT3	NEW Optional Rear Hatch Mounting brackets (pair), 2013 Chevy Tahoe, Requires Six ION™ Series Lightheads Purchased Separately	37.80



ION™ Surface Mount Series Super-LED®, Includes Scan-Lock™ Flash Patterns and a 4-Wire Pigtail. (For Green, Contact factory for Price, Availability and Minimum Order Requirements)

IONSM*	Red, Blue, Amber or White, Black Housing	84.49
IONSMJ	Split Red/Blue, Black Housing	84.49
IONSM D	Split Red/Clear, Black Housing	84.49
†† IONSM M	Split Blue/Amber, Black Housing	84.49
IONSMW*	Red, Blue, Amber or White, White Housing	84.49
IONSMWJ	Split Red/Blue, White Housing	84.49
IONSMWD	Split Red/Clear, White Housing	84.49
†† IONSMWM	Split Blue/Amber, White Housing	84.49
IONSMC*	Red, Blue, Amber or White, Chrome Housing	103.68



ION™ Wide Angle Surface Mount Series Super-LED®, Includes Scan-Lock Flash Patterns and a 4-Wire Pigtail. (For Green, Contact Factory for Price, Availability and Minimum Order Requirements).

WIONSM*	Wide Angle, Red, Blue, Amber or White, Black Housing	84.49
WIONSMJ	Wide Angle, Split Red/Blue, Black Housing	84.49
WIONSM D	Wide Angle, Split Red/White, Black Housing	84.49
†† WIONSM M	Wide Angle, Split Blue/Amber, Black Housing	84.49
WIONSMW*	Wide Angle, Red, Blue, Amber or White, White Housing	84.49

All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: **A** = Amber; **B** = Blue; **C** = Clear/White; **R** = Red; **G** = Green

Replace symbol in model number with letter indicating SPLIT lens or LED color desired: **D** = Red/Clear; **E** = Blue/Clear; **F** = Amber/Clear; **H** = Green/Clear

† (to be discontinued, check availability) †† (special order, check availability, non-returnable, non-cancelable) **J** = Red/Blue; **K** = Red/Amber; **L** = Red/Green; **M** = Blue/Amber

! Indicate length desired: 5 foot, 6 foot, 7 foot or 8 foot \$ Indicates Lower Price

↓ †† - Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

MODEL	DESCRIPTION	COST
WIONSMWJ	Wide Angle, Split Red/Blue, White Housing	84.49
WIONSMWD	Wide Angle, Split Red/White, White Housing	84.49
†† WIONSMWM	Wide Angle, Split Blue/Amber, White Housing	84.49
WIONSMC*	Wide Angle, Red, Blue, Amber or White, Chrome-Plated	103.68
WIONSMCD	Wide Angle, Split Red/White, Chrome-Plated	103.68

Flourent™ Series & Flourent Plus™ Series Super-LED™ Tube Lighting, Includes Both "C" Clip and "P" Clip Mounting

F09C	9", Non-Frosted Lens	39.42
F09PC	9" Plus, Non-Frosted Lens	44.82
F18C	18", Non-Frosted Lens	56.16
F18PC	18" Plus, Non-Frosted Lens	67.50
F27C	27", Non-Frosted Lens	72.90
F27PC	27" Plus, Non-Frosted Lens	89.64
F36C	36", Non-Frosted Lens	95.04
F36PC	36" Plus, Non-Frosted Lens	118.26
F45C	45", Non-Frosted Lens	118.26
F45PC	45" Plus, Non-Frosted Lens	145.26
F54C	54", Non-Frosted Lens	145.26
F54PC	54" Plus, Non-Frosted Lens	179.28
F63C	63", Non-Frosted Lens	167.94
F63PC	63" Plus, Non-Frosted Lens	206.82



M2 Series Super-LED® Surface Mount, Color Outer Lens, Unless Specified. Optional Mounting Flange. 3-5/8" Long x 2-1/8" High x Protrudes 1"

M2*	Warning, Red, Blue, Amber or White	89.64
M2*C	Warning, Red, Blue or Amber with Clear Lens	89.64
†† M2#	Warning, Split Color with Clear Lens, Red/Amber and Red/Blue Only	92.34
†† M2D	Warning, Split Color with Clear Lens, Red/White	92.34
M2FC	Flange, Chrome	8.37
M2FB	Flange, Black	4.86
M2GROM	Grommet Mount Kit	4.32
M2PEDB	Pedestal Mount Kit, Black	35.10
M2PEDC	Pedestal Mount Kit, Chrome	38.34



M2 Wide Angle Series Super-LED® Surface Mount, Designed to meet NFPA and KKK specifications, Color Outer Lens, Unless Specified. Optional Mounting Flange. 3-5/8" Long x 2-1/8" High x Protrudes 1"

M2W*	Warning, Wide Angle, Red, Blue, Amber or White	89.64
M2W*C	Warning, Wide Angle, Red, Blue or Amber, with Clear Lens	89.64
†† M2W#	Warning, Wide Angle, Red/Amber or Red/Blue Only	92.34
†† M2WD	Warning, Wide Angle, Red/White	92.34
M2FC	Flange, Chrome	8.37
M2FB	Flange, Black	4.86
M2GROM	Grommet Mount Kit	4.32
M2PEDB	Pedestal Mount Kit, Black	35.10
M2PEDC	Pedestal Mount Kit, Chrome	38.34



M4 Series Linear Super-LED® Surface Mount, Color Outer Lens, Unless Specified. Optional Mounting Flanges Available. 5-1/2" Long x 3-3/8" High, Protrudes 1-3/8".

M4*	Warning, Red, Blue, Amber or White. Internal Flasher with Flash Patterns and Synchronize Feature	97.20
M4*C	Warning, Red, Blue or Amber with Clear Lens. Internal Flasher with Flash Patterns and Synchronize Feature	97.20
M4#	Split Color with Clear Outer Lens, Side-By-Side, Red/Amber & Red/Blue Only. Internal Flasher with Flash Patterns and Synchronize Feature	120.96
M4D	Split Color with Clear Outer Lens, Side-By-Side, Red/White. Internal Flasher with Flash Patterns and Synchronize Feature	120.96
M4*S	Red, Blue, Amber or White, Requires LED Flasher Purchased Separately	97.20
M4*CS	Red, Blue, Amber or White with Clear Outer Lens, Requires LED Flasher Purchased Separately	97.20
M4FC	Flange, Chrome	8.37
M4FB	Flange, Black	4.86
M4FC400	Flange, Chrome, Adapts M4 to 400 Series Mounting	11.61
M4BRUSH	Brush Guard, Black	23.22
M4IM2LRC	Intersector (Fender) Mount Chrome Housing for 2009-2011 Freightliner M2	35.64
M4GM2LRC	Grille Mount Chrome Housing, For 2005-2011 Freightliner M2 Series, Pair	35.64
†† M4BKT1	Optional Ford Crown Victoria Trunk Mount Bracket for M4 Lightheads, Pair	11.61



M6 Series Linear Super-LED® Surface Mount, Color Outer Lens, Unless Specified. Optional Mounting Flanges Available. 6-3/4" Long x 4-5/16" High, Protrudes 1-3/8".

M6*	Warning, Red, Blue, Amber or White. Internal Flasher with Flash Patterns and Synchronize Feature	118.26
M6*C	Warning, Red, Blue or Amber with Clear Lens. Internal Flasher with Flash Patterns and Synchronize Feature	118.26



M6#	Split Color with Clear Outer Lens, Side-By-Side, Red/Amber, Red/Blue & Red/White Only. Internal Flasher with Flash Patterns and Synchronize Feature	129.60
M6*S	Red, Blue, Amber or White, Requires LED Flasher Purchased Separately	118.26
M6*CS	Red, Blue, Amber or White with Clear Outer Lens, Requires LED Flasher Purchased Separately	118.26
M6BTT	Brake/Tail/Turn	85.86
M6T	Amber Turn Signal, Sequential Chevron Arrow without Flange with Multi-Flash Pattern	75.06
M6BUW	Back-Up Light	115.02
M6ZC	Gradient Scene Light	199.80
M6FC	Flange, Chrome	8.37
M6FB	Flange, Black	4.86
M6P15C	15° Angled Surface Mount Housing, Chrome	41.04
M6P15B	15° Angled Surface Mount Housing, Black	19.98
M6FC600	Flange, Chrome, Adapts M6 to 600 Series Mounting	12.69
M6BRUSH	Brush Guard, Black	23.22
M6HDLMTK	Headlight Mounting Kit for ATI & KD Housings, Includes Hardware	40.50
M6FCV2	Flange, Chrome, Two Light, Vertical, Lighthoods Purchased Separately	57.78
M6FCV3	Flange, Chrome, Three Light, Vertical, Lighthoods Purchased Separately	80.46
M6FCV4	Flange, Chrome, Four Light, Vertical, Lighthoods Purchased Separately	115.02

M7 Series Linear Super-LED® Surface Mount, Color Outer Lens, Unless Specified. Optional Mounting Flanges Available. 7-5/8" Long x 3-3/8" High, Protrudes 1-3/8".

M7*	Warning, Red, Blue, Amber or White. Internal Flasher with Flash Patterns and Synchronize Feature	118.26
M7*C	Warning, Red, Blue or Amber with Clear Lens. Internal Flasher with Flash Patterns and Synchronize Feature	118.26
M7#	Split Color with Clear Outer Lens, Side-By-Side, Red/Amber, Red/Blue & Red/White Only. Internal Flasher with Flash Patterns and Synchronize Feature	129.60
M7*S	Red, Blue, Amber or White, Requires LED Flasher Purchased Separately	118.26
M7*CS	Red, Blue, Amber or White with Clear Outer Lens, Requires LED Flasher Purchased Separately	118.26
M7ZC	NEW Gradient Scenelight	118.26
M7FC	Flange, Chrome	8.37
M7FB	Flange, Black	4.86
M7FC700	Flange, Chrome, Adapts M7 to 700 Series Mounting	16.47
M7BRUSH	Brush Guard, Black	23.22
M7IC8C	Intersector (Fender) Mount Chrome Housing, For 2005-2008 Chevy 4500/5500 Series, Surface Mount, Pair	38.88
M7GCV8C	Grille Mount Chrome Housing, For 2006-2011 Chevy Express Van, Surface Mount, Pair	38.88
M7ICV8C	Intersector (Fender) Mount Chrome Housing, For 2006-2011 Chevy Express Van, Surface Mount, Pair	38.88

M9 Series Linear Super-LED® Surface Mount, Color Outer Lens, Unless Specified. Optional Mounting Flanges Available. 10-3/8" Long x 6-1/2" High, Protrudes 1-3/8".

M9*	Warning, Red, Blue, Amber or White. Internal Flasher with Flash Patterns and Synchronize Feature	177.66
M9*C	Warning, Red, Blue or Amber with Clear Lens. Internal Flasher with Flash Patterns and Synchronize Feature	177.66
M9#	Split Color with Clear Outer Lens, Side-By-Side, Red/Amber, Red/Blue & Red/White Only. Internal Flasher with Flash Patterns and Synchronize Feature	177.66
M9*S	Red, Blue, Amber or White, Requires LED Flasher Purchased Separately	177.66
M9*CS	Red, Blue, Amber or White with Clear Outer Lens, Requires LED Flasher Purchased Separately	177.66
M9LZC	Scenelight, White, Includes Flange (Replaces M9ZC)	300.24
M9BTTX	Brake/Tail/Turn	192.24
M9T	Amber Turn	214.38
M9BUW	Back-Up Light	224.10
M9FC	Flange, Chrome	13.23
M9FB	Flange, Black	4.86
M9FC900	Flange, Chrome, Adapts M9 Warning to 900 Series Mounting	22.68
M9FCZ900	Flange Chrome, Adapts M9 Scenelight to 900 Series Mounting	31.32
M9BRUSH	Brush Guard, Black	34.56

Micro Edge® (Strobe & Super-LED®) & Micro LFL Lighthead Assemblies, Mirror Mount Bracket Sold Separately (with 20' Cable).

††	MC9MED2*	9M, 2 Strobe Assemblies, 8.2"W x 10"D x 3.5"H	194.40
††	MCFLD2*	Freedom™, Two Linear Super-LED@s with a Built-in Flasher, 8.2"W x 10"D x 3.5"H, Blue, Red and/or Amber	390.42
††	MCSLED2*	Micro LFL Liberty™, Two Linear Super-LED@s with Built-in Flasher, 9.5" L x 12" D x 2.5" H, Blue, Red and/or Amber	335.88

Mirror-Beam™ Mirror Mounted Super-LED® Series Lighthoods, Includes 15' Cable with AMP Connectors, Textured Black Finish, Sold in Pairs, Available in Blue, Red and/or Amber. For White Super-LED@s, Contact Factory for Pricing.

	MBCC11**	Chevy Caprice, 2011-2012	190.62
	MBCC11JJ	Chevy Caprice, 2011-2012, Two Split Red/Blue Lighthoods	190.62
	MBDC11**	Dodge Charger, 2011-2012	190.62
	MBDC11JJ	Dodge Charger, 2011-2012, Two Split Red/Blue Lighthoods	190.62
	MBFT11**	Ford Taurus, 2011-2012 and Police Interceptor, 2013	190.62



Lighthoods



All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: A = Amber; B = Blue; C = Clear/White; R = Red; G = Green

† Replace symbol in model number with letter indicating SPLIT lens or LED color desired: D = Red/Clear; E = Blue/Clear; F = Amber/Clear; H = Green/Clear

‡ (to be discontinued, check availability) ††† (special order, check availability, non-returnable, non-cancelable) J = Red/Blue; K = Red/Amber; L = Red/Green; M = Blue/Amber

! Indicate length desired: 5 foot, 6 foot, 7 foot or 8 foot \$ Indicates Lower Price

↓ †† - Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

MODEL	DESCRIPTION	COST
MBFT11JJ	Ford Taurus, 2011-2012 and Police Interceptor, 2013, Two Split Red/Blue Lightheads	190.62
MBFX11**	Ford Explorer, 2011-2012 and Police Interceptor Utility, 2013	190.62
MBFX11JJ	Ford Explorer, 2011-2012 and Police Interceptor Utility, 2013, Two Split Red/Blue Lightheads	190.62
MBFF12**	Ford F150, 2012	190.62
MBFF12JJ	Ford F150, 2012, Two Split Red/Blue Lightheads	190.62
Mirror-Beam™, Mirror Mounted Linear Super-LED® Series Lightheads , Includes 15' Cable with AMP Connectors, Textured Black Finish, Sold in Pairs, Available in Blue, Red and/or Amber. For White Super-LEDs®, Contact Factory for Pricing.		
MBPI06**	Chevy Impala, 2006-2012	300.24
MBPS07**	Chevy Suburban & Silverado, 2007-2012 and Chevy Tahoe, 2007-2012	300.24
†† MBPM05**	Dodge Charger, 2006-2010 and Magnum Police Packages, Fixed Mirror, 2005-2008	190.62
†† MBPM05JJ	Dodge Charger, 2006-2010 and Magnum Police Packages, Fixed Mirror, 2005-2008, Two Split Red/Blue Lightheads	202.50
Pan & Tilt™ Super-LED® Spotlight		
PT360P	Permanent Mount with Wired Control	518.40
PT360PW	Permanent Mount with Wireless Control	545.40
PT360F	Flange Mount with Wired Control	518.40
PT360FW	Flange Mount with Wireless Control	545.40
PAR-36 Super-LED® Floodlights and Spotlights		
P36SLC	PAR-36, 12/24 VDC, Replacement	100.44
P36SLCHG	PAR-36, 12/24 VDC, Combination Spotlight/Floodlight. Includes Rubber Swivel Housing with Stainless Steel Bracket and Hardware	112.32
P36HHS	PAR-36, Super-LED® Hand Held Combination Spotlight/Floodlight, 12/24 VDC, Includes Cigar Cord, On/Off Switch and Magnet	212.22
PAR-36 Round Super-LED® Work Light , Cast Aluminum and Includes Pedestal/Swivel Mount, Standard.		
3PC0C0CD	White, Intensity Level 3, Deutsch Connector	178.74
PAR-36 Round Super-LED® Work Light with Pedestal/Swivel Mount , Built-in On/Off Switch and Removable "T" Handle.		
PFBP12	12 Super-LED® Floodlight, Black Housing	228.96
PFBP12C	12 Super-LED® Floodlight, Black Housing with Chrome Rear Cover	234.90
PFBP6	6 Super-LED® Floodlight, Black Housing	194.40
PFBP6C	6 Super-LED® Floodlight, Black Housing with Chrome Rear Cover	199.80
PSBP12	12 Super-LED® Spotlight, Black Housing	228.96
PSBP12C	12 Super-LED® Spotlight, Black Housing with Chrome Rear Cover	234.90
PSBP6	6 Super-LED® Spotlight, Black Housing	194.40
PSBP6C	6 Super-LED® Spotlight, Black Housing with Chrome Rear Cover	199.80
PAR-36 Round Super-LED® Work Light with Stud/Swivel Mount.		
PFBS12	12 Super-LED® Floodlight, Black Housing	154.44
PFBS12C	12 Super-LED® Floodlight, Black Housing with Chrome Rear Cover	159.84
PFBS6	6 Super-LED® Floodlight, Black Housing	120.96
PFBS6C	6 Super-LED® Floodlight, Black Housing with Chrome Rear Cover	126.36
PSBS12	12 Super-LED® Spotlight, Black Housing	154.44
PSBS12C	12 Super-LED® Spotlight, Black Housing with Chrome Rear Cover	159.84
PSBS6	6 Super-LED® Spotlight, Black Housing	120.96
PSBS6C	6 Super-LED® Spotlight, Black Housing with Chrome Rear Cover	126.36
PAR-46 Super-LED® Steady-Burn Floodlights, Spotlights and Combination Spot Light and Warning Light		
P46SLC	PAR-46, 12 VDC, Replacement, 2° Spot Light	134.46
P46FL*	PAR-46, 12 VDC, Replacement, 8° Spotlight, Amber, Blue, Red or White (Steady-Burn)	134.46
P46WL*	PAR-46, 12 VDC, Replacement, 20° High x 60° Wide Floodlight Pattern, Amber, Blue, Red or White (Steady-Burn)	134.46
P46SLCHG	PAR-46, Spotlight 12 VDC, Includes Rubber Swivel Housing with Stainless Steel Bracket and Hardware	149.04
P46HHS	PAR-46, Super-LED® Hand Held Spotlight, 12 VDC, Includes Cigar Cord, On/Off Switch and Magnet	251.64
P46S2*	PAR-46, 12 VDC, Replacement, 8° Spot Light with Blue or Red Warning. For Unity Spot Light Mounting Only. One Wire Control for Spot and Warning	177.66
P46S2X	PAR-46 12 VDC, Replacement, California Steady Red and 8° Spot Light, for Unity Spot Light Mounting Only. One Wire Control of Steady Red and Spot Light	177.66
P46S2*3	PAR-46, 12 VDC, Replacement, 8° Spot Light with Blue or Red Warning. For Unity Spot Light Mounting. One Wire Color Control for Spot, Warning and Alternate Flash of Spot/Warning	177.66
P46S3*H	PAR-46, 12 VDC, 8° Spot Light with Blue or Red Warning. Includes Rubber Swivel Housing with Stainless Steel Bracket and Hardware. Independent Control of Spot light and Warning Light with Spot Light Override	191.70
Perimeter Enhancement Light, Super-LED, Steady White		
PELCC	Chrome Flange, White	105.84
PELCB	Black Flange, White	105.84
Micro Pioneer™ Series, Super-LED® Work/Scene Light , Includes Mounting Bracket and 3 Additional Interchangeable Optic Lenses.		
MPBW	Bail/Stud Mount, White Housing	217.62
MPBB	Bail/Stud Mount, Black Housing	217.62
MPPW	Low Profile Pedestal/Swivel Mount, White Housing	296.46

Lightheads



MPPWCS	Low Profile Pedestal/Swivel Mount, White Housing with Chrome Cover and On/Off Switch	296.46
MPPB	Low Profile Pedestal/Swivel Mount, Black Housing	296.46
MPPBBS	Low Profile Pedestal/Swivel Mount, Black Housing with Black Cover and On/Off Switch	296.46
MPPBCS	Low Profile Pedestal/Swivel Mount, Black Housing with Chrome Cover and On/Off Switch	296.46
MPRW	Straight Recessed Mount, White	215.46
MPRB	Straight Recessed Mount, Black	215.46
MPR15W	15 Degree Recessed Mount, White	215.46
MPR15B	15 Degree Recessed Mount, Black	215.46

Pioneer™ Series and Pioneer Plus™ Series, White Housing, 12 VDC unless noted, Super-LED® Spot/Flood Lights. Requires Optional Mounting Kit Purchased Separately, Unless Specified.

PFA1	Single Panel Pioneer™ Floodlight	331.56
PFA1LP	PFA1 with Low Profile Pedestal/Swivel Mount	412.56
PFP1	Single Panel Pioneer Plus™ Floodlight	444.96
PFP1LP	PFP1 with Low Profile Pedestal/Swivel Mount	525.96
PFA2	Dual Panel Pioneer™ Floodlight	581.58
PFP2	Dual Panel Pioneer Plus™ Floodlight	776.52
PSP1	Single Panel Pioneer Plus™ Spotlight, 8°	444.96
PSP1LP	PSP1 with Low Profile Pedestal/Swivel Mount	525.96
PTP1	Single Panel Pioneer Plus™ Spotlight, 2°	444.96
PTP1LP	PTP1 with Low Profile Pedestal/Swivel Mount	525.96
PCP2	Dual Panel Combination Pioneer Plus™ Floodlight and 8° Spotlight	776.52
PFP1AC	Single Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved	534.06
PSP1AC	Single Panel Pioneer Plus™ Spot Light, 8°, 120 VAC, UL Approved	534.06
PSP1ALP	PSP1A with Low Profile Pedestal/Swivel Mount, 120 VAC, UL® Approved	615.06
PFP2AC	Dual Panel Pioneer Plus™ Floodlight, 120 VAC, UL® Approved	926.64
PCP2AFS	Dual Panel Pioneer Plus™ Combination Flood (Left)/Spotlight (Right), 120 VAC, UL® Approved	926.64
PCP2ASF	Dual Panel Pioneer Plus™ Combination Spot (Left)/Floodlight (Right), 120 VAC, UL® Approved	926.64
PCP3	Pioneer Plus Max™ Combination Flood and 8° Spotlight	996.30
PCP3A	NEW Pioneer Plus Max™ Combination Flood and 8° Spotlight, 120 VAC, UL® Approved	996.30



Lighthead

Options for Pioneer™ & Pioneer Plus™ Series

PBA0127	Brow Mounting Bracket, 2.75" Radius	86.94
PBA0130	Brow Mounting Bracket, 3" Radius	86.94
PBA106	Bail Mount Bracket, White, For Single Pioneer™ (PFA1/PFP1)	52.38
PBA206	Bail Mount Bracket, White, For Dual Pioneer™ (PFA2/PFP2)	58.86
PBA106V	Vertical Bail Mount Bracket, White, For Single Pioneer	52.38
PBA206V	Vertical Bail Mount Bracket, White, For Dual Pioneer™ (PFA2/PFP2)	58.86
PBAPED	Replaced by PBAPEDA or PBAPEDD, See Pole/Pedestal Pioneer™ Series	
PBAPED2	Replaced by PBAPEDA or PBAPEDD, See Pole/Pedestal Pioneer™ Series	
PBA103	Semi-Recess Housing with Chrome Flange, Mounts Single Pioneer™ (PFA1/PFP1) Straight or at a 15° Angle	70.20
PBA203	Semi-Recess Housing with Chrome Flange, Mounts Dual Pioneer™ (PFA2/PFP2) Straight or at a 15° Angle	125.82
PBAINTC	Brow Mount Brackets, Center Mount for International 4300, 4400, 7400 and Terrastar Chassis (Dual Pioneer Only)	83.70
PFLASH	Flasher with Steady-Burn Override, Multiple Flash Patterns	55.62



Pioneer™ and Pioneer Plus™ Series, Includes Handle and Pole/Pedestal Mount Adapter, White Housing, 12 VDC unless noted, Super-LED® Spot/Flood Lights.

PFA1P	Single Panel Pioneer with Pole/Pedestal Mount Adapter	458.46
PFA1P1	Single Panel Pioneer with Pole/Pedestal Mount Adapter and On/Off Switch	471.96
PFP1P	Single Panel Pioneer Plus with Pole/Pedestal Mount Adapter	570.24
PFP1P1	Single Panel Pioneer Plus with Pole/Pedestal Mount Adapter and On/Off Switch	583.74
PFA2P	Dual Panel Pioneer with Pole/Pedestal Mount Adapter	709.02
PFA2P1	Dual Panel Pioneer with Pole/Pedestal Mount Adapter and On/Off Switch	723.06
PFP2P	Dual Panel Pioneer Plus with Pole/Pedestal Mount Adapter	902.88
PFP2P1	Dual Panel Pioneer Plus with Pole/Pedestal Mount Adapter and On/Off Switch	916.38
PSP1P	Single Panel Pioneer Plus, 8° Spotlight with Pole/Pedestal Mount Adapter	570.24
PSP1P1	Single Panel Pioneer Plus, 8° Spotlight with Pole/Pedestal Mount Adapter and On/Off Switch	583.74
PSP1AP	Single Panel Pioneer Plus, 8° Spotlight, 120 VAC, with Pole/Pedestal Mount Adapter	615.06
PSP1AP1	Single Panel Pioneer Plus, 8° Spotlight, 120 VAC, with Pole/Pedestal Mount Adapter and On/Off Switch	629.10
PCP2P	Dual Panel Pioneer Plus, Combination Flood and 8° Spotlight with Pole/Pedestal Mount Adapter	902.88
PCP2P2	Dual Panel Pioneer Plus, Combination Flood and 8° Spotlight with Pole/Pedestal Mount Adapter and Two On/Off Switches for Individual Control of Lighthead	930.42
PFP1AP	Single Panel Pioneer Plus, 120 VAC, with Pole/Pedestal Mount Adapter	660.42
PFP1AP1	Single Panel Pioneer Plus, 120 VAC, with Pole/Pedestal Mount Adapter and On/Off Switch	673.92
PFP2AP	Dual Panel Pioneer Plus, 120 VAC, with Pole/Pedestal Mount Adapter	1053.00
PFP2AP1	Dual Panel Pioneer Plus, 120 VAC, with Pole/Pedestal Mount Adapter and On/Off Switch	1066.50
PBAPEDD	Pedestal Mount Kit for Pioneer with Pole/Pedestal Mount Adapter	163.08
PBAPEDA	Pedestal Mount Kit for 120VAC Pioneer with Pole/Pedestal Mount Adapter	163.08



All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: **A** = Amber; **B** = Blue; **C** = Clear/White; **R** = Red; **G** = Green

Replace symbol in model number with letter indicating SPLIT lens or LED color desired: **D** = Red/Clear; **E** = Blue/Clear; **F** = Amber/Clear; **H** = Green/Clear

† (to be discontinued, check availability)  (special order, check availability, non-returnable, non-cancelable) **J** = Red/Blue; **K** = Red/Amber; **L** = Red/Green; **M** = Blue/Amber

! Indicate length desired: 5 foot, 6 foot, 7 foot or 8 foot **\$** Indicates Lower Price

↓  - Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

MODEL	DESCRIPTION	COST
PCP2AP	Dual Panel Pioneer Plus™ Combination Flood/8° Spotlight, 120 VAC, UL® Approved with Pole/Pedestal Mount Adapter	1066.50
PCP2AP1	Dual Panel Pioneer Plus™ Combination Flood/8° Spotlight, 120 VAC, UL® Approved with Pole/Pedestal Mount Adapter and On/Off Switch	1066.50
PCP3P	Pioneer Plus Max™ Combination Flood and 8° Spotlight with Pole/Pedestal Mount Adapter	1077.30
PCP3P1	Pioneer Plus Max™ Combination Flood and 8° Spotlight with Pole/Pedestal Mount Adapter and On/Off Switch	1090.80
PCP3AP	NEW Pioneer Plus Max™ Combination Flood and 8° Spotlight, 120 VAC, UL® Approved with Pole/Pedestal Mount Adapter	1077.30
PCP3AP1	NEW Pioneer Plus Max™ Combination Flood and 8° Spotlight, 120 VAC, UL® Approved with Pole/Pedestal Mount Adapter and On/Off Switch	1090.80

Pioneer™ Series & Pioneer Plus™ Series, Lightbar Mount, Super-LED® Floodlight, Includes Permanent Mounting Feet, Floodlight Mounting Bracket and Flasher with Scan-Lock™ Flash Patterns Including Steady Burn. Factory Installed on Freedom Lightbars Only. Lightbar Purchased Separately and May Prevent the Use of Other Options.

††	PFA1LB1	1 Single PFA1 Pioneer Center Mounted for 55" and Up	737.64
††	PFA1LB2	2 Single PFA1 Pioneers with Mounting Brackets for 72" and Up	1182.60
††	PF1LB1	1 Single PFP1 Pioneer Center Mounted for 55" and Up	851.04
††	PF1LB2	2 Single PFP1 Pioneers with Mounting Brackets for 72" and Up	1410.48
††	PFA2LB1	1 Dual PFA2 Pioneer Center Mounted for 55" and Up	1015.74
††	PFA2LB2	2 Dual PFA2 Pioneers with Mounting Brackets for 72" and Up	1794.42
††	PFP2LB1	1 Dual PFP2 Pioneer Center Mounted for 55" and Up	1210.68
††	PFP2LB2	2 Dual PFP2 Pioneers with Mounting Brackets for 72" and Up	2184.30

Pole Assemblies, For Pole Assemblies, See Separate Pole Assemblies Price List

000	For Pole Assemblies, See Separate Pole Assemblies Price List	
-----	--	--

Pioneer SlimLine™ Series, 12 VDC, Super-LED®. Standard Spotlight includes Interchangeable Flood/Flood Lens and the PSL2 also includes a Combination Spot/Flood Light Lens

	PSL1B	Single Panel, Bail/Stud Mount, White Housing	217.62
	PSL1BB	Single Panel, Bail/Stud Mount, Black Housing	217.62
	PSL1P	Single Panel, Low Profile Pedestal/Swivel Mount, White Housing	296.46
	PSL1PB	Single Panel, Low Profile Pedestal/Swivel Mount, Black Housing	296.46
	PSL1R	Single Panel, Semi-Recessed, Chrome Flange Mount, White Housing	217.62
	PSL1RB	Single Panel, Semi-Recessed, Chrome Flange Mount, Black Housing	217.62
	PSL1R5	Single Panel, Semi-Recessed 15° Angle Chrome Flange Mount, White Housing	217.62
	PSL1R5B	Single Panel, Semi-Recessed 15° Angle Chrome Flange Mount, Black Housing	217.62
	PSL2B	Dual Panel, Bail/Stud Mount, White Housing	444.96
	PSL2BB	Dual Panel, Bail/Stud Mount, Black Housing	444.96
	PSL2P	Dual Panel, Low Profile Pedestal/Swivel Mount, White Housing	526.50
	PSL2PB	Dual Panel, Low Profile Pedestal/Swivel Mount, Black Housing	526.50
	PSL2R	Dual Panel, Semi-Recessed, Chrome Flange Mount, White Housing	444.96
	PSL2RB	Dual Panel, Semi-Recessed, Chrome Flange Mount, Black Housing	444.96
	PSL2R5	Dual Panel, Semi-Recessed 15° Angle Chrome Flange Mount, White Housing	444.96
	PSL2R5B	Dual Panel, Semi-Recessed 15° Angle Chrome Flange Mount, Black Housing	444.96

Pioneer SlimLine™ Brow Mount Series, 12 VDC, Super-LED®. Standard Spotlight includes Interchangeable Flood/Flood and Combination Flood/Spot Lenses.

	PSL2	Dual Panel, White Housing, Mounting Purchased Separately	444.96
	PSL2BLK	Dual Panel, Black Housing, Mounting Purchased Separately	444.96
	PBSLFC	Brow Mount Bracket, Center Mount for M2 Freightliner, White, for PSL2 Only	43.20
	PBSLFCB	Brow Mount Bracket, Center Mount for M2 Freightliner, Black, for PSL2 Only	43.20
	PBSLFLR	Brow Mount Bracket, Left and Right Side Mounts for M2 Freightliner, White, for PSL2 Only	83.70
	PBSLFLRB	Brow Mount Bracket, Left and Right Side Mounts for M2 Freightliner, Black, for PSL2 Only	83.70
	PBSLFC	Brow Mount Bracket, Center Mount for International Chassis, White, for PSL2 Only	43.20
	PBSLICB	Brow Mount Bracket, Center Mount for International Chassis, Black, for PSL2 Only	43.20
	PBSLIR	Brow Mount Bracket, Left and Right Side Mounts for International Chassis, White, for PSL2 Only	83.70
	PBSLILRB	Brow Mount Bracket, Left and Right Side Mounts for International Chassis, Black, for PSL2 Only	83.70

SideKick™ Super-LED® Fender Lights, Black Housing, Includes Driver and Passenger Side Housing with ION Lighthoods. Available in Red, Blue, Amber and/or White

	SK01**	Ford Police Interceptor, 2013	261.36
	SK01JJ	Ford Police Interceptor, 2013, Two Split Red/Blue Lighthoods	261.36
	SK01W**	Ford Police Interceptor, 2013, Wide Angle	261.36
	SK01WJJ	Ford Police Interceptor, 2013, Two Split Red/Blue Lighthoods, Wide Angle	261.36
	SK02**	Chevy Caprice, 2011-2012	261.36
	SK02JJ	Chevy Caprice, 2011-2012, Two Split Red/Blue Lighthoods	261.36
	SK02W**	Chevy Caprice, 2011-2012, Wide Angle	261.36
	SK02WJJ	Chevy Caprice, 2011-2012, Two Split Red/Blue Lighthoods, Wide Angle	261.36

Strip-Lite™ Super-LED® & 5mm LED Series, Surface Mount, Color LEDs with Color Outer Lens.

	PS*00F*R	5mm, Amber or Red, 14 Flash Patterns including Steady-Burn	66.96
	PSB00FBR	5mm, Blue, 14 Flash Patterns including Steady-Burn	118.26
	PSC00FCR	5mm, White, 14 Flash Patterns including Steady-Burn	182.52

Lighthoods



PSR00XRR	5mm, Brake/Tail, with 2 Flash Patterns	66.96
PSRASXCR	5mm, Brake/Tail with Amber Turn Signal	72.36
PSTANK	5mm, Water Tank Status Light, Steady-Burn Green, Blue, Amber & Red LEDs. Requires Customer-Supplied Sensors	122.58
PSC0ADCR	Super-LED® Compartment Light, Intensity Level 2, Frosted Lens	46.98
PSC0CDCR	Super-LED® Compartment Light, Intensity Level 3, Frosted Lens	71.28
PSBKT451	45° Mounting Bracket for 1 Strip-Lite™ Compartment Light	11.88
PSBKT1	Guard for use with or without Single Angle Bracket	17.01

TIR3™ & LIN3™ Series Super-LED® Lightheads and Options, Surface Mount, Color Super-LED® with Clear Outer Lens, 3.5" W x 1.1" H x 1.2" D. Includes Black Flange. Scan-Lock™ Flash Patterns including Steady-Burn and Synchronize Feature.

RS*02ZCR	LIN3™, Horizontal Mounting, Amber, Blue, Red or White	56.70
RS*03ZCR	TIR3™, Horizontal Mounting, Amber, Blue, Red or White	50.76
RV*03ZCR	TIR3™, Vertical Mounting, Amber, Blue, Red or White	50.76
RFLANGCD	Optional, Deep, Chrome-Plated Mounting Flange Kit	8.37
RFLANGEC	† Optional Chrome-Plated Mounting Flange Kit	8.37
RFLANGEA	Optional Cast Aluminum Mounting Flange Kit	14.85
RFLANG2B	Optional Black, Dual Surface Mount Flange Kit for 2 TIR3™ and/or LIN3™ Lightheads	7.29
RFLANG2C	Optional Chrome-Plated, Dual Surface Mount Flange Kit for 2 TIR3™ and/or LIN3™ Lightheads	9.99
RGROMMET	Grommet Mount Kit for TIR3™ and LIN3™	3.78
RBKT1	Optional Mounting Bracket for 1 RS TIR3™ or LIN3™ Lighthead (Not for Use with RV series)	6.21
RBKT2	Optional Mounting Bracket for 2 RS TIR3™ and/or LIN3™ Lightheads (Not for Use with RV series)	11.07
RBKT4	Optional Swivel Mounting Bracket For 1 TIR3™ or LIN3™	19.44
RBKT5	Optional, Under-the-Sideview Mirror Mount for 2009-2012 Chevy Tahoe, 18° Downward Housing	8.37
RBKT6	Optional License Plate Bracket for 2 TIR3™/LIN3™s, Horizontal Mount	12.15
RBKT7	Optional License Plate Bracket for 2 TIR3™/LIN3™s, Vertical Mount	12.15
RBKT8B	Optional Fender Mount for Freightliner M2 or International 2011, Black, Pair	13.23
RBKT8C	Optional Fender Mount for Freightliner M2 or International 2011, Chrome, Pair	15.93
RBKTHD1	Harley-Davidson® Side Windshield Mounting Bracket Kit, for use with 1 RV TIR3™, Stainless Steel, Includes RFLANGEC, Each	9.99
RBKTHD2	Harley-Davidson® Side (Saddle Bag) Crash Bar Mounting Bracket Kit, for use with 2 RS TIR3™ and/or LIN3™ Lightheads, Stainless Steel, Includes RFLANG2C, Each	17.01
RBKTHD3	Harley-Davidson® Rear (Saddle Bag) Crash Bar Mounting Bracket Kit, for use with 2 RS TIR3™ and/or LIN3™ Lightheads, Stainless Steel, Includes RFLANG2C, Each	19.98
RBKTHD4L	Harley-Davidson® Under Radio Box Mounting Bracket Kit, for use with 1 RS TIR3™ or LIN3™ Lighthead, Stainless Steel, Includes RFLANGEC, Road Side, Each	9.99
RBKTHD4R	Harley-Davidson® Under Radio Box Mounting Bracket Kit, for use with 1 RS TIR3™ or LIN3™ Lighthead, Stainless Steel, Includes RFLANGEC, Curb Side, Each	9.99
RBKTHD5	Harley-Davidson® Under Headlight Mounting Bracket Kit, for use with 1 RS TIR3™ or LIN3™ Lighthead, Stainless Steel, Includes RFLANGEC, Each	13.77
RBKTHD6	Harley-Davidson® Passing/Fog Light Mounting Bracket Kit, for use with 1 RS TIR3™ or LIN3™ Lighthead, Stainless Steel, Each	12.15



Lightheads

LINZ6™ Series Linear Super-LED® Lightheads and Options, Surface Mount, Color Super-LED with Clear Outer Lens, 4" W x 2" H x 1-9/16" D, Includes Black Flange. Scan-Lock™ Flash Patterns including Steady-Burn and Synchronize Feature.

LINZ6*	Horizontal Mount, Amber, Blue, Red or White	80.46
LINZ6K	Split Amber/Red Lighthead, Horizontal Mount	83.16
LINZ6J	Split Blue/Red Lighthead, Horizontal Mount	83.16
LINZ6D	Split White/Red Lighthead, Horizontal Mount	83.16
LINZ61	Horizontal Mount, Amber/Amber Split	83.70
LINZ62	Horizontal Mount, Blue/Blue Split	83.70
LINZ65	Horizontal Mount, Red/Red Split	83.70
LINZ6FC	Optional Deep Chrome-Plated Mounting Flange Kit	8.37
RFLANGCD	Optional, Deep, Chrome-Plated Mounting Flange Kit	8.37
RFLANGEC	Optional Chrome-Plated Mounting Flange Kit	8.37
RFLANGEA	Optional Cast Aluminum Mounting Flange Kit	14.85
RFLANG2B	Optional Black, Dual Surface Mount Flange Kit for 2 TIR3™ and/or LIN3™ Lightheads	7.29
RFLANG2C	Optional Chrome-Plated, Dual Surface Mount Flange Kit for 2 TIR3™ and/or LIN3™ Lighthead	9.99
RBKTHD1	Harley-Davidson® Side Windshield Mounting Bracket Kit, for use with 1 RV TIR3™, Stainless Steel, Includes RFLANGEC, Each	9.99
RBKTHD2	Harley-Davidson® Side (Saddle Bag) Crash Bar Mounting Bracket Kit, for use with 2 RS TIR3™ and/or LIN3™ Lightheads, Stainless Steel, Includes RFLANG2C, Each	17.01
RBKTHD3	Harley-Davidson® Rear (Saddle Bag) Crash Bar Mounting Bracket Kit, for use with 2 RS TIR3™ and/or LIN3™ Lightheads, Stainless Steel, Includes RFLANG2C, Each	19.98
RBKTHD4L	Harley-Davidson® Under Radio Box Mounting Bracket Kit, for use with 1 RS TIR3™ or LIN3™ Lighthead, Stainless Steel, Includes RFLANGEC, Road Side,	9.99
RBKTHD4R	Harley-Davidson® Under Radio Box Mounting Bracket Kit, for use with 1 RS TIR3™ or LIN3™ Lighthead, Stainless Steel, Includes RFLANGEC, Curb Side, Each	9.99
RBKTHD5	Harley-Davidson® Under Headlight Mounting Bracket Kit, for use with 1 RS TIR3™ or LIN3™ Lighthead, Stainless Steel, Includes RFLANGEC, Each	13.77
RBKTHD6	Harley-Davidson® Passing/Fog Light Mounting Bracket Kit, for use with 1 RS TIR3™ or LIN3™ Lighthead, Stainless Steel, Each	12.15



All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: **A** = Amber; **B** = Blue; **C** = Clear/White; **R** = Red; **G** = Green

Replace symbol in model number with letter indicating SPLIT lens or LED color desired: **D** = Red/Clear; **E** = Blue/Clear; **F** = Amber/Clear; **H** = Green/Clear

† (to be discontinued, check availability)  (special order, check availability, non-returnable, non-cancelable) **J** = Red/Blue; **K** = Red/Amber; **L** = Red/Green; **M** = Blue/Amber

! Indicate length desired: 5 foot, 6 foot, 7 foot or 8 foot **\$** Indicates Lower Price

↓ †† - Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

Lighthoods

MODEL	DESCRIPTION	COST
RGROMMET	Grommet Mount Kit for LINZ6™	3.78
†† L6BKT2	Optional Dodge Charger Trunk Mount Bracket for 2 LINZ6™ Lighthoods, Pair	11.61
L6BKT3	Optional 46 Degree Push Bumper Bracket, Each	7.83
L6BKT5	Optional Under-the-Side View Mirror Mount for 2009-2012 Chevy Tahoe, 18° Downward Housing	9.99
RBKT1	Optional Mounting Bracket for 1 LINZ6™ Lighthood (Consider Using LIN3™ Mounting Flange, Purchased Separately)	6.21
RBKT2	Optional Mounting Bracket for 2 LINZ6™ Lighthoods (Consider Using LIN3™ Mounting Flange, Purchased Separately)	11.07
RBKT5	Optional, Under-the-Sideview Mirror Mount for 2009-2012 Chevy Tahoe, 18° Downward Housing (Consider Using LIN3™ Mounting Flange, Purchased Separately)	8.37
RBKT6	Optional License Plate Bracket for 2 LINZ6™s, Horizontal Mount (Consider Using LIN3™ Mounting Flange, Purchased Separately)	12.15
RBKT7	Optional License Plate Bracket for 2 LINZ6™s, Vertical Mount (Consider Using LIN3™ Mounting Flange, Purchased Separately)	12.15
RBKT8B	Optional Fender Mount for Freightliner M2 or International 2011, Black, Pair (Consider Using LIN3™ Mounting Flange, Purchased Separately)	13.23
RBKT8C	Optional Fender Mount for Freightliner M2 or International 2011, Chrome, Pair (Consider Using LIN3™ Mounting Flange, Purchased Separately)	15.93
†† LIN4KIT	Mounting Kit to convert LINZ6™ Series to mount in SS*02ZCR/LIN4 location, includes black flange	11.07

V-Series Super-LED® Surface Mount Lighthood, Clear Outer Lens, 4-1/4" Long x 2-11/16" High x 1-1/2" Protrusion, with Flange

V23*TPB	NEW Combination 180° Warning, Take-Down and Puddle Light Combination, Red, Blue, Amber or White Warning, Black Flange	145.80
V23*TPC	NEW Combination 180° Warning, Take-Down and Puddle Light Combination, Red, Blue, Amber or White Warning, Chrome Flange	148.50
V23P20B	NEW Angled Surface Mount Housing, Black	10.26
V23P20C	NEW Angled Surface Mount Housing, Chrome	13.50
V23PEDB	NEW Pedestal Mount Kit, Black	35.10
V23PEDC	NEW Pedestal Mount Kit, Chrome	38.34



Cables, Extensions And Connector Kits

Shielded Three Conductor Extension Cables

EXT15	Fifteen Foot Extension Cable with AMP Mate-N-Lok® Connectors	19.44
EXT20	Twenty Foot Extension Cable with AMP Mate-N-Lok® Connectors	24.30
EXT25	Twenty-Five Foot Extension Cable with AMP Mate-N-Lok® Connectors	30.78
EXT30	Thirty Foot Extension Cable with AMP Mate-N-Lok® Connectors	34.56
EXT40	Forty Foot Extension Cable with AMP Mate-N-Lok® Connectors	42.12

Substitute Longer Shielded Cables, For Standard 15' Cable, Where Applicable.

SEXT20	Substitute Twenty Foot Cable for Standard Fifteen Foot Cable	4.32
SEXT25	Substitute Twenty-Five Foot Cable for Standard Fifteen Foot Cable	9.72
SEXT30	Substitute Thirty Foot Cable for Standard Fifteen Foot Cable	15.39

Substitute Longer Shielded Cables, For Standard 15' Cable with Waterproof Connector on Lighthood Side of Cable Only, Where Applicable (Requires Purchase of Lighthood & Cable with Deutsch® Waterproof Connector on Lighthood Side).

SEXT20D	Substitute Twenty Foot Cable for Standard Fifteen Foot Cable, Deutsch® Waterproof Connectors on Lighthood Side of Cable Only	4.32
SEXT25D	Substitute Twenty-Five Foot Cable for Standard Fifteen Foot Cable, Deutsch® Waterproof Connectors on Lighthood Side of Cable Only	9.72

Connector Kits

A441A	3 Pins and Connector AMP Mate-N-Lok® (Cap)	1.89
A442A	3 Sockets and Connector AMP Mate-N-Lok® (Plug)	1.89
A444A	2 Pins and Connector AMP Mate-N-Lok® (Cap)	1.89
A446A	2 Sockets and Connector AMP Mate-N-Lok® (Plug)	1.89
W441D	3 Pins and Connector Kit, Waterproof (Deutsch®)	4.32
W441D14	3 Pins and Connector Kit, Waterproof (Deutsch®), for DOT TPR Cable	4.32
W442D	3 Sockets and Connector Kit, Waterproof (Deutsch®)	4.32
W444D	2 Pins and Connector Kit, Waterproof (Deutsch®)	2.97
W446D	2 Sockets and Connector Kit, Waterproof (Deutsch®)	2.97

Waterproof Connector Kits, Installed, OPTIONAL, Substitute for AMP Mate-N-Lok® Connectors.

W441DIN	Deutsch® 3 Pins and Connector Kit, Waterproof (Installed on Cable)	8.37
W442DIN	Deutsch® 3 Sockets and Connector Kit, Waterproof (Installed on Lighthood)	8.37

Tools, Crimpers And Extractors

Tools

†† CRIMPD	Crimping Tool for Deutsch® Metal Terminals	236.40
†† CRIMPAV	Crimping Tool for AMP Mate-N-Lok® Standard Terminals (Replaces CRIMPFT)	150.00
†† CRIMPIV	Crimping Tool for Barrel Style Terminals	94.80

††	EXTRACT	Economical Extractor for both AMP Mate-N-Lok® Pins and Sockets	46.80
††	PINPUSH	Heavy-Duty Extractor for AMP Mate-N-Lok® Pins	130.80
††	SOCKPUSH	Heavy-Duty Extractor for AMP Mate-N-Lok® Sockets	114.60

Hide-A-Way Strobe Systems

Waterproof Connectors are Highly Recommended on These Systems

Systems, Hide-A-Way Strobe. See Hide-A-Way Strobe Tube and Systems Section Under Lighthead.

000	See "Hide-A-Way Strobe Tube and Systems" Section under Lighthead
-----	--

DOT Wing Plow Super-LED® Lighthead

Wing Plow Super-LED® Lighthead, Includes TIR3™ Super-LED® Encapsulated in a Cast Housing and 20' Cable.

WFLOW1A	Amber, for use when Wing Plow is in Use	112.32
WFLOW2A	Amber, for use when Wing Plow is Stowed	112.32
WFLOW3AA	Includes 1-WFLOW1A and 1-WFLOW2A	208.44

Wing Plow LINZ6 Super-LED Lighthead, Encapsulated in a Cast Housing with 20' Cable

WFLOWZ1A	Amber, for use when Wing Plow is in Use	139.86
WFLOWZ2A	Amber, for use when Wing Plow is Stowed	139.86
WFLOWZ3A	Includes WFLOWZ1A and WFLOWZ2A	266.22



DOT3® Super-LED®

, For DOT3® Super-LED® Systems, See Separate DOT3® Price List

For DOT3® Super-LED® Systems, See Separate DOT3® Price List

000	For DOT3® Super-LED® Systems, See Separate DOT3® Price List
-----	---

Motorcycle Warning Products

"Only the items listed in the Motorcycle Warning sections are recommended for motorcycle use". The use of any other Whelen Equipment is at the sole discretion and risk of the user.

Motorcycle Warning Products

	UPS64LXA	Four Outlet, 75 Watt Output (90 Watt Input), with 10 Scan-Lock™ Flash Patterns and Synchronize Wire, 12/24 VDC	268.92
	UFM8	Eight Outlet Halogen/LED Flasher, 60 Watts per outlet, 2x2x2 Switching, 17 Selectable Flash Patterns	93.96
	RS*03ZCR	TIR3™ Super-LED® with 25 Scan-Lock™ Flash Patterns and Synchronize Feature, For Horizontal Mounting, Amber, Blue, Red or White	50.76
	RV*03ZCR	TIR3™ Super-LED® with 25 Scan-Lock™ Flash Patterns and Synchronize Feature, For Vertical Mounting, Amber, Blue, Red or White	50.76
	RS*02ZCR	LIN3™ with 25 Scan-Lock™ Flash Patterns and Synchronize Feature, For Horizontal Mounting, Amber, Blue, Red or White	56.70
	RFLANGCD	Deep, Chrome-Plated Mounting Flange for TIR3™ and/or LIN3™ Lighthead	8.37
	RFLANG2B	Black, Dual Surface Mount Flange Kit for Two TIR3™ and/or LIN3™ Lighthead	7.29
	RFLANG2C	Chrome-Plated, Dual Surface Mount Flange Kit for Two TIR3™ and/or LIN3™ Lighthead	9.99
	RBKTHD1	Harley-Davidson®, 2008-2012, Side Windshield Mounting Bracket Kit, for use with One LINZ6™ or RV TIR3™, Stainless Steel, Includes RFLANGEC. Each	9.99
	RBKTHD2	Harley-Davidson®, 2008-2012, Side (Saddle Bag) Crash Bar Mounting Bracket Kit, for use with Two LINZ6™, RS TIR3™s and/or LIN3™s, Stainless Steel, Includes RFLANG2C. Each	17.01
	RBKTHD3	Harley-Davidson®, 2008-2012, Rear (Saddle Bag) Crash Bar Mounting Bracket Kit, for use with Two LINZ6™, RS TIR3™s and/or LIN3™s, Stainless Steel, Includes RFLANG2C. Each	19.98
	RBKTHD3D	Harley Davidson® Rear (Saddle Bag) Crash Bar Mounting Bracket Kit, for use with 4 TIR3, LINZ6 and/or LIN3 Lighthead, Stainless Steel, Includes 2 RFLANG2C, Each	39.42
††	RBKTHD4L	Harley-Davidson®, 2008-2012, Under Radio Box Mounting Bracket Kit (When Used with Whelen Boxes Only), for use with One LINZ6™, RS TIR3™ or LIN3™, Stainless Steel, Includes RFLANGEC, Road Side. Each	9.99
††	RBKTHD4R	Harley-Davidson®, 2008-2012, Under Radio Box Mounting Bracket Kit (When Used with Whelen Boxes Only), for use with One LINZ6™, RS TIR3™ or LIN3™, Stainless Steel, Includes RFLANGEC, Curb Side. Each	9.99
††	RBKTHD5	Harley-Davidson®, 2008-2012, (FLHP Road King Only) Under Headlight Mounting Bracket Kit, for use with One LINZ6™, RS TIR3™ or LIN3™, Stainless Steel, Includes RFLANGEC. Each	13.77
††	RBKTHD6	Harley-Davidson®, 2008-2012, Passing/Fog Light Mounting Bracket Kit, for use with One LINZ6™, RS TIR3™ or LIN3™, Stainless Steel. Each	12.15
	2E*00Z*R	Extended Lens, Super-LED®, Amber, Blue, Red or White	98.28
	2F*00Z*R	Flat Lens, Super-LED®, Amber, Blue, Red or White	98.28
	PAR36ES*	PAR-36 Strobe, Extended Wide Angle Lens	76.68
	502000*R	500 Series Strobe, Requires Optional Mounting Kit, Extension Cable Purchased Separately	66.42
	50*00F*R	500 Series 5mm LED, Red or Amber, Requires Optional Mounting Kit	47.52
	50*00F*R	500 Series 5mm LED, Blue or White, Requires Optional Mounting Kit	97.20
	5FLANGEB	500 Series Black Trim Ring Kit	4.86
	5FLANGEC	500 Series Chrome-Plated Trim Ring Kit	8.37
	5GROMMET	500 Series Grommet Mount Kit	4.32
	5HSGB1	500 Series 7/8" to 1" Round Bar Mount Kit	115.02
	5HSGB125	500 Series 1.25" Round Bar Mount Kit	115.02



Systems - DOT & Motorcycle

All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: A = Amber; B = Blue; C = Clear/White; R = Red; G = Green

† Replace symbol in model number with letter indicating SPLIT lens or LED color desired: D = Red/Clear; E = Blue/Clear; F = Amber/Clear; H = Green/Clear

‡ (to be discontinued, check availability) ††† (special order, check availability, non-returnable, non-cancelable) J = Red/Blue; K = Red/Amber; L = Red/Green; M = Blue/Amber

! Indicate length desired: 5 foot, 6 foot, 7 foot or 8 foot \$ Indicates Lower Price

↓ †† - Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

MODEL	DESCRIPTION	COST
5HSGPED	500 Series Pedestal Swivel Mount Kit	103.68
5S*00F*R	500 Series 5mm Self/Surface Mount Red or Amber with 14 Scan-Lock™ Flash Patterns	47.52
5S*00F*R	500 Series 5mm Self/Surface Mount Blue or White with 14 Scan-Lock™ Flash Patterns	97.20
5SR00XRR	500 Series 5mm Self/Surface Mount Brake/Tail/Turn	49.14
402000*R	400 Series Strobe without Flange, Extension Cable Purchased Separately	70.74
4EFLANGE	400 Series Optional Chrome-Plated Trim Ring	8.37
800DL*P	Low Dome, Strobe, Perm/Pipe Mount	157.68
WPA112	Waterproof 100 Watt Siren Amplifier	233.28
WPA1	Full Function Control Head Only, Weather Resistant for WPA Amp, Includes a 7-1/2' Cable, for Handlebar and Surface Mounting (Motorcycle)	212.22
WS321	100 Watt Siren for Harley-Davidson® Wiring Harness	313.20
†† WSMIC321	Microphone for WS321	77.76
†† WS321B9	WS321 Siren Amplifier Mounting Bracket only, for 2008-2010 Harley Davidson Road King and Electra-Glide Police Motorcycle	29.16
ALPHA12SL	Remote Siren, for use with Remote Switches (Purchased Separately), Selectable Four Tone Hands-Free Siren, For a Single 100 Watt Speaker (Replaces the ALPHA12R)	131.22
BETA112R	100 Watt Full Function Remote Siren (Must Be Mounted Flat), For Use with Remote Switches (Purchased Separately)	132.30
BETA2	Full Function Control Head Only, Weather Resistant, 20 Ft. Cable, Surface Mount	174.42
SA350M	Motorcycle Siren Speaker, 100 Watts (Due to surcharges from our supplier on the rare earth materials used in the neodymium magnets found in speaker drivers, we reserve the right to adjust the pricing and/or add surcharges on all models that utilize this rare material, without notice.)	317.52

Motorcycle Systems

Choose the Motorcycle Box Opening Preference, Lighting Package and Options.

Motorcycle System, Includes Black Box, Adapter Plate to Mount to a 2009-2010 Harley Police Package, Separation Plate, Strip-Lite™ LED Brake/Tail/Turn, Flasher, Terminal Block with Fuses and 12 VDC Receptacle. For White Boxes Contact Factory for Pricing and Availability.

†† M4B6R	Motorcycle Box Configured with Six M4 Series, Right-Hand (Curb Side) Opening (Replaces MB6R)	1806.84
†† M4B6L	Motorcycle Box Configured with Six M4 Series, Left-Hand (Road Side) Opening (Replaces MB6L)	1825.20
†† M4B6B	Motorcycle Box Configured with Six M4 Series, Rear Opening (Replaces MB6B)	1825.20

Motorcycle System Box Lighting Package Options for Above, No Charge when Purchased with M4B6 Motorcycle System. For White Super-LED® Lighthead, Contact Factory for Pricing and Availability.

†† M4*****	Six M4 Series Over/Under Single Color Super-LED® Modules, Red, Blue and/or Amber, for M4B6 System Only	
†† M4#####	Six M4 Series Over/Under Dual Color Super-LED® Modules, Red, Blue and/or Amber, for M4B6 System Only	

Options for Motorcycle Systems

†† 2E*00Z*R	Extended Lens, Super-LED® Fairing Light, Amber, Red or Blue, Each	98.28
†† 50*03Z*R	500 Series TIR6™ Super-LED®, Requires Additional Purchase of M1FNDR, Amber, Red or Blue, Each	85.86
†† M1FNDR	Fender Mounting Kit for Use with 50*03Z*R, Each	30.24
†† M2FNDR	Fender Mounting Kit for Use with Two LINZ6s™, RS*02ZCRs or RS*03ZCRs, Each	30.24
†† M4BSEP	Substitute Separation Plate with Battery Hole for Standard Solid Plate, Includes Battery Hold Downs, for M4B6 Series	75.06
†† M1BATT	Motorcycle Battery, Requires Appropriate Separation Plate, Purchased Separately	190.08
†† M4B6CHRG	Battery Charger Includes 120 VAC Receptacle, for M4B6R System Only, Factory Installed ONLY	179.28
†† M4BGCHRB	Battery Charger Includes 120 VAC Receptacle, for M4B6B system Only, Factory Installed ONLY	179.28
†† M1GROUND	Ground Plane	8.37
†† SA350MH	100 Watt Siren Speaker for Harley-Davidson® Wiring Harness (Due to surcharges from our supplier on the rare earth materials used in the neodymium magnets found in speaker drivers, we reserve the right to adjust the pricing and/or add surcharges on all models that utilize this rare material, without notice.)	360.18
†† WS321	100 Watt Siren for Harley-Davidson® Wiring Harness	313.20
†† WSMIC321	Microphone for WS321	77.76
†† WS321B9	WS321 Siren Amplifier Mounting Bracket only, for 2008-2012 Harley Davidson Road King and Electra-Glide Police Motorcycle	29.16
†† M04ZB	Windshield Light Array for 2000-2012 Harley-Davidson® FLHTPI with Full Fairing. Five Blue LINZ6™s (Replaces M01TB/M01LB)	397.44
†† M04ZJ	Windshield Light Array for 2000-2012 Harley-Davidson® FLHTPI with Full Fairing. Five LINZ6™s, Blue Outboard and Center and Two Red in the Center Sections (Replaces M01TJ/M01LJ)	397.44
†† M04ZJ2	Windshield Light Array for 2000-2012 Harley-Davidson® FLHTPI with Full Fairing. Five LINZ6™s, Red Outboard and Center and Two Blue in the Center Sections (Replaces M01TJ2/M01LJ2)	397.44
†† M04ZR	Windshield Light Array for 2000-2012 Harley-Davidson® FLHTPI with Full Fairing. Five Red LINZ6™s (Replaces M01TR/M01LR)	397.44
†† M05ZB	Windshield Light Array for 2007-2012 Harley-Davidson® Road King. Five Blue LINZ6s (Replaces M03TB/M03LB)	397.44



††	M05ZJ	Windshield Light Array for 2007-2012 Harley-Davidson® Road King. Five LINZ6™s, Blue Outboard and Center and Two Red in the Center Sections (Replaces M03TJ/M03LJ)	397.44
††	M05ZJ2	Windshield Light Array for 2007-2012 Harley-Davidson® Road King. Five LINZ6s, Red Outboard and Center and Two Blue in the Center Sections (Replaces M03TJ2/M03LJ2)	397.44
††	M05ZR	Windshield Light Array for 2007-2012 Harley-Davidson® Road King. Five Red LINZ6s (Replaces M03TR/M03LR)	397.44

Switches And Control Boxes

Power Control Centers and Switches

WCC9	WeCan® Controller, 3 Position Slide and 6 Push Buttons, for WeCan Lightbars Only (Not for use with DUO™ Lightbars)	154.44
PCC8R	8 Position Key Pad with Remote Relay Module, Three 20 Amp and Five 10 Amp Relays	171.72
PCCS9RW	Switch Control for Standard Switching (Replaces PCCS9R)	139.86
PCCS9NP	Programmable Switch Control for Delta™, 9M, Liberty™ & Ultra Freedom™ Lightbars (Low Current Switching), Replaces PCCS9N & PCCS9N1	156.60
PCC4W	Switch Box with Four 25 AMP SPST Switches, Lighted	62.10
PCC6W	Switch Box with Six 25 AMP SPST Switches, Lighted	84.24
PCC6W1	Similar to PCC6W, Except Last On/Off Switch is Replaced with a Momentary Switch	84.24
PCC10W	Switch Box with Ten 25 AMP SPST Switches, Lighted	105.84
PCC10W1	Similar to PCC10W, Except Last On/Off Switch is Replaced with a Momentary Switch	105.84
1SWITCH	1 Switch Bracket with Switch of Your Choice	28.62
2SWITCH	2 Switch Bracket with Switches of Your Choice	52.38
3SWITCH	3 Switch Bracket with Switches of Your Choice	62.10
4SWITCH	4 Switch Bracket with Switches of Your Choice	84.24
PC1	PC-1 Switch, Lighted SPST, 15 AMP Contacts	18.09
PC2	PC-2 Switch, Momentary SPST, 15 AMP Contacts	18.09
PC3	PC-3 Switch, Lighted SPDT, 15 AMP Contacts	18.09
PC4	PC-4 Switch, SPDT, On-On, 15 AMP Contacts	18.09
PC5	PC-5 Switch, DPDT, 15 AMP Contacts	18.09
PC5S	PC-5S Switch, DPDT, 15 Amp Contacts, for Strobe Hi/Off/Low Operation	18.09



Siren Amplifiers, Amplifiers & Airhorns

Howler™ Low Frequency Tone Siren, Includes Siren Amplifier and Speaker(s), Works in Conjunction with Existing Siren Systems Purchased Separately.

HOWLER9	Chevy 2500/3500 Silverado and Chevy Suburban 3/4 Ton, 2009-2011, Siren Amplifier with Two Speakers and Mounting Brackets	391.50
HOWLER18	NEW Chevy 2500/3500 Silverado and Chevy Suburban 3/4 Ton, 2012, Siren Amplifier with Two Speakers and Mounting Brackets	391.50
HWLC112	Chevy Impala, 2012, Siren Amplifier with One Speaker, Includes Mounting Bracket, Requires SA315P with SAK46 Purchased Separately	313.20
HOWLER11	Chevy Express G-Series, 2011, Siren Amplifier with Two Speakers and Mounting Brackets	391.50
HOWLER5	Chevy Suburban 1/2 Ton, 2008-2012 and Chevy Tahoe, 2008-2012, Siren Amplifier with Two Speakers and Mounting Brackets	388.80
HOWLER7	Chevy Impala, 2008-2011, Siren Amplifier with Two Speakers and Mounting Brackets	391.50
HOWLER12	Ford F250-F550 Super-Duty, 2011-2012, Siren Amplifier with Two Speakers and Mounting Brackets	391.50
HOWLER14	Dodge 4500, 2011, Siren Amplifier with Two Speakers and Mounting Brackets	391.50
HOWLER15	Dodge Charger (not for V6), 2011-2012, Siren Amplifier with Two Speakers and Mounting Brackets	391.50
HOWLER13	Ford Explorer, 2011-2012 and Police Interceptor Utility, 2013, Siren Amplifier with Two Speakers and Mounting Brackets, Driver Side Bracket Includes Built-in Mounting for a SA315P Speaker	391.50
HOWLER2	Ford Expedition, 2008-2011, Siren Amplifier with Two Speakers and Mounting Brackets	391.50
HOWLER4	Ford E-Series, 2008-2011, Siren Amplifier with Two Speakers and Mounting Brackets	391.50
HWLFT11	Ford Taurus, 2010-2011 and Police Interceptor, 2013, Siren Amplifier with One Speaker, Includes Mounting Bracket	313.20



Sirens, Switches & Speakers

GenCom Sapphire, Remote Siren & Control Center and Options, 5 Year Warranty on Amplifier

CCSRN3	3-Position Slide Switch and 18 Push Button Control Head with Amplifier Control Module with pigtails, Microphone with CCMICX20 included (Replaces CCSRN2)	724.14
CCSRN32	3-Position Progressive Push Button Switches and 18 Push Button Control Head with Amplifier Module with Pigtails, Microphone and CCMICX20	724.14
CCSRN33	Single Master Push Button Switch and 18 Push Button Control Head with Amplifier Module with Pigtails, Microphone and CCMICX20	724.14
CCSRN34	3-Position Slide Switch and 6 Push Button Control Head with Amplifier Module with Pigtails, Microphone and CCMICX20	724.14
CCSRN35	3-Position Progressive Push Button Switches and 9 Push Button Hand Held Control Head with Amplifier Module with Pigtails, and CCMICX20	724.14
CCSRNTA3	Same as CCSRN3, with Traffic Advisor™ Module (Replaces CCSRNTA2)	847.80
CCSRNT32	Same as CCSRN32, with Traffic Advisor™ Module	847.80
CCSRNT33	Same as CCSRN33, with Traffic Advisor™ Module	847.80



All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: **A** = Amber; **B** = Blue; **C** = Clear/White; **R** = Red; **G** = Green

Replace symbol in model number with letter indicating SPLIT lens or LED color desired: **D** = Red/Clear; **E** = Blue/Clear; **F** = Amber/Clear; **H** = Green/Clear

† (to be discontinued, check availability) †† (special order, check availability, non-returnable, non-cancelable) **J** = Red/Blue; **K** = Red/Amber; **L** = Red/Green; **M** = Blue/Amber

! Indicate length desired: 5 foot, 6 foot, 7 foot or 8 foot \$ Indicates Lower Price

↓ †† - Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

MODEL	DESCRIPTION	COST
CCSRNT34	Same as CCSRN34, with Traffic Advisor™ Module	847.80
CCSRNT35	Same as CCSRN35, with Traffic Advisor™ Module	847.80
CCTRIM	Trim Ring Option, for Semi-Flush Mounting of Control Head	28.62
295SDA Series , Remote Dual Amplifier Siren, Each Amplifier Runs One 100 Watt Speaker, 20 Scan-Lock™ Siren Tones.		
295SDA1	NEW Dual Tone Siren Amplifier with Control Head	480.06
295SLS and 295HFS Hands-Free Sirens , with Diagnostix™ & SI TEST® (Except 295HFS7/A8). All 295HFS Models Have a 5 Year Warranty, Standard. For Removable Microphones, Hi/Low Tones and/or 24 Volts DC, Contact Factory for Exact Model Numbers, Price and Availability.		
295SLSA1	Siren Amplifier with 17 Scan-Lock™ Siren Tones	234.90
295HFS2	Remote Siren Amplifier (Flush Mount Head)	332.10
295HFS2X	295HFS2 with Dual Amplifiers, Meets California Title 13 Requirements	608.04
295HFS3	Remote Siren Amplifier (Surface Mount Head)	352.62
295HFS4	Remote Siren Amplifier with 9-Switch Light Control (Surface Mount Head)	466.56
295HFS4A5	Single Unit Siren with 9-Switch Light Control and Low Current Switching, now with Park Kill & Timed-Out Relay	358.02
295SLSA6	Single Unit Siren with 9-Switch Light Control and Standard Switching, now with Park Kill & Timed Out Relay with 17 Scan-Lock™ Siren Tones (Replaces 295HFS4A6)	348.30
295HFS7	Remote Dual Siren Amplifier, with Flush Mount Control Head, Meets CA Title 13	473.04
295HFS9	Self-Contained 200 Watt Dual Full Function Siren, with Removable Microphone	377.46
295HFSDA	Second Amplifier (Kit) for Dual Siren Amplifier Use (295HFS2/3/4 Only)	207.36
295SL Series Sirens, Full Function Hands-Free Siren , with Scan-Lock™ Siren Tones.		
295SL100	Full Function Siren (Up to Two 100 Watt Speakers) and Heavy-Duty Microphone, 12 VDC (Replaces 295HF100 and WS2100)	203.04
295SL101	Full Function (Up to Two 100 Watt Speakers) and Heavy-Duty Plug-in Microphone with Volume Control Knob, 12 VDC	233.82
WPKM1	Park Kill Connection Modules, 30 Amp	32.40
Alpha™ Siren Series		
ALPHA12S	Self-Contained Siren, with Faceplate Switches, Selectable Four Tone Hands-Free Siren, For Single 100 Watt Speaker	149.04
ALPHASL	Remote Siren, for use with Remote Switches (Purchased Separately), Selectable Four Tone Hands-Free Siren, For a Single 100 Watt Speaker (Replaces the ALPHA12R)	131.22
Optional Remote Switches for Alpha™ Siren Series For ALPHA12R, ALPHA12M and ALPHA22M Only.		
ALPHA1	Single On/Off Switch for use with Hands-Free Operation	17.01
ALPHA2	Single On/Off Hands-Free Activation Plus Momentary Switch for Air Horn	17.01
ALPHA3	TONE 1/Off/TONE 2 Switch Operation Plus Momentary Switch for Air Horn	17.01
ALPHA4	Three Switch Operation, One On/Off, One TONE 1/Hands-Free/TONE 2, One Momentary Switch for Airhorn	30.78
ALPHA5	3 Position Toggle Switch, Controls 3 Siren Tones and other Warning Lights or Device Functions. Contacts Rated at 30 Amps (not for ALPHA12M)	42.66
Beta™ Siren Series , Selectable Siren Tone, Radio Repeat, Public Address and Options.		
BETA112R	Full Function Remote Siren, for use with Remote Switches (Purchased Separately), For a Single 100 Watt Speaker	132.30
BETA1	Full Function Control Head Only, with 15' Interconnect Harness	97.74
BETA2	Full Function Control Head Only, Weather Resistant, with 20' Cable, Surface Mount	174.42
†† BETA2BKT	Mounting Bracket for BETA2 and WPA1 Only, Flange Mount	19.71
BETAMIC	Remote Mic for use with BETA112 (for use with Customer-Supplied Switches)	78.84
Epsilon™ Series Siren , Full Function Hands-Free with Diagnostix™ and 9 Scan-Lock™ Siren Tones.		
EPSL1	Full Function 100 Watt with Microphone and Volume Control Knob, Includes CA Title 13 Compliant Tones	154.44
EPSL2S6	Full Function (Up to Two 100 Watt Speakers). Microphone with Volume Control Knob, Includes CA Title 13 Compliant Tones and 6 Switches (replaces EPSL2S4)	228.96
EPSL2S9	Full Function (Up to Two 100 Watt Speakers). Microphone with Volume Control Knob, Includes CA Title 13 Compliant Tones, 4 Position Slide Switch and 6 Switches (replaces EPSL2S7)	285.66
HHS Series Sirens , Hand-Held Siren, With 9 Relays for Switching. Will Operate up to Two 100 Watt Speakers.		
HHS2200	Siren Amplifier with Hand-Held Controller, Includes Programming Software	307.80
Gamma™ Siren Series , 100 WATT, 16 Scan-Lock™ Siren Tones		
GAMMA2	Hands-Free Siren with Two Auxiliary Switches	122.04
Sirens, Waterproof & Options (For Marine & Motorcycle Use).		
WPA112	Waterproof Siren Amplifier, For a Single 100 Watt Speaker	233.28
WPA1	Full Function Control Head Only, Weather Resistant, with a 7-1/2' Cable, for Handlebar and Surface Mounting (Motorcycle)	212.22
BETA2BKT	Mounting Bracket for BETA2, WPA1 and WPA2 Only, Flange Mount	19.71
WPA2	Full Function Control Head Only, Weather Resistant, 20' Cable, Flush/Surface Mount (Marine)	235.44
WPA3BM	Full Function Control Head with Waterproof Switches and Microphone Jack, 20' Cable, Bail Mount (Marine)	245.70
WS321	Siren for Harley-Davidson® Wiring Harness, For a Single 100 Watt Speaker	313.20
†† WSMIC321	Microphone for WS321	77.76



Sirens, Switches & Speakers

††	WS321B9	WS321 Siren Amplifier Mounting Bracket only, for 2008-2012 Harley Davidson Road King and Electra-Glide Police Motorcycle	29.16
----	---------	--	-------

Power Air Horn & Power Air Horn Plus Series and Option

	PAH112	Air Horn Tone Only Siren, For a Single 100 Watt Speaker	111.24
	PAP112	Air Horn Tone Plus Public Address Siren, Includes Microphone, For a Single 100 Watt Speaker	133.38
	PAPEXT15	15' Microphone Extension Cable for PAP112 Only	13.77



Siren Amplifier & Speaker Combination

WSSC Series Siren, Combination Siren/Speaker, One Piece.

	WSSC30	30 Watt Siren and Speaker Combination	115.02
	WSSPA30	Same as WSSC30, Includes Public Address	171.72
	WSSC30HK	Harness Kit for Synchronization of two WSSC30s	19.44



Siren Speakers, SA315 & SA314 Projector™ Series

100 Watt Bumper/Concealed/Flange Mounted Speakers. Due to surcharges from our supplier on the rare earth materials used in the neodymium magnets found in speaker drivers, we reserve the right to adjust the pricing and/or add surcharges on all models that utilize this rare material, without notice.

SA122FM Series, Cast Aluminum Speaker, Flange Mount.

	SA122FMP	Polished Aluminum Finish	237.06
--	----------	--------------------------	--------

SA314 Series, Small Profile, Cast Aluminum Speaker, 6.4" H x 6.17" W x 3.14" D.

	SA314A	122dB Speaker, Natural Aluminum Finish	190.62
	SA314B	122dB Speaker, Aluminum with Black Epoxy-Coated Finish	206.82



Optional Mounting Brackets for SA314 Series

††	SABKT1	Ford Explorer, 2002-2009, Chevy Suburban/Tahoe, 2004-2006, Universal	19.44
††	SABKT9	Universal/Swivel Bail Type Mount Bracket	19.44
††	SABKT21	Chevy Impala, 2006-2012	19.44
††	SABKT24	Chevy Suburban, 2007-2012, and Chevy Tahoe, 2007-2012	19.44

SA315 Series, Small Round Profile, Composite Speaker, 6.5" H x 6.5" W x 2.9" D.

	SA315P	123dB Speaker, Nylon Composite	169.56
--	--------	--------------------------------	--------

Optional Mounting Brackets for SA315 Series

	SAK1	Ford Explorer, 2002-2010, Chevy Suburban/Tahoe, 2004-2006, Universal	19.44
	SAK5	Chevy Suburban/Tahoe, 2000-2003, Chevrolet Avalanche, 2002-2009, GMC Envoy, 2004-2011	19.44
	SAK9	Heavy-Duty Universal/Swivel Bail Type Mounting Bracket	19.44
	SAK11	Chevy Trail Blazer, 2002-2011	19.44
	SAK17	Ford Crown Victoria, 2003-2011, Quick Installation	19.44
	SAK20	Ford Escape, 2011-2012	19.44
	SAK23	Ford Expedition, 2007-2011	19.44
	SAK24	Chevy Suburban, 2007-2012, and Chevy Tahoe/Silverado, 2007-2012	19.44
	SAK25	Chevy Express Van, 2006-2011	19.44
	SAK32	Ford E350/E450, 2008-2012, Driver or Passenger Side	19.44
	SAK34	Chevy Impala, 2006-2011, Howler Compatible, Replaces SAK21	19.44
	SAK37	Dodge Charger, 2011-2012	19.44
	SAK38	Ford Fusion, 2010-2011	19.44
	SAK39	Ford Taurus, 2010-2012 and Police Interceptor, 2013	19.44
	SAK40	Ford F250/F350, 2011-2012, Passenger Side	19.44
	SAK41	Ford F250/F350, 2011-2012, Driver side	19.44
	SAK42	Dodge 4500, 2011-2012, Passenger Side	19.44
	SAK43	Dodge 4500, 2011-2012, Driver Side	19.44
	SAK44	Ford Explorer, 2011-2012 and 2013 Ford Police Interceptor Utility	19.44
	SAK45	Chevy Caprice, 2011-2012	19.44
	SAK46	Chevy Impala, 2012	19.44
	SAK47	Dodge Ram 1500, 2012, Passenger Side	19.44
	SAK48	Dodge Ram 1500, 2012, Driver Side	19.44



Sirens, Switches & Speakers

Siren Speakers, Other

100 Watt and Accessories. Due to surcharges from our supplier on the rare earth materials used in the neodymium magnets found in speaker drivers, we reserve the right to adjust the pricing and/or add surcharges on all models that utilize this rare material, without notice.

Single and Dual Speaker, for Ambulances, 100 WATT or 200 WATT.

††	SA31101P	UnderPro™ Single Speaker for International 4300/4400 Series, 2001-2011, Passenger Side	229.50
††	SA31101D	UnderPro™ Single Speaker for International 4300/4400 Series, 2001-2011, Driver Side	229.50
††	SA32C06	UnderPro™ Dual Speaker for 2006-2011 Chevrolet Express Van	434.70

Speakers, Siren

	SA340TS	SA-340TS	184.68
	SA340STS	SA-340STS	184.68
	SA350M	Motorcycle Siren Speaker, 100 Watts	317.52
††	SA40	Lo-Pro™ Speaker for Edge® 9M Lightbars	279.18
††	SA41	Lo-Pro™ Speaker Kit for Customer-Supplied Driver	171.72



All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: A = Amber; B = Blue; C = Clear/White; R = Red; G = Green

Replace symbol in model number with letter indicating SPLIT lens or LED color desired: D = Red/Clear; E = Blue/Clear; F = Amber/Clear; H = Green/Clear

† (to be discontinued, check availability) †† (special order, check availability, non-returnable, non-cancelable) J = Red/Blue; K = Red/Amber; L = Red/Green; M = Blue/Amber

! Indicate length desired: 5 foot, 6 foot, 7 foot or 8 foot \$ Indicates Lower Price

↓ †† - Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

MODEL DESCRIPTION COST

Replacement Speaker Drivers

††	SD210RX	Replacement 100 Watt Speaker Driver for SA314 Series (Replaces SA1530)	150.12
††	SD370	Replacement 100 Watt Speaker Driver with Adapter (Replaces SD500 Only)	150.12
††	SD210R	Replacement 100 Watt Speaker Driver for SA370, SA1412 & SA1515	150.12

Back-Up Alarms, Electronic

Back-Up Alarms

	WBUA107	Back-Up Alarm, 107dB, 12-24 VDC	29.16
	WBUA97	Back-Up Alarm, 97dB, 12-24 VDC	22.68
	WBUA112	Back-Up Alarm, 87-112dB, 12-24 VDC, Self-Adjusting	61.56
	WBUA112C	Back-Up Alarm, 112 dB, 12-24 VDC	37.80

Safety Site™ & Emitters

GTT Opticom™ Emitters

††	795H	Self-Contained LED IR Opticom Emitter for Freedom™, Liberty™ and 4500 Series Lightbars, Factory Installed Only	822.00
----	------	--	--------

Safety Site™, Super-LED® Traffic Control Light.

	W20SSRK	5 Red Module Kit, Includes Carrying Bag	261.90
	W20SS	Red Module, Each	48.60



Traffic Advisor™ Series & Accessories

All Models include Control Head for Light Array (Unless Specified), Programmable Flash Patterns Standard on TACTRL1A and TACTLD1, allows for Remote Activation of the "Flash Pattern" and End Lamp Enable/Disable Feature.

Dominator™ Traffic Advisor™, TIR3™ Super-LED® Low Profile, Control Head Optional, 1.74" High x 2.17" Deep Housing, Three Super-LED®s Per Panel.

	TAD6	Six Lamp TIR3™ Super-LED® Traffic Advisor™, 23.36" Long, Less Control Head	289.44
	TAD8	Eight Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head	361.26
††	TAD8**	Eight Lamp TIR3™ Super-LED® Traffic Advisor™ with Two End Flashing LEDs, Blue, Red and/or Amber, 30.36" Long, Less Control Head	367.20
	TADCTL1	TAD/TADP Series Control Head Only	70.20
	TADSW1	On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1	8.37
	TADSW2	On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1	8.37

Dominator™ Plus Traffic Advisor™, LINZ6™ Super-LED® Low Profile, Control Head Optional, 1.74" High x 2.17" Deep Housing, Six Super-LED®s Per Panel.

	TADP6	Six Lamp LINZ6™ Super-LED® Traffic Advisor™, 23.26" Long, Less Control Head	496.80
	TADP8	Eight Lamp LINZ6™ Super-LED® Traffic Advisor™, 30.36" Long, Less Control Head	648.00
††	TADP8**	Eight Lamp, Six Lamp LINZ6™ Super-LED® Traffic Advisor™ with Two End Flashing LEDs, Blue, Red and/or Amber, 30.36" Long, Less Control Head	656.10
††	TADP8FT	Eight Lamp LINZ6 Super-LED® Traffic Advisor™, 37.37" Long, Includes Rear Deck Mounting for 2011 Ford Taurus.	666.90
	TADCTL1	TAD/TADP Series Control Head Only	70.20
	TADSW1	On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1	8.37
	TADSW2	On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1	8.37

Traffic Advisor™, TIR3™, Super-LED®, 1.74" High x 2.17" Deep Housing, Three Super-LED®s Per Panel.

	TAM63	Six Lamp TIR3™ Super-LED® Traffic Advisor™, 23.26" Long	380.16
	TAM83	Eight Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long	464.40
††	TAM83**	Eight Lamp TIR3™ Super-LED® Traffic Advisor™, 30.36" Long, with Two End Flashing LEDs, Blue, Red and/or Amber	469.80
††	TAM8348	Eight Lamp TIR3™ Super-LED® Traffic Advisor™, 48" Long	643.68

Traffic Advisor™, LINZ6™, Super-LED®, 1.74" High x 2.17" Deep Housing, Six LEDs Per Panel.

	TAZ66	Six Lamp LINZ6™ Super-LED® Traffic Advisor™, 23.26" Long	570.78
	TAZ86	Eight Lamp LINZ6™ Super-LED® Traffic Advisor™, 30.36" Long	728.46
††	TAZ86**	Eight Lamp, Six Lamp LINZ6™ Super-LED® Traffic Advisor™ with Two End Flashing Super-LED®s, Red, Blue and/or Amber, 30.36" Long	736.02

Traffic Advisor™, 5mm LED Low Profile, 2.84" High x 2.25" Deep "C" Style Housing. Now with Waterproof Connecters Standard.

	TAL65	Six Lamp LED Traffic Advisor™, 36" Long	389.34
	TAL85	Eight Lamp LED Traffic Advisor™, 46.82" Long	462.24

Traffic Advisor™, Front Load, Super-LED®, 2.35" High x 2.38" Deep Housing.

	TANF65	Six Lamp Linear-LED Traffic Advisor™, 34" Long	530.82
	TANF85	Eight Lamp Linear-LED Traffic Advisor™, 45.12" Long	621.00
††	TANF85**	Six Lamp Linear-LED Traffic Advisor™ with Two End Flashing Super-LED®s, Blue, Red and/or Amber, 45.12" Long	627.48
	TACF85	Eight Lamp CON3™ Super-LED® Traffic Advisor™, 45.12" Long	503.28
††	TACF85**	Eight Lamp CON3™ Super-LED® Traffic Advisor™ with 2 End Flashers, Red, Blue and/or Amber, 45.12" Long	509.22
	TANBKT1	Mounting Bracket, for top of Vehicle (Horizontal) Mounting	12.15



Safety Site, Emitters & Back-Up Alarms

Traffic Advisor™, Front Load, DUO™ Super-LED®, 2.35" High x 2.38" Deep Housing, No Control Head Required.

TADF6	Six DUO™ Color Linear Super-LED® Traffic Advisor™, Requires No Special Control Head, 37" Long	866.70
TADF8	Eight DUO™ Color Linear Super-LED® Traffic Advisor™, Requires No Special Control Head, 45.12" Long	928.80
TDP\$\$\$00	Six or Eight DUO™ Super-LED® Modules, No Charge when Ordered with Duo Traffic Advisor, Replace Symbol \$\$\$ with Number of Warning LED Colors, Order Red/Blue/Amber.	

Traffic Advisor™, TIR6™ Super-LED® Low Profile, 2.84" High x 2.25" Deep Housing, Six Super-LED@s Per Panel. Now with Waterproof Connecters Standard.

TAM65	Six Lamp Super-LED® Traffic Advisor™, 36" Long	627.48
TAM85	Eight Lamp Super-LED® Traffic Advisor™, 46.82" Long	758.70
†† TAM85**	Six Lamp Super-LED® Traffic Advisor™ with Two End Flashing Super-LED@s, Blue, Red and/or Amber, 46.82" Long	764.64

Traffic Advisor™, Straight Style Halogen & LED

TA637A	500 Series, Six Lamp Halogen Traffic Advisor, Rectangular Aluminum Housing, 33" Long	347.22
TA837A	500 Series, Eight Lamp Halogen Traffic Advisor, Rectangular Aluminum Housing, 43 1/4" Long	363.42
TA4437M	500 Series, Eight Lamp Traffic Advisor, TIR6™ Super-LED@s, Rectangular Aluminum Housing, Two Piece, 22 7/8"	878.04
TA870A	700 Series, Eight Lamp Halogen Traffic Advisor, Edge@+Plus™ Style Housing, 72"	685.26
TA870L	700 Series, Eight Lamp 5mm LED Traffic Advisor, Edge@+Plus™ Style Housing, 72"	1092.96

Traffic Advisor™ LED, Wireless Remote Control, Models Include a 30' 14 Gauge TPR Power Cable and a Wireless Remote Controller.

†† RF6016L!	600 Series, 16 LED Lamps, One Piece, Arrow Head Style	2230.74
-------------	---	---------

Traffic Advisor™, Arrow Head Style, Halogen & LED Models, Includes TACTRL3A Unless Noted.

†† TA1252L	500 Series, 12 LED Lamps, One Piece	1062.18
†† TA1652L	500 Series, 16 LED Lamps, One Piece	1185.84
†† TA8852H	500 Series, 16 Halogen Lamps, Two Piece	928.80
†† TA1660L!	600 Series, 16 LED Lamps, One Piece, Serial Communicator, Includes TACTRL2 (Replaces TA1664L), One 2 Conductor 20 Gauge & One 2 Conductor 10 Gauge Cable	2290.68
†† TA1664H!	600 Series, 16 Halogen Lighthoods, Arrow Head style, 16 Conductor Cable	970.92

Traffic Advisor™ Accessories

TAPVC15	15' Traffic Advisor™ Extension Cable for TA637A and TA837A	60.48
TAPVC25	25' Traffic Advisor™ Extension Cable for TA637A and TA837A	96.66
TAPVC35	35' Traffic Advisor™ Extension Cable for TA637A and TA837A	112.32
TAPVC50	50' Traffic Advisor™ Extension Cable for TA637A and TA837A	157.68
†† STAPVC30	Substitute 30' PVC Cable for Standard 15' Cable for TA837A and TA637A - ADD	50.22
†† STAPVC35	Substitute 35' PVC Cable for Standard 15' Cable for TA837A and TA637A - ADD	65.34
†† STAPVC40	Substitute 40' PVC Cable for Standard 15' Cable for TA837A and TA637A - ADD	82.62
†† STAPVC50	Substitute 50' PVC Cable for Standard 15' Cable for TA837A and TA637A - ADD	112.32
TATPR20	20' Extension Cable for TA870A & TA870L	103.68
TACTLD1	Control Head Only for Five to Eight Lamp LED Traffic Advisors ONLY, Includes Remote Flash Control and End Lamp Enable/Disable Feature	217.08
TACTRL1A	Control Head Only for Six and Eight Lamp Halogen Light Array with Remote Flash Control & End Lamp Enable/Disable Feature	217.08
TACTRL3A	Control Head Only for Sixteen Lamp Halogen/LED Light Array, Non Diagnostix™, Meets Federal Standards	217.08
DELTAC1A	Delete TACTRL1A from 6 to 8 Light Halogen Traffic Advisor™ - DEDUCT	54.00
DELTALD1	Delete TACTLD1 from 6 to 8 Light LED Traffic Advisor™ - DEDUCT	54.00
DBKT6	Hatch Mount Bracket for 2008-2012 Chevy Tahoe, Interior Mount, For TAD8, TADP8, TAM83 & TAZ86 Only	22.14



Traffic Advisors

Century™ Series Mini Lightbars

Century™ Series LED Mini Lightbars with Aluminum Base with Color Outer Dome, Unless Specified

MC11P*	11", Permanent Mount, Amber, Blue or Red	174.42
MC11M*	11", Magnet Mount, Amber, Blue or Red	186.84
MC11S*	11", Stud Mount, Amber, Blue or Red	186.84
MC16P*	16", Permanent Mount, Amber, Blue or Red	196.02
MC16M*	16", Magnet Mount, Amber, Blue or Red	208.44
MC16V*	16", Vacuum/Magnet Mount, Amber, Blue or Red	224.64
MC16S*	16", Stud Mount, Amber, Blue or Red	208.44
MC16PJ	16", Permanent Mount, Driver Side Red, Passenger Side Blue with Clear Dome	196.02
MC16MJ	16", Magnet Mount, Driver Side Red, Passenger Side Blue with Clear Dome	208.44
MC16VJ	16", Vacuum/Magnetic Mount, Driver Side Red, Passenger Side Blue with Clear Dome	224.64
MC16SJ	16", Stud Mount, Driver Side Red, Passenger Side Blue with Clear Dome	208.44
MC16PF	16", Permanent Mount, Driver Side Amber, Passenger Side White with Clear Dome	196.02
MC16MF	16", Magnet Mount, Driver Side Amber, Passenger Side White with Clear Dome	208.44
MC16VF	16", Vacuum/Magnetic Mount, Driver Side Amber, Passenger Side White with Clear Dome	224.64
MC16SF	16", Stud Mount, Driver Side Amber, Passenger Side White with Clear Dome	208.44
MC23P*	23", Permanent Mount, Amber, Blue or Red	288.90



All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: **A** = Amber; **B** = Blue; **C** = Clear/White; **R** = Red; **G** = Green

† Replace symbol in model number with letter indicating SPLIT lens or LED color desired: **D** = Red/Clear; **E** = Blue/Clear; **F** = Amber/Clear; **H** = Green/Clear

‡ (to be discontinued, check availability) †† (special order, check availability, non-returnable, non-cancelable) **J** = Red/Blue; **K** = Red/Amber; **L** = Red/Green; **M** = Blue/Amber

! Indicate length desired: 5 foot, 6 foot, 7 foot or 8 foot \$ Indicates Lower Price

↓ †† - Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

MODEL	DESCRIPTION	COST
MC23M*	23", Magnet Mount, Amber, Blue or Red	301.32
MC23V*	23", Vacuum/Magnet Mount, Amber, Blue or Red	316.98
MC23S*	23", Stud Mount, Amber, Blue or Red	301.32

Guardian™ Series Mini Lightbars

Rotating & Strobe

Guardian™ Series Lightbars(Replaces RDX & RHD Series).

G1P*	Two 135 RPM Rotators, Diamond Mirrors, Permanent Mount	126.36
G1M*	Two 135 RPM Rotators, Diamond Mirrors, Magnetic Mount	137.70
G1V*	Two 135 RPM Rotators, Diamond Mirrors, Magnetic/Suction Mount	148.50
G2P*	Two High Speed 175 RPM Rotators, Diamond Mirrors, Permanent Mount	126.36
G2M*	Two High Speed 175 RPM Rotators, Diamond Mirrors, Magnetic Mount	137.70
G2V*	Two High Speed 175 RPM Rotators, Diamond Mirrors, Magnetic/Suction Mount	148.50
G7P*	Two Remote Strobe Beacons & One Power Supply, Diamond Mirrors, Permanent Mount, 12/24 VDC, Color Outer Dome	162.54
G7M*	Two Remote Strobe Beacons & One Power Supply, Diamond Mirrors, Magnetic Mount, 12/24 VDC, Color Outer Dome	177.66
G7V*	Two Remote Strobe Beacons & One Power Supply, Diamond Mirrors, Magnetic/Suction Mount, 12/24 VDC, Color Outer Dome	189.00
G7PC**	Two Remote Strobe Beacons & One Power Supply, Diamond Mirrors, Permanent Mount, 12/24 VDC, Clear Outer Dome, Color Inner Domes	162.54
G7MC**	Two Remote Strobe Beacons & One Power Supply, Diamond Mirrors, Magnetic Mount, 12/24 VDC, Clear Outer Dome, Color Inner Domes	177.66
G7VC**	Two Remote Strobe Beacons & One Power Supply, Diamond Mirrors, Magnetic/Suction Mount, 12/24 VDC, Clear Outer Dome, Color Inner Domes	189.00



Options for Guardian™ Series

KCF*	Color Filter Kit For G1 & G2 Series Only, Customer Installed. Each	3.78
G1MM90	90 lb. Magnetic Mount Kit with Cigar Plug for G1, G2 & G5 Series Only	25.38
G7MM90	90 lb. Magnetic Mount Kit with Cigar Plug for G7 & G8 Series Only	25.38
INSTLRDX	Installation of G1MM90 or G7MM90 on Permanent Mount Guardian Series	7.02

Responder® LP Series Mini Lightbars

Low Profile, Super-LED®. For Multiple Color Lightbars with Clear Outer Dome, Replace " * " with an "S" and use Lighting Package R1\$\$\$00 for R1 Models and R2\$\$\$00 for R2 Models. Replace Symbol "\$" with the Number of Color LED Lighthead Required (Maximum of Six). Order of Color is Red, Blue and Amber.

Responder® LP Duo™ Series Lightbars, Polycarbonate Base, with Clear Outer Dome.

†† RDLPPAB	Six DUO Amber/Blue Super-LED® Modules, Permanent Mount	586.98
------------	--	--------

Responder® LP Series Lightbars, Polycarbonate Base, with Color Outer Dome Standard on Single Color Models.

R1LPP*	Six CON3™ Super-LED® Modules, Permanent Mount, Amber, Blue or Red	254.34
R1LPPF	Six CON3™ Super-LED® Modules, Permanent Mount, Driver Side Amber & Passenger Side White with Clear Dome	254.34
R1LPM*	Six CON3™ Super-LED® Modules, Magnet Mount, Amber, Blue or Red	267.30
R1LPMF	Six CON3™ Super-LED® Modules, Magnetic Mount, Driver Side Amber & Passenger Side White with Clear Dome	267.30
R1LPV*	Six CON3™ Super-LED® Modules, Magnetic/Suction Mount, Amber, Blue or Red	279.18
R1LPVF	Six CON3™ Super-LED® Modules, Magnetic/Suction Mount, Driver Side Amber & Passenger Side White with Clear Dome	279.18
R2LPP*	Six LIN6™ Super-LED® Modules, Permanent Mount, Amber, Blue or Red	329.40
R2LPM*	Six LIN6™ Super-LED® Modules, Magnet Mount, Amber, Blue or Red	341.82
R2LPV*	Six LIN6™ Super-LED® Modules, Magnetic/Suction Mount, Amber, Blue or Red	353.16



Responder® LP Series Lightbars, Aluminum Base, with Color Outer Dome Standard on Single Color Models.

R1LPHP*	Six CON3™ Super-LED® Modules, Permanent Mount, Amber, Blue or Red	279.18
R1LPHM*	Six CON3™ Super-LED® Modules, Magnet Mount, Amber, Blue or Red	291.60
R1LPHV*	Six CON3™ Super-LED® Modules, Magnetic/Suction Mount, Amber, Blue or Red	307.80
R2LPHP*	Six LIN6™ Super-LED® Modules, Permanent Mount, Amber, Blue or Red	368.28
R2LPHM*	Six LIN6™ Super-LED® Modules, Magnet Mount, Amber, Blue or Red	380.16
R2LPHV*	Six LIN6™ Super-LED® Modules, Magnetic/Suction Mount, Amber, Blue or Red	391.50

Options for Multi-Color Responder® LP Series, Replace § with Number of Color LEDs Required (Maximum Six Modules). Order of colors is Red, Blue, Amber, For White Contact Factory For Pricing.

R1\$\$\$00	Six CON3™ Super-LED® Modules, Insert Color, No Charge When Ordered with R1 Split Color Models	
R2\$\$\$00	Six LIN6™ Super-LED® Modules, Insert Color, No Charge When Ordered with R2 Split Color Models	

Responder® HD Series Mini Lightbars

Heavy-Duty Rotating and Super-LED®.

Responder® HD Series Lightbars

R2HDP*	Two Rotators, Diamond Mirror, Permanent Mount	133.38
--------	---	--------

R2HDM*	Two Rotators, Diamond Mirror, Magnet Mount	149.04
R10HDP*	Six Super-LED® Modules, Amber, Blue or Red, Permanent Mount	664.20
R10HDM*	Six Super-LED® Modules, Amber, Blue or Red, Magnetic Mount	677.16
R10HDV*	Six Super-LED® Modules, Amber, Blue or Red, Magnetic/Suction Cup Mount	689.04
RDXMM90	90 Pound Pull Magnet Mount Kit with Cord & Plug	25.38
INSTLRDX	Installation of RDXMM90 on Permanent Mount RHD Series	7.02
CF*	Color Filter Kit for Rotators (Customer Installed Option, Use with Clear Outer Dome Only), Each	3.24

Mini 9M Series Lightbars
Strobe

Mini 9M Series Lightbars, Permanent Mount Models with 15' Cable.

9MMEDGE P	Permanent Mount, 2 Front & 2 Rear Strobes	495.18
9MMEDGE M	Magnetic Mount, 2 Front & 2 Rear Strobes	495.18

Options for Mini Edge® 9M Series Lightbars, Permanent Mount Models Only.

9MTD2	Two Halogen Take-Down Lights	59.94
9MALY	Two Halogen Alley Lights	59.94



Mini Edge® Ultra Freedom™ Series Lightbars
LED

Mini Edge® Ultra Freedom™ Series Lightbars, 28.25" Long with 4 Linear-LEDs®, Permanent Mount Models with 15' Passenger Side Cable, Specify LED Color Placement at Time of Order.

FT8****P	Permanent Mount, Amber, Blue, Red and/or White	770.04
FT8****M	Magnetic Mount, Amber, Blue, Red and/or White	770.04

Mini Edge® Ultra Freedom™ Front Facing Series Lightbars, 28.25" Long with 2 Linear-LEDs®. Permanent Mount Models with 15' Passenger Side Cable. Inboard Lightheads Sold Separately.

FT8**00F	Front Facing, Permanent Mount, Amber, Blue, Red and/or White	474.66
----------	--	--------

Options for Mini Ultra Freedom™ Series Lightbars, Up to Four Linear-LED® modules in the Magnetic or Permanent Mount Models and a Maximum Two Halogen Lamps in the Permanent Mount Models Only.

FTTD2	Two Halogen Take-Down Lights, not for use with FTALY	51.84
FTALY	Two Halogen Alley Lights, not for use with FTTD2	51.84
FTD**	Two 400 Series Linear-LEDs, Amber, Blue, Red or White	295.38
FTD****	Four 400 Series Linear-LEDs, Amber, Blue, Red or White	452.52



Mini Liberty™ Series Lightbars
LED, Low Current Switching SL Series

Mini LFL Liberty™ Series Lightbars, 22" with 4 Linear-LED®s. Permanent Mount Models with 15' Passenger Side Cable, Specify LED Color Placement at Time of Order.

LT2****P	Permanent Mount, Amber, Blue, Red and/or White	718.74
LT2****M	Magnetic Mount, Amber, Blue, Red and/or White	718.74

Mini LFL Liberty™ Series Lightbar Accessories, For LT2****P Only.

LTALY	Two Halogen Alley Lights	59.94
LTTD1	One Front Facing Halogen Take-Down Light	30.24



Mini Justice® Series

Mini Justice® JY Series, Includes Four Linear6™ Corner Modules. Permanent Mount Models with 15' Cable.

MJY****P	Permanent Mount, Red, Blue and/or Amber	456.84
MJY****M	Magnetic Mount, Red, Blue and/or Amber	391.50
MJY****V	Magnetic/Suction Mount, Red, Blue and/or Amber	414.72

Options for Mini Justice® Series, Take-Down and Alley Lights for Permanent Mount Models Only.

JDC*	One CON3™, Red, Blue and/or Amber	53.46
JDH*	One LTR3™, Red, Blue and/or Amber. Only for use with Take-Down Lights	53.46
MJTDALL1	Four LR11 Super-LEDs, Two Steady-Burn Take-Down and Two Steady-Burn Alley Lights with 15° Horizontal Adjustment. For Permanent Models Only (Replaces MJTDAL)	147.42



DELTA™ ROTA-BEAM™ Super -LED® Lightbars

Includes Two ROTA-BEAM™ Super-LED® Beacons, with Passenger Side Cable Exit and Clear Outer Domes. Includes Scan-Lock™ Patterns, Low Power and Cruise Mode for the Outboard ROTA-BEAM™s. Clear Dome Standard.

DELTA™ DS Super-LED® Series Lightbars, Standard Current

DS8****	NEW 49.75", Two Single Color Super-LED® Beacons, Amber, Blue, Red or White, Order of Colors is Driver Side Front/Rear and Passenger Side Front/Rear	1403.46
DS8****	NEW 49.75", Two Dual Color Super-LED® Beacons, Amber, Blue, Red and/or White, Order of Colors is Driver Side Front/Rear and Passenger Side Front/Rear	1403.46
DS2****	NEW 56.312", Two Single Color Super-LED® Beacons, Amber, Blue, Red or White, Order of Colors is Driver Side Front/Rear and Passenger Side Front/Rear	1457.46
DS2****	NEW 56.312", Two Dual Color Super-LED® Beacons, Amber, Blue, Red and/or White, Order of Colors is Driver Side Front/Rear and Passenger Side Front/Rear	1457.46

DELTA™ DS Series Upper Level Color Dome Upgrade, Replaces Clear Upper Outer Dome

DSEND*	NEW Color Upper End Dome, Each	7.02
DSCENTD*	NEW Color Upper Center Dome, for Dual Center Section Only, Each	7.02

Lightbars

All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: **A** = Amber; **B** = Blue; **C** = Clear/White; **R** = Red; **G** = Green

Replace symbol in model number with letter indicating SPLIT lens or LED color desired: **D** = Red/Clear; **E** = Blue/Clear; **F** = Amber/Clear; **H** = Green/Clear

† (to be discontinued, check availability) (special order, check availability, non-returnable, non-cancelable) **J** = Red/Blue; **K** = Red/Amber; **L** = Red/Green; **M** = Blue/Amber

! Indicate length desired: 5 foot, 6 foot, 7 foot or 8 foot **\$** Indicates Lower Price

↓ †† - Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

MODEL	DESCRIPTION	COST
DSCENTS*	NEW Color Upper Center Dome, for Single Center Section Only, Each	7.02
DELTA™ DS Series Upper Level Options		
DSRB**	NEW One Single Color Super-LED® Beacon, Amber, Blue, Red or White, Order of Colors is Front/Rear	429.30
DSRB**	NEW One Dual Color Super-LED® Beacon, Amber, Blue, Red and/or White, Order of Colors is Front/Rear	429.30
DSAM	NEW Angled Mirror, Each	4.86
DELTA™ DS Series Lower Level Options		
DSTLS1	NEW Two LR11 Super-LED® Take-Down Lights with 15° Horizontal Adjustment	75.06
DSTLS1D	NEW Two Dual LR11 Super-LED® Take-Down Lights with 15° Horizontal Adjustment	75.06
DSALF1	NEW Two LR11 Super-LED® Alley Lights with 15° Horizontal Adjustment	129.06
DSALF1D	NEW Two Dual LR11 Super-LED® Alley Lights with 15° Horizontal Adjustment	91.26
DSD*	NEW One Super-LED® Lighthouse, Amber, Blue, Red or White, Requires DSFLASH	91.80
DSFLASH	NEW Flasher for Front or Rear DSD*s, Purchased Separately. Up to Two per Bar. Each Front or Rear Flasher Controls up to Four Lights, for a Total of Eight	53.46

NFPA Lightbars

Meeting NFPA 1901 Zone "A" Upper Lighting Requirements, For Available Options, Contact Factory. (For Mounting Options, See Optional Edge® & Centurion™ Mounting Kits).

NFPA Edge® Ultra Freedom™ & LFL Liberty™ LED Lightbars, ZONE "A" UPPER, All Models Include Clear Outer Lens and Permanent Mount.

†† FN55VLED	55", Four Corner Red Linear-LED's, Four Front Linear-LEDs (2 Red/2 White)	1445.04
†† FN60VLED	60", Four Corner Red Linear-LED's, Four Front Linear-LEDs (2 Red/2 White)	1562.76
†† FN72VLED	72", Four Corner Red Linear-LED's, Four Front Linear-LEDs (2 Red/2 White)	1562.76
†† FN55QLED	55", Two Front Corner Red Linear-LED's, Four Front Linear-LEDs (2 Red/2 White) and Two End Red Linear-LEDs, Square Ends	1445.04
†† FN60QLED	60", Two Front Corner Red Linear-LED's, Four Front Linear-LEDs (2 Red/2 White) and Two End Red Linear-LEDs, Square Ends	1562.76
†† FN72QLED	72", Two Front Corner Red Linear-LED's, Four Front Linear-LEDs (2 Red/2 White) and Two End Red Linear-LEDs, Square Ends	1562.76
†† FNMINI	Two 24" Mini-Freedoms, Each Lightbar Consists of Two Front Corner Red Linear-LED's, One White Front Linear-LED and One End Red Linear-LED. Sold in Pairs Only	1885.68
†† SLN2VLED	54" LFL Liberty, Four Corner Red Linear-LED's and Four Front Linear-LEDs (2 Red/2 White)	1351.08
†† SLN2QLED	54" LFL Liberty, Two Front Corner Red Linear-LED's and Four Front Linear-LEDs (2 Red/2 White) and Two End Red Linear-LEDs, Square Ends	1351.08

NFPA Justice® Series Super-LED®, ZONE "A" UPPER, All Models Include Clear Outer Lens and Permanent Mount.

†† JE2NFPA	56", Four Corner Red Linear-LED's, Six Front CON3™s (4 Red & 2 White)	948.24
†† JE0NFPA	62", Four Corner Red Linear-LED's, Six Front CON3™s (4 Red & 2 White)	991.98



Options for NFPA Lightbars

MKEZ7	1-1/2" Permanent Mount / ALL	
MK8H	5" Permanent Mount (Cast Aluminum) / ALL / ALL	28.08
MK9S	Slide Bolt Brackets For Flat Surface Mounting (2 ea.) 48"/52"	28.08
MK20S	Slide Bolt Brackets For Flat Surface Mounting (3 ea.) 60"/72"	41.58

Inner Edge® XLP, Extra Low Profile Series Lightbars

Interior Lightbar, Include Super-LED® Lighthoods and Mounting Hardware.

Inner Edge® XLP, Extra Low Profile Series Lightbars, 3-LED Upper Front Series, Low Current Switching, Includes Removable Lens for a Spot Pattern, Low Power, Scan-Lock™ Flash Patterns and Mounting Kit. Replace \$ with Number of Color LEDs Required. Order of colors is Red, Blue, Amber or White

IX37UF5P	NEW Chevy Caprice, 2011-2013, Five 3-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	310.50
IX37UF6P	NEW Chevy Caprice 2011-2013, Six 3-LED Lamps, Upper Front Passenger Side Unit Only (No Take-Down)	310.50
IX37UFZ	NEW Chevy Caprice, 2011-2013, Ten 3-LED Lamps, Upper Front Two Piece Unit, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs	537.30
IX37UFX	NEW Chevy Caprice, 2011-2013, Twelve 3-LED Lamps, Upper Front Two Piece Unit, Individual Driver and Passenger Side Units (No Take-Downs)	537.30
IX13UF5P	NEW Chevy Suburban and Chevy Tahoe, 2008-2013, Five 3-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	310.50
IX13UF6P	NEW Chevy Suburban and Chevy Tahoe, 2008-2013, Six 3-LED Lamps, Upper Front Passenger Side Unit Only (No Take-Down)	310.50
IX13UFZ	NEW Chevy Suburban and Chevy Tahoe, 2008-2013, Ten 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	537.30
IX13UFX	NEW Chevy Suburban and Chevy Tahoe, 2008-2013, Twelve 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Downs)	537.30
IX35UF5P	NEW Dodge Charger, 2011-2013, Five 3-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	310.50

IX35UF6P	NEW Dodge Charger, 2011-2013, Six 3-LED Lamps, Upper Front Passenger Side Unit Only, (No Take-Down)	310.50
IX35UFZ	NEW Dodge Charger, 2011-2013, Ten 3-LED Lamps, Upper Front Two Piece Unit, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs	537.30
IX35UFX	NEW Dodge Charger, 2011-2013, Twelve 3-LED Lamps, Upper Front Two Piece Unit, Individual Driver and Passenger Side Units (No Take-Downs)	537.30
IX34UF5P	NEW Ford Explorer, 2011-2014 and Police Interceptor Utility, 2014, Five 3-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	310.50
IX34UF6P	NEW Ford Explorer, 2011-2014 and Police Interceptor Utility, 2014, Six 3-LED Lamps, Upper Front Passenger Side Unit Only (No Take-Down)	310.50
IX34UFZ	NEW Ford Explorer, 2011-2014 and Police Interceptor Utility, 2014, Ten 3-LED Lamps, Upper Front Two Piece Unit, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs	537.30
IX34UFX	NEW Ford Explorer, 2011-2014 and Police Interceptor Utility, 2014, Twelve 3-LED Lamps, Upper Front Two Piece Unit, Individual Driver and Passenger Side Units (No Take-Downs)	537.30
IX41UF5P	NEW Ford F150, 2012-2013, Five 3-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	310.50
IX41UF6P	NEW Ford F150, 2012-2013, Six 3-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	310.50
IX41UFZ	NEW Ford F150, 2012-2013, Ten 3-LED Lamps, Upper Front Two Piece Unit, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs	537.30
IX41UFX	NEW Ford F150, 2012-2013, Twelve 3-LED Lamps, Upper Front Two Piece Unit, Individual Driver and Passenger Side Units (No Take-Downs)	537.30
IX38UF5P	NEW Ford Taurus, 2011-2014 and Police Interceptor Sedan, 2014, Five 3-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	310.50
IX38UF6P	NEW Ford Taurus, 2011-2014 and Police Interceptor Sedan, 2014, Six 3-LED Lamps, Upper Front Unit (No Take-Down)	310.50
IX38UFZ	NEW Ford Taurus, 2011-2014 and Police Interceptor Sedan, 2014, Ten 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, Two Take-Downs	537.30
IX38UFX	NEW Ford Taurus, 2011-2014 and Police Interceptor Sedan, 2014, Twelve 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Downs)	537.30
IXP\$\$\$\$0	NEW Extra Low Profile 3-LED Lamps. Insert Number of each Color of LED Lighthouse, No Charge When Ordered with Extra Low-Profile Inner Edge®	

Inner Edge XLP WeCAN® DUO, Extra Low Profile Series Lightbars, 6-LED Upper Front Series, Low Current Switching, Low Power, Scan-Lock™ Flash Patterns and Mounting Kit. Replace §§ with Number of DUO Color LEDs Required, White is the Default Second Color. Order of colors is Red/White, Blue/White or Amber/White

IW37UF6P	NEW Chevy Caprice 2011-2013, Six 6-LED Duo™ Lamps, Upper Front Passenger Side Unit Only	512.46
IW37UFX	NEW Chevy Caprice, 2011-2013, Twelve 6-LED Duo™ Lamps, Upper Front Two Piece Unit, Individual Driver and Passenger Side Units	917.46
IW35UF6P	NEW Dodge Charger, 2011-2013, Six 6-LED Duo™ Lamps, Upper Front Passenger Side Unit Only	512.46
IW35UFX	NEW Dodge Charger, 2011-2013, Twelve 6-LED Duo™ Lamps, Upper Front Two Piece Unit, Individual Driver and Passenger Side Units	917.46
IW34UF6P	NEW Ford Explorer, 2011-2014 and Police Interceptor Utility, 2013-2014, Six 6-LED DUO™ Lamps, Upper Front Passenger Side Unit Only	512.46
IW34UFX	NEW Ford Explorer, 2011-2014 and Police Interceptor Utility, 2013-2014, Twelve 6-LED DUO™ Lamps, Upper Front Two Piece Unit, Individual Driver and Passenger Side Units	917.46
IW38UF6P	NEW Ford Taurus, 2011-2014 and Police Interceptor Sedan, 2013-2014, Six 6-LED DUO™ Lamps, Upper Front Unit	512.46
IW38UFX	NEW Ford Taurus, 2011-2014 and Police Interceptor Sedan, 2013-2014, Twelve 6-LED DUO™ Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units	917.46
IW41UF6P	NEW Ford 150, 2012-2013, Six 6-LED DUO™ Lamps, Upper Front Passenger Side Unit Only	512.46
IW41UFX	NEW Ford 150, 2012-2013, Twelve 6-LED DUO™ Lamps, Upper Front Two Piece Unit, Individual Driver and Passenger Side Units	917.46
IW39UF6P	NEW Ford 250/350, 2012-2013, Six 6-LED DUO™ Lamps, Upper Front Passenger Side Unit Only	512.46
IW39UF6P	NEW Ford 250/350, 2012-2013, Twelve 6-LED DUO™ Lamps, Upper Front Two Piece Unit, Individual Driver and Passenger Side Units	917.46
IW30UF6P	NEW Chevy Suburban and Chevy Tahoe, 2008-2013, Six 6-LED DUO™ Lamps, Upper Front Passenger Side Unit Only	512.46
IW30UFX	NEW Chevy Suburban and Chevy Tahoe, 2008-2013, Twelve 6-LED DUO™ Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units	917.46
IW42UF6P	NEW Dodge Ram, 2011-2013, Six 6-LED Duo™ Lamps, Upper Front Passenger Side Unit Only	512.46
IW42UFX	NEW Dodge Ram, 2011-2013, Twelve 6-LED Duo™ Lamps, Upper Front Two Piece Unit, Individual Driver and Passenger Side Units	917.46
IWD\$\$\$\$0	NEW Extra Low Profile 6-LED DUO Lamps, Insert Number of Each DUO Color lighthouse, No Charge When Ordered with Extra Low Profile DUO Inner Edge, Order of Colors are Red/White, Blue/White and Amber/White, Driver Side	
IWP\$\$\$\$0	NEW Extra Low Profile 6-LED DUO Lamps, Insert Number of Each DUO Color lighthouse, No Charge When Ordered with Extra Low Profile DUO Inner Edge, Order of Colors are Red/White, Blue/White and Amber/White, Passenger Side	

All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: **A** = Amber; **B** = Blue; **C** = Clear/White; **R** = Red; **G** = Green

Replace symbol in model number with letter indicating SPLIT lens or LED color desired: **D** = Red/Clear; **E** = Blue/Clear; **F** = Amber/Clear; **H** = Green/Clear

† (to be discontinued, check availability)  (special order, check availability, non-returnable, non-cancelable) **J** = Red/Blue; **K** = Red/Amber; **L** = Red/Green; **M** = Blue/Amber

! Indicate length desired: 5 foot, 6 foot, 7 foot or 8 foot **\$** Indicates Lower Price

Lightbars

‡ - Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

MODEL DESCRIPTION COST

Inner Edge® Series Lightbars

Interior Lightbar, Includes Super-LED® Lightheads and Mounting Hardware.

Inner Edge® Low-Profile 3-LED Upper Front Series, Super-LED® Lightheads, Includes Extra TIR3™ & LIN3™ Lenses for Customization, Low Power, Scan-Lock™ Flash Patterns and Mounting Kit, Standard (California Pattern Included), Replace \$ with Number of Color LEDs Required. Order of colors is Red, Blue, Amber or White



	I37UF4P	Chevy Caprice, 2011-2012, Four 3-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	285.66
	I37UF5P	Chevy Caprice, 2011-2012, Five 3-LED Lamps, Upper Front Passenger Side Unit Only (No Take-Down)	285.66
	I37UF8	Chevy Caprice, 2011-2012, Eight 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	513.54
	I37UFZ	Chevy Caprice, 2011-2012, Ten 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Downs)	513.54
	I06UF4P	Chevy Impala, 2005-2012, Four 3-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	285.66
	I06UF5P	Chevy Impala, 2005-2012, Five 3-LED Lamps, Upper Front Passenger Side Unit Only (No Take-Down)	285.66
	I06UF8	Chevy Impala, 2005-2012, Eight 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	513.54
	I06UFZ	Chevy Impala, 2005-2012, Ten 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Down)	513.54
	I13UF4P	Chevy Suburban, 2008-2012, Chevy Tahoe, 2007-2012 and Silverado, 2008-2011, Four 3-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	285.66
	I13UF5P	Chevy Suburban, 2008-2012, Chevy Tahoe, 2007-2012 & Silverado, 2008-2011, Five 3-LED Lamps, Upper Front Passenger Side Unit Only (No Take-Down)	285.66
	I13UF8	Chevy Suburban, 2008-2012, Chevy Tahoe, 2007-2012 & Silverado, 2008-2011, Eight 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	513.54
	I13UFZ	Chevy Suburban, 2008-2012, Chevy Tahoe, 2007-2012 & Silverado, 2008-2011, Ten 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Downs)	513.54
	I35UF4P	Dodge Charger, 2011-2012, Four 3-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	285.66
	I35UF5P	Dodge Charger, 2011-2012, Five 3-LED Lamps, Upper Front Passenger Side Unit Only (No Take-Down)	285.66
	I35UF8	Dodge Charger, 2011-2012, Eight 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	513.54
	I35UFZ	Dodge Charger, 2011-2012, Ten 3-LED Lamps, Upper Front Unit Two Piece, Individual Driver and Passenger Side Units (No Take-Down)	513.54
‡	I08UF4P	NEW Ford Expedition, 2006-2013, Four 3-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	285.66
‡	I08UF5P	NEW Ford Expedition, 2006-2013, Five 3-LED Lamps, Upper Front Passenger Side Unit Only (No Take-Down)	285.66
‡	I08UF8	NEW Ford Expedition, 2006-2013, Eight 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	513.54
‡	I08UFZ	NEW Ford Expedition, 2006-2013, Ten 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Down)	513.54
	I39UF4P	Ford F250/F350, 2012, Four 3-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	285.66
	I39UF5P	Ford F250/F350, 2012, Five 3-LED Lamps, Upper Front Passenger Side Unit Only, (No Take-Down)	285.66
	I39UF8	Ford F250/F350, 2012, Eight 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	513.54
	I39UFZ	Ford F250/F350, 2012, Ten 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Downs)	513.54
	I41UF4P	Ford F150, 2012, Four 3-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	285.66
	I41UF5P	Ford F150, 2012, Five 3-LED Lamps, Upper Front Passenger Side Unit Only (No Take-Down)	285.66
	I41UF8	Ford F150, 2012, Eight 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	513.54
	I41UFZ	Ford F150, 2012, Ten 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Downs)	513.54
	I34UF4P	Ford Explorer, 2011-2012 and Police Interceptor Utility, 2013, Four 3-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	285.66
	I34UF5P	Ford Explorer, 2011-2012 and Police Interceptor Utility, 2013, Five 3-LED Lamps, Upper Front Passenger Side Unit Only (No Take-Down)	285.66
	I34UF8	Ford Explorer, 2011-2012 and 2013 Utility Police Interceptor, Eight 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	513.54

	I34UFZ	Ford Explorer, 2011-2012 and Police Interceptor Utility, 2013, Ten 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Downs)	513.54
	I38UF4P	Ford Taurus, 2011-2012 and Police Interceptor, 2013, Four 3-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	285.66
	I38UF5P	Ford Taurus, 2011-2012 and Police Interceptor, 2013, Five 3-LED Lamps, Upper Front Passenger Side Unit Only, (No Take-Down)	285.66
	I38UF8	Ford Taurus, 2011-2012 and Police Interceptor, 2013, Eight 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	513.54
	I38UFZ	Ford Taurus, 2011-2012 and Police Interceptor, 2013, Ten 3-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Downs)	513.54
††	IUP\$\$\$\$0	Low Profile 3-LED Lamps. Insert Number of each Color of LED Lighthouse, No Charge When Ordered with Low-Profile Inner Edge®	

Inner Edge® Low-Profile 6-LED Upper Front Series, Super-LED® Lighthoods, Includes Low Power, Scan-Lock™ Flash Patterns and Mounting Hardware, Standard. Red, Blue, Amber or White.

	IZ37UF4P	Chevy Caprice, 2011-2012, Four 6-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	361.26
	IZ37UF5P	Chevy Caprice, 2011-2012, Five 6-LED Lamps, Upper Front Passenger Side Unit Only (No Take-Down)	361.26
	IZ37UF8	Chevy Caprice, 2011-2012, Eight 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	673.38
	IZ37UFZ	Chevy Caprice, 2011-2012, Ten 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Down)	673.38
	IZ06UF4P	Chevy Impala, 2005-2012, Four 6-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	361.26
	IZ06UF5P	Chevy Impala, 2005-2012, Five 6-LED Lamps, Upper Front Passenger Side Unit Only (No Take-Down)	361.26
	IZ06UF8	Chevy Impala, 2005-2012, Eight 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	673.38
	IZ06UFZ	Chevy Impala, 2005-2012, Ten 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Down)	673.38
	IZ13UF4P	Chevy Silverado, 2008-2011, Chevy Suburban, 2007-2012 and Chevy Tahoe, 2007-2012, Four 6-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	361.26
	IZ13UF5P	Chevy Silverado, 2008-2011, Chevy Suburban, 2007-2012, and a Chevy Tahoe, 2007-2012, Five 6-LED Lamps, Upper Front Passenger Side Unit Only (No Take-Down)	361.26
	IZ13UF8	Chevy Silverado, 2008-2011, Chevy Suburban, 2007-2012, and a Chevy Tahoe, 2007-2012, Eight 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	673.38
	IZ13UFZ	Chevy Silverado, 2008-2011, Chevy Suburban, 2007-2012, and a Chevy Tahoe, 2007-2012, Ten 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Downs)	673.38
	IZ30UFZ	Chevy Silverado, Chevy Suburban and a Chevy Tahoe, 2011-2012, Ten 6-LED Lamps, Upper Front Unit, One Piece, with LED Take-Downs	789.48
	IZ30UFX	Chevy Silverado, Chevy Suburban and a Chevy Tahoe, 2011-2012, Twelve 6-LED Lamps, Upper Front Unit, One Piece, with LED Take-Downs	813.24
	IZ35UF4P	Dodge Charger, 2011-2012, Four 6-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	361.26
	IZ35UF5P	Dodge Charger, 2011-2012, Five 6-LED Lamps, Upper Front Passenger Side Unit Only (No Take-Down)	361.26
	IZ35UF8	Dodge Charger, 2011-2012, Eight 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	673.38
	IZ35UFZ	Dodge Charger, 2011-2012, Ten 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Down)	673.38
	IZ36UF4P	Dodge Durango, 2011-2012, Four 6-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	361.26
	IZ36UF5P	Dodge Durango, 2011-2012, Five 6-LED Lamps, Upper Front Passenger Side Unit Only (No Take-Down)	361.26
	IZ36UF8	Dodge Durango, 2011-2012, Eight 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	673.38
	IZ36UFZ	Dodge Durango, 2011-2012, Ten 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Down)	673.38
††	IZ08UF4P	NEW Ford Expedition, 2006-2013, Four 6-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	361.26
††	IZ08UF5P	NEW Ford Expedition, 2006-2013, Five 6-LED Lamps, Upper Front Passenger Side Unit Only (No Take-Down)	361.26
††	IZ08UF8	NEW Ford Expedition, 2006-2013, Eight 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	673.38
††	IZ08UFZ	NEW Ford Expedition, 2006-2013, Ten 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Down)	673.38
	IZ34UF4P	Ford Explorer, 2011-2012 and Police Interceptor Utility, 2013, Four 6-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	361.26



Lighthoods

All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: **A** = Amber; **B** = Blue; **C** = Clear/White; **R** = Red; **G** = Green

Replace symbol in model number with letter indicating SPLIT lens or LED color desired: **D** = Red/Clear; **E** = Blue/Clear; **F** = Amber/Clear; **H** = Green/Clear

† (to be discontinued, check availability) †† (special order, check availability, non-returnable, non-cancelable) **J** = Red/Blue; **K** = Red/Amber; **L** = Red/Green; **M** = Blue/Amber

! Indicate length desired: 5 foot, 6 foot, 7 foot or 8 foot **\$** Indicates Lower Price

↓ †† - Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

MODEL	DESCRIPTION	COST
IZ34UF5P	Ford Explorer, 2011-2012 and Utility Police Interceptor, 2013, Five 6-LED Lamps, Upper Front Passenger Side Unit Only (No Take-Down)	361.26
IZ34UF8	Ford Explorer, 2011-2012 and Police Interceptor Utility, 2013, Eight 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	673.38
IZ34UFZ	Ford Explorer, 2011-2012 and Police Interceptor Utility, 2013, Ten 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Downs)	673.38
IZ41UF4P	Ford F150, 2011, Four 6-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	361.26
IZ41UF5P	Ford F150, 2011, Five 6-LED Lamps, Upper Front Passenger Side Unit Only (No LED Take-Down)	361.26
IZ41UF8	Ford F150, 2011, Eight 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	673.38
IZ41UFZ	Ford F150, 2011, Ten 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Downs)	673.38
IZ39UF4P	Ford F250/F350, 2012, Four 6-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	361.26
IZ39UF5P	Ford F250/F350, 2012, Five 6-LED Lamps, Upper Front Passenger Side Unit Only (No LED Take-Down)	361.26
IZ39UF8	Ford F250/F350, 2012, Eight 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	673.38
IZ39UFZ	Ford F250/F350, 2012, Ten 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Downs)	673.38
IZ33UF4P	Ford F-250/350, 2011, Four 6-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	361.26
IZ33UF5P	Ford F-250/350, 2011, Five 6-LED Lamps, Upper Front Passenger Side Unit Only, (No LED Take-Down)	361.26
IZ33UF8	Ford F-250/350, 2011, Eight 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	673.38
IZ33UFZ	Ford F-250/350, 2011, Ten 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Downs)	673.38
IZ19UF4P	Ford Fusion, 2011, Four 6-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	361.26
IZ19UF5P	Ford Fusion, 2011, Five 6-LED Lamps, Upper Front Passenger Side Unit Only (No Take-Down)	361.26
IZ19UF8	Ford Fusion, 2011, Eight 6-LED Lamps, Upper Front Unit Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	673.38
IZ19UFZ	Ford Fusion, 2011, Ten 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Downs)	673.38
IZ31UFZ	Ford Expedition, 2011-2012, Ten 6-LED Lamps, Upper Front Unit, One Piece, with LED Take-Downs	789.48
IZ31UFX	Ford Expedition, 2011-2012, Twelve 6-LED Lamps, Upper Front Unit, One Piece, with LED Take-Downs	813.24
IZ38UF4P	Ford Taurus 2011-2012 and Police Interceptor 2013, Four 6-LED Lamps, Upper Front Passenger Side Unit Only, with One LED Flashing/Take-Down	361.26
IZ38UF5P	Ford Taurus 2011-2012 and Police Interceptor 2013, Five 6-LED Lamps, Upper Front Passenger Side Unit Only, (No LED Take-Down)	361.26
IZ38UF8	Ford Taurus 2011-2012 and Police Interceptor 2013, Eight 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	673.38
IZ38UFZ	Ford Taurus 2011-2012 and Police Interceptor 2013, Ten 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Downs)	673.38
†† IZP\$\$\$0	Low-Profile 6-LED Lamps, Insert Number of Each Color of LED Lighthouse, No Charge When Ordered with Inner Edge®	
Inner Edge® Low-Profile 6-LED Upper Front Series with See-Through Mirrored Shroud on Driver's Side Housing Only, Super-LED® Lighthouses, Includes Low Power, Scan-Lock™ Flash Patterns and Mounting Hardware, Standard. Red, Blue, Amber or White.		
IM06UF8	Chevy Impala, 2005-2012, Eight 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing) and See-Through Mirrored Shroud on Driver's Side Only	770.04
IM06UFZ	Chevy Impala, 2005-2012, Ten 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Down), with See-Through Mirrored Shroud on Driver's Side Only	770.04
IM13UF8	Chevy Silverado, 2008-2011, Suburban/Tahoe, 2007-2012, Two Piece, Eight 6-LED Lamps, Upper Front Unit, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing)	770.04
IM13UFZ	Chevy Silverado, 2008-2011, Suburban/Tahoe, 2007-2012, Ten 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Downs)	770.04
IM35UF8	Dodge Charger, 2011-2012, Eight 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing) and See-Through Mirrored Shroud on Driver's Side Only	770.04

Lighthouses



IM35UFZ	Dodge Charger, 2011-2012, Ten 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Down), with See-Through Mirrored Shroud on Driver's Side Only	770.04
IM38UF8	Ford Taurus 2011-2012 and Police Interceptor 2013, Eight 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units, with Two LED Flashing/Take-Downs (One in Each Housing) and See-Through Mirrored Shroud on Driver's Side Only	770.04
IM38UFZ	Ford Taurus 2011-2012 and Police Interceptor 2013, Ten 6-LED Lamps, Upper Front Unit, Two Piece, Individual Driver and Passenger Side Units (No Take-Downs) and See-Through Mirrored Shroud on Driver's Side Only	770.04
IzP\$\$\$\$0	Low-Profile 6-LED Lamps, Insert Number of Each Color of LED Lighthouse, No Charge When Ordered with Inner Edge®	

Inner Edge® Rear Facing Lower Linear-LED® Series, Six or Eight Linear-LED® and Mounting Kit, Standard, Replace § with Number of Color LEDs Required. Order of colors are Red, Blue, Amber or White.

I06LR6L	Chevy Impala, 2005-2012, Six Linear-LED' Lower Rear Unit, Programmable for Warning or 6 Lamp Traffic Advisor™	550.80
I06LR8L	Chevy Impala, 2005-2012, Eight Linear-LED' Lower Rear Unit, Programmable for Warning or 8 Lamp Traffic Advisor™	611.82
I06LR8LT	Chevy Impala, 2005-2012, Six Lamp Linear-LED' Traffic Advisor™ with Two End Flashers, Lower Rear Unit	618.30
I35LR6L	Dodge Charger, 2011-2012, Six Linear-LED' Lower Rear Unit, Programmable for Warning or 6 Lamp Traffic Advisor™	550.80
I35LR8L	Dodge Charger, 2011-2012, Eight Linear-LED' Lower Rear Unit, Programmable for Warning or 8 Lamp Traffic Advisor™	611.82
I35LR8LT	Dodge Charger, 2011-2012, Six Lamp Linear-LED' Traffic Advisor™ with Two End Flashers, Lower Rear Unit	618.30
ILP\$\$\$\$0	6 or 8 Super-LED® Modules, Insert Colors, No Charge When Ordered with Linear-LED' Inner Edge® Lightbar, For I06LR Only	
IEP\$\$\$\$0	6 or 8 Super-LED® Modules, Insert Colors, No Charge When Ordered with Linear-LED' Inner Edge® Lightbar, For I35LR Series Only	



Inner Edge® Low Profile Rear Facing Lower Linear-LED™ Series, Six or Eight LINZ6™ Super-LED® Modules and Mounting Kit. Insert Color of LED Modules, Replace Symbol § with Number of Color LEDs Required. Order of Colors are Red, Blue, Amber or White.

IZ37LR8	Chevy Caprice, 2011-2012, Eight Lamp, Programmable for Warning or 8 lamp Traffic Advisor	611.82
IZ37LR86	Chevy Caprice, 2011-2012, Six Lamp Traffic Advisor with 2 End Flashers	618.30
IZ37LRZ	Chevy Caprice, 2011-2012, Ten Lamp, Programmable for Warning or 8 lamp Traffic Advisor	770.58
IZ37LRZ6	Chevy Caprice, 2011-2012, Six Lamp Traffic Advisor with Four End Flashers	777.06
IZ37LRZ8	Chevy Caprice, 2011-2012, Eight Lamp Traffic Advisor with Two End Flashers	777.06
IZ35LR8	Dodge Charger, 2011-2012, Eight Lamp, Programmable for Warning or 8 lamp Traffic Advisor	611.82
IZ35LR86	Dodge Charger, 2011-2012, Six Lamp Traffic Advisor with 2 End Flashers	618.30
IZ35LRZ	Dodge Charger, 2011-2012, Ten Lamp, Programmable for Warning or 8 lamp Traffic Advisor	770.58
IZ35LRZ6	Dodge Charger, 2011-2012, Six Lamp Traffic Advisor with Four End Flashers	777.06
IZ35LRZ8	Dodge Charger, 2011-2012, Eight Lamp Traffic Advisor with Two End Flashers	777.06
IZ38LR8	Ford Taurus, 2011-2012, and Police Inteceptor, 2013, Eight Lamp, Programmable for Warning or 8 lamp Traffic Advisor	611.82
IZ38LR86	Ford Taurus, 2011-2012, and Police Inteceptor, 2013, 2011, Six Lamp Traffic Advisor with 2 End Flashers	618.30
IZ38LRZ	Ford Taurus, 2011-2012, and Police Inteceptor, 2013, Ten Lamp, Programmable for Warning or 8 lamp Traffic Advisor	770.58
IZ38LRZ6	Ford Taurus, 2011-2012, and Police Inteceptor, 2013, Six Lamp Traffic Advisor with Four End Flashers	777.06
IZ38LRZ8	Ford Taurus, 2011-2012, and Police Inteceptor, 2013, Eight Lamp Traffic Advisor with Two End Flashers	777.06
IzP\$\$\$\$0	Low-Profile 6-LED Lamps, Insert Number of Each Color of LED Lighthouse, No Charge When Ordered with Inner Edge®	

Outer Edge®

Outer Edge® Rear Facing Upper Exterior Mount Super-LED® Lightbar Series, For Chevy Tahoe/Suburban, 2008-2012, Eight Lamp. Replace § with Number of Color LEDs Required. Order of colors are Red, Blue, Amber or White.

OE13UR8	Eight Linear-LED' Modules, Two Piece, Programmable for Warning or 8 Lamp Traffic Advisor™	684.72
OE13UR8T	Eight Linear-LED' Modules, Six Lamp Traffic Advisor™ with Two End Flashers, Two Piece	696.06
OZP\$\$\$\$0	Eight Super-LED® Linear Modules, No Charge When Ordered with Outer Edge. Replace symbol (§) in Model Number of Each Color LED Lighthouse Desired, Order of Colors are Red, Blue, Amber & White	



Lightbars

Outer Edge® Rear Pillar, Exterior Mount Super-LED® Lightbar Series, For Chevy Tahoe, 2010-2012, Eight Lamps, Replace symbol § with number of color LEDs required. Order of colors are Red, Blue, Amber or White

RP13**	Rear Pillar Outer Edge®, insert colors of the two Vertex's.	684.72
RP\$\$\$\$00	Six Super-LED Linear Modules, no charge when ordered with the Rear Pillar Outer Edge®. Insert the colors of the six Linear Lighthouse.	



All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: **A** = Amber; **B** = Blue; **C** = Clear/White; **R** = Red; **G** = Green

Replace symbol in model number with letter indicating SPLIT lens or LED color desired: **D** = Red/Clear; **E** = Blue/Clear; **F** = Amber/Clear; **H** = Green/Clear

† (to be discontinued, check availability) **!** (special order, check availability, non-returnable, non-cancelable) **J** = Red/Blue; **K** = Red/Amber; **L** = Red/Green; **M** = Blue/Amber

! Indicate length desired: 5 foot, 6 foot, 7 foot or 8 foot **\$** Indicates Lower Price

↓  - Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

MODEL DESCRIPTION COST

Freedom™ Super-LED® Series Lightbars

Clear Outer Lens and Clear Dividers. Insert the Split Color or Single Color Required. Low Current Switching with Multiple Flash Patterns and Passenger Side Cable Exit (For Mounting Options, See Optional Edge®, Justice® and Liberty™ Mounting Kits).

Edge® Ultra Freedom™ II FC Series Super-LED® Lightbars, Includes Four Extended Corner Over/Under Linear Super-LED Modules with Independent Control of Upper and Lower Levels of Each Lighthouse.

FC4####	44.375", Amber, Blue, Red and/or White Split or Single Color Combinations	1280.88
FC8####	49.75", Amber, Blue, Red and/or White Split or Single Color Combinations	1280.88
FC2####	55", Amber, Blue, Red and/or White Split or Single Color Combinations	1280.88



Edge® Ultra Freedom™ FW WeCan® Series Super-LED® Lightbars, Includes Four Extended Corner Linear Super-LED® Modules with Independent Control of Each Lighthouse.

FW4****	43.375", 4 Amber, Blue, Red and/or White	1012.50
FW8****	49.75", 4 Amber, Blue, Red and/or White	1012.50
FW2****	55", 4 Amber, Blue, Red and/or White	1012.50



Edge® Ultra Freedom™ FV WeCan® Series Super-LED® Lightbars, Includes Four Corner Linear Super-LED® Modules with Independent Control of Each Lighthouse.

FV4****	43.375", 4 Amber, Blue, Red and/or White	905.04
FV8****	49.75", 4 Amber, Blue, Red and/or White	905.04
FV2****	55", 4 Amber, Blue, Red and/or White	905.04



Edge® Ultra Freedom™ FX Series Super-LED® Lightbars, Includes Four Extended Corner Linear Super-LED® Modules.

FX4****	43.375", 4 Amber, Blue, Red and/or White	956.34
FX8****	49.75", 4 Amber, Blue, Red and/or White	956.34
FX2****	55", 4 Amber, Blue, Red and/or White	956.34



Edge® Ultra Freedom™ FL Series Super-LED® Lightbars, Includes Two Front Corner Linear Super-LED® Modules.

FL4**00	44.375", 2 Corner Super-LEDs Amber, Blue, Red or White	661.50
FL8**00	49.75", 2 Corner Super-LEDs Amber, Blue, Red or White	661.50
FL2**00	55", 2 Corner Super-LEDs Amber, Blue, Red or White	661.50



Edge® Ultra Freedom™ FL Series Super-LED® Lightbars, Includes Four Corner Linear Super-LED® Modules.

FL4****	44.375", 4 Amber, Blue, Red and/or White	848.88
FL8****	49.75", 4 Amber, Blue, Red and/or White	848.88
FL2****	55", 4 Amber, Blue, Red and/or White	848.88

Edge® Ultra Freedom™ Series Options

FLD**	2 Amber, Blue, Red and/or White, Inboard Directional Super-LED® Lighthoods	245.16
FLD##	2 (4 Duplex) Amber, Blue, Red and/or White Split-Color Combination, Inboard Super-LED® Module, for FC Series Only	257.04
FXALF1	Two LR11 Super-LED® Flashing Alley Lights, with 15° Horizontal Adjustment	80.46
FXTLS1	Two LR11 Super-LED® Flashing Take Down Lights, with 15° Horizontal Adjustment	80.46
FWTLS1D	NEW Two Dual LR11 Super-LED® Flashing Take-Down Lights, with 15° Horizontal Adjustment (For WeCan® Models Only)	199.80
FXTLS1D	Two Dual LR11 Super-LED® Flashing Take-Down Lights, with 15° Horizontal Adjustment (For LC Models Only and Replaces FLTDLED)	199.80
FXALF1D	Two Dual LR11 Super-LED® Flashing Alley Lights, with 15° Horizontal Adjustment	199.80
FLH2CC	Two Halogen Flashing Take-Down Lights	86.40
FLALY	Two Halogen Flashing Alley Lights for FL or FV Series Only, Do Not Use with FC, FX or FW Series	51.84
FLWL2	Two Halogen Work Lights, DO NOT Use with FC Series Lightbars	86.40
FWBTTLED	Two LED Brake/Tail/Turn Lights for FV or FW Series Only, Do Not Use With FC, FL or FX Series	135.00
FLCRUZ**	Four LED Cruise Lights, Amber, Blue, White and/or Red for FL Series Only, Do Not Use with FX, FV or FW Series	96.12
FLTALN5	Five Linear Super-LED® Traffic Advisor™, Includes Control Head	680.40
FLTALN6	Six Linear Super-LED® Traffic Advisor™, Includes Control Head	805.14
FLTALN5L	Five Linear Super-LED® Traffic Advisor™, Two Wire Control, Requires No Special Control Head	605.34
FLTALN6L	Six Linear Super-LED® Traffic Advisor™, Two Wire Control, Requires No Special Control Head	725.22
FCW\$\$\$\$0	Five Linear Super-LED®, Duplex Traffic Advisor™ Requires No Special Control Head, Replace Symbol "\$" with Number of Split Warning LED Colors, Order is Red/Blue/Amber, 5 Max. For FC Series Only	636.12
FCX\$\$\$\$0	Six Linear Super-LED® Duplex Traffic Advisor™, Requires No Special Control Head, Replace Symbol "\$" with Number of Split Warning LED Colors, Order is Red/Blue/Amber, 6 Max. For FC Series Only	761.40
FLW\$\$\$\$0	Five Linear Super-LED® Duplex Traffic Advisor™, Requires No Special Control Head, Replace Symbol \$ with Number of Upper Level Warning LED Colors, Order is Red/Blue/Amber, 5 Max. For FW & FV Series Only	636.12
FLX\$\$\$\$0	Six Linear Super-LED® Duplex Traffic Advisor™, Requires No Special Control Head, Replace Symbol "\$" with Number of Upper Level Warning LED Colors, Order is Red/Blue/Amber, 6 Max. For FW & FV Series Only	761.40
FLY\$\$\$\$0	Five Linear Super-LED® Duplex Traffic Advisor™, Includes Control Head, Replace Symbol \$ with Number of Upper Level Warning LED Colors, Order is Red/Blue/Amber, 5 Max. - ADD	712.26
FLZ\$\$\$\$0	Six Linear Super-LED® Duplex Traffic Advisor™, Includes Control Head, Replace Symbol \$ with Number of Upper Level Warning LED Colors, Order is Red/Blue/Amber, 6 Max. - ADD	836.46

Lightbars

	DELWCCP	Delete WeCan Control Point, for use with FC, FW and FV Series Only - DEDUCT	21.06
	WCC9SUB	Substitute WCC9 WeCan® Controller for WeCan Electronic Control Point Module. When Purchased with WeCan FC, FW & FV Series Lightbars Only, (Not for use with DUO™ Lightbar) Add	85.86
	DELTALD1	Delete TACTALD1 from 6-8 Light LED Traffic Advisor™ - DEDUCT	54.00
††	FLDSCBL	Driver Side Cable Exit, Includes 25' Power and Ground Cable, For FL or FX Series Only	28.08
††	FWWSCBL	Driver Side Cable Exit, Includes 20' Power and Ground Cable, For FV or FW Series Only, Do Not Use on FL or FX Series	32.94
††	FCWSCBL	Driver Side Cable Exit, Includes 25' Power and Ground Cable, For FC Series Only	32.94
††	WCQDPLUG	Quick Disconnect Plug for WeCan® Lightbars Only	201.42
††	9LLTH_	Custom Length up to 82" (Insert Required Length in Model # 60", 66", 72", 77", or 82") - ADD	156.60
††	9LLTH_	Custom Length 88"+ (Insert Required Length in Model # 88", 93", or 98") - ADD	215.46
	FLBULK18	Bulk Package of 18 Edge® Ultra Freedom® Series Lightbars, In Place of Standard Individually Boxed Lightbars - DEDUCT	32.40
††	795H	GTT Self-Contained LED IR Opticom™ Emitter, Refer to GTT Opticom™ Emitters Section for Pricing	
††	FX795H	Installation (Pre-wired) of 795H in a Freedom™ Lightbar, No Charge when Purchased with 795H, Center Mount Option Only	
††	FX795HLR	Two LR11 Super-LED® Flashing Take-Down Lights and Installation (Pre-wired) of 795H (795H Purchased Separately), Center Mount Option Only When Purchased with Freedom™ Lightbar	145.26
††	FX795L**	Two LR11 Super-LED® Flashing Lights (Red/Blue and/or Amber) and Installation of 795H (795H Purchased Separately), Center Mount Option Only, When Purchased with Freedom™ Lightbars	118.80
††	PF_#LB#	Pioneer™ Lightbar Mount. Refer to Pioneer Series & Pioneer Plus™ Series Lightbar Mount for Models and Pricing	
††	SOLARPNL	Solar Panel to Reduce Parasitic Draw. For LC (Low Current) Lightbars with Passenger Side Cable Exit	352.62
††	SOLARPWC	Solar Panel to Reduce Parasitic Draw. For WeCan® Lightbars with Passenger Side Cable Exit	352.62

Legacy™ Super-LED® Series Lightbars

WeCan® with DUO+™, Diamond Optix™ and Multiple Flash Patterns. Built-in Photocell for Hi/Low Power Control of all Lighthoods, Standard. Clear Outer Lens with Passenger Side Cable Exit. (For Mounting Options, Use MKLP Models located in the Optional Edge®, Justice® and Liberty™ Mounting Kits).

Legacy™ GB WeCan® DUO+™ Color Series Super-LED®, Includes Four Extra High Intensity Corner Linear-LED® Modules with Independent Control of the Two Colors of Each Lighthouse.

	GB4****	NEW 44", 4 Single Color Amber, Blue, Red or White	1268.46
	GB4#####	NEW 44", 4 Two Color Amber, Blue, Red and/or White	1268.46
	GB8****	NEW 48", 4 Single Color Amber, Blue, Red or White	1268.46
	GB8#####	NEW 48", 4 Two Color Amber, Blue, Red and/or White	1268.46
	GB2****	NEW 54", 4 Single Color Amber, Blue, Red or White	1306.26
	GB2#####	NEW 54", 4 Two Color Amber, Blue, Red and/or White	1306.26



Legacy™ Series Options, Options not Available on all Models, Refer to WeCad™ Build-A-Bar Program for Lighthouse Placement.

	GBDL*	NEW One Single Color DUO+™ Amber, Blue, Red or White, Long Super-LED® Lighthouse	176.58
	GBDL#	NEW One Dual Color DUO+™ Amber, Blue, Red and/or White, Long Super-LED® Lighthouse	176.58
	GBDS*	NEW One Single Color DUO+™ Amber, Blue, Red or White, Short Super-LED® Lighthouse	107.46
	GBDS#	NEW One Dual Color DUO+™ Amber, Blue, Red and/or White, Short Super-LED® Lighthouse	107.46
	GBTL	NEW Two Long Super-LED® Take-Down Lights	214.92
	GBTS	NEW Two Short Super-LED® Take-Down Lights	74.52
	GBA	NEW Two Super-LED® Alley Lights	74.52
	GBAW*	NEW One Super-LED® DUO+™ Warning/Warning or Warning/Alley Light, Single Color	107.46
	GBAW#	NEW One Super-LED® DUO+™ Warning/Warning or Warning/Alley Light, Dual Color	107.46
	DELBGCP	NEW Delete WeCan® Control Point (DEDUCT)	21.06

Liberty™ Super-LED® Series Lightbars

Clear Outer Lens and Clear Dividers. Low Current Switching with Multiple Flash Patterns and Passenger Side Cable Exit (For Mounting Options, See Optional Edge®, Justice® and Liberty™ Mounting Kits).

Liberty SA WeCan® Series Super-LED®, Includes Four Extended Corner Linear-LED Modules for use with Optional Duo™ Color Inboard Modules.

	SA4****	43.125", 4 Amber, Blue, Red and/or White	1007.10
	SA8****	48.5", 4 Amber, Blue, Red and/or White	1007.10
	SA2****	54", 4 Amber, Blue, Red and/or White	1007.10

Liberty SB WeCan® Single Color Series Super-LED®, Includes Four Extra High Intensity Single Color Extended Corner Linear-LED Modules for use with Optional Duo™ Color Inboard modules.

	SB4#####	43.125", 4 Amber, Blue, Red and/or White	1121.58
	SB8****	48.5", 4 Amber, Blue, Red and/or White	1121.58
	SB2****	54", 4 Amber, Blue, Red and/or White	1121.58

Liberty SB WeCan® Duo Color Series Super-LED®, Includes Four Extra High Intensity Duo™ Color Extended Corner Linear-LED Modules for use with Optional Duo™ Color Inboard modules.

	SB4#####	43.125", Split Color Corners, 4 Amber, Blue, Red or White	1150.20
	SB8#####	48.5", 4 Split Color Corners Amber, Blue, Red or White	1150.20
	SB2#####	54", 4 Split Color Corners Amber, Blue, Red or White	1150.20

All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: **A** = Amber; **B** = Blue; **C** = Clear/White; **R** = Red; **G** = Green

† Replace symbol in model number with letter indicating SPLIT lens or LED color desired: **D** = Red/Clear; **E** = Blue/Clear; **F** = Amber/Clear; **H** = Green/Clear

‡ (to be discontinued, check availability) ††† (special order, check availability, non-returnable, non-cancelable) **J** = Red/Blue; **K** = Red/Amber; **L** = Red/Green; **M** = Blue/Amber

! Indicate length desired: 5 foot, 6 foot, 7 foot or 8 foot \$ Indicates Lower Price

Lightbars

↓  - Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

MODEL DESCRIPTION COST

Liberty™ SR WeCan® Series Super-LED®, Includes Four Extra High Intensity Extended Corner Modules with Independent Control of Each Lighthouse

SR4****	43.125", 4 Amber, Blue, Red and/or White	990.90
SR8****	48.5", 4 Amber, Blue, Red and/or White	990.90
SR2****	54", 4 Amber, Blue, Red and/or White	990.90



Liberty™ SW WeCan® Series Super-LED®, Includes Four Extended Corner Linear-LED® Modules with Independent Control of Each Lighthouse.

SW4****	43.125", 4 Amber, Blue, Red and/or White	876.96
SW8****	48.50", 4 Amber, Blue, Red and/or White	876.96
SW2****	54", 4 Amber, Blue, Red and/or White	876.96



Liberty™ SY Series Super-LED®, Includes Four Extended Corner Linear-LED Modules for use with Optional Duo™ Color Inboard Modules

SY4****	43.125", 4 Amber, Blue, Red and/or White	950.94
SY8****	48.5", 4 Amber, Blue, Red and/or White	950.94
SY2****	54", 4 Amber, Blue, Red and/or White	950.94



Liberty™ SY Montana Highway Patrol Super-LED® Series Lightbar, Includes Interleaved Traffic Advisors™, SXTDLED, 2-SLD**, LR11 Alley Lights and a Mounting Kit. Packages Available As Listed Below.

SY8MHP	SY8MHP Lightbar, Includes DOU™ Traffic Advisor™	1475.00
SY8MHP1	SY8MHP Lightbar and CCSRN3	2043.40
SY8MHP2	SY8MHP Lightbar, CCSRN3 and SA315P with SAK#	2180.51
SY8MHP3	SY8MHP Lightbar and 295SDA1	1919.50
SY8MHP4	SY8MHP Lightbar, 295SDA1 and SA315P with SAK#	2056.61
SY8MHP5	SY8MHP Lightbar and 295SLSA6	1762.63
SY8MHP6	SY8MHP Lightbar, 295SLSA6 and SA315P with SAK#	1899.74

Liberty™ SZ Single Color Series Super-LED®, Includes Four Extra High Intensity Single Color Extended Corner Linear-LED® Modules for use with Optional Duo™ Color Inboard Modules

SZ4****	43.125", 4 Amber, Blue, Red and/or White	1065.42
SZ8****	48.5", 4 Amber, Blue, Red and/or White	1065.42
SZ2****	54", 4 Amber, Blue, Red and/or White	1065.42



Liberty™ SZ Duo Color Series Super-LED®, Includes Four Extra High Intensity Extended Duo Color Corner Linear-LED® Modules for use with Optional Duo™ Color Inboard Modules

SZ4####	43.125", Split Color Corners, 4 Amber, Blue, Red and/or White	1094.04
SZ8####	48.5", Split Color Corners, 4 Amber, Blue, Red and/or White	1094.04
SZ2####	54", Split Color Corners, 4 Amber, Blue, Red and/or White	1094.04



Liberty™ SP Series Super-LED®, Includes Four Extra High Intensity Extended Corner Modules

SP4****	43.125", 4 Amber, Blue, Red and/or White	935.28
SP8****	48.5", 4 Amber, Blue, Red and/or White	935.28
SP2****	54", 4 Amber, Blue, Red and/or White	935.28



Liberty™ SX Series Super-LED®, Includes Four Extended Corner Linear-LED® Modules.

SX4****	43.125", 4 Amber, Blue, Red and/or White	821.34
SX8****	48.50", 4 Amber, Blue, Red and/or White	821.34
SX2****	54", 4 Amber, Blue, Red and/or White	821.34



Liberty™ SX Montana State Super-LED® Series Lightbar, Includes, 5-SLE**, LR11 Take Down and Alley Lights and a Mounting Kit. Packages Available As Listed Below.

SX84MT	SX84MT Lightbar	1225.00
SX84MT1	SX84MT Lightbar and CCSRN3	1843.40
SX84MT2	SX84MT Lightbar, CCSRN3 and SA315P with SAK#	1980.51
SX84MT3	SX84MT Lightbar and 295SDA1	1719.50
SX84MT4	SX84MT Lightbar, 295SDA1 and SA315P with SAK#	1856.61
SX84MT5	SX84MT Lightbar and 295SLSA6	1562.63
SX84MT6	SX84MT Lightbar, 295SLSA6 and SA315P with SAK#	1699.74

Liberty™ SX Montana State Super-LED® Series Lightbar, Includes, 5-SLD**, LR11 Take Down and Alley Lights and a Mounting Kit. Packages Available As Listed Below.

SX86MT	SX86MT Lightbar	1375.00
SX86MT1	SX86MT Lightbar and CCSRN3	1943.40
SX86MT2	SX86MT Lightbar, CCSRN3 and SA315P with SAK#	2080.51
SX86MT3	SX86MT Lightbar and 295SDA1	1819.50
SX86MT4	SX86MT Lightbar, 295SDA1 and SA315P with SAK#	1956.61
SX86MT5	SX86MT Lightbar and 295SLSA6	1662.63
SX86MT6	SX86MT Lightbar, 295SLSA6 and SA315P with SAK#	1799.74

Liberty™ Series Options

SLD**	Two Amber, Blue, Red and/or White, Inboard Super-LED® Directional Lighthoods	178.20
SLZ#	One Duo™ Color Inboard Super-LED® Directional Lighthouse, Amber, Blue, Red and/or White, For SA, SB, SY and SZ Series Only	160.38
SXTDLED	Two Super High Intensity LED Take-Down Lights	211.68
SXWLED	Two Super High Intensity LED Work Lights	211.68
SRALF1	Two LR11 Super-LED® Flashing Alley Lights with 15° Horizontal Adjustment, for Liberty Series without Screw Holes in the Top, SW, SR, SY and SZ only	67.50

	SPALF1	Two LR11 Super-LED® Flashing Alley Lights with 15° Horizontal Adjustment, for Liberty Series without Screw Holes in the Top, SP, SX and SL Series Only	67.50
	SXTLS1	Two LR11 Super-LED® Flashing Take-Down Lights with 15° Horizontal Adjustment	67.50
	SWTLS1D	NEW Two Dual LR11 Super-LED® Flashing Take-Down Lights with 15° Horizontal Adjustment (For WeCan® Models Only)	120.42
	SXTLS1D	Two Dual LR11 Super-LED® Flashing Take-Down Lights with 15° Horizontal Adjustment (For LC Models Only)	120.42
	SXTLS1M*	Two LR11 Super-LED® Flashing Take-Down Lights with 15° Horizontal Adjustment & One Linear-LED®, Amber, Blue or Red, Center Option Only, Clear Outer Lens	231.66
	SWBTLED	Two LED Brake/Tail/Turn Lights for SW Series Only, Do Not Use with SX Series	98.28
	SLTALN5L	Five Linear-LED® Traffic Advisor, Requires No Special Control Head	439.02
	SLTALN6L	Six Linear-LED® Traffic Advisor, Requires No Special Control Head	526.50
	SLTALN5	Five Linear Super-LED® Traffic Advisor™, Includes Control Head, For Low Current Series Only, Do Not Use on WeCan® Series	631.80
	SLTALN6	Six Linear Super-LED® Traffic Advisor™, Includes Control Head, For Low Current Series Only, Do Not Use on WeCan® Series	719.28
	SWW\$\$\$\$\$0	Five Linear Super-LED® Split Traffic Advisor™, Requires No Special Control Head, Replace Symbol "\$" with Number of Split Warning LED Colors, Order is Red/Blue/Amber, 5 Max. For WeCan® Series Only	469.26
	SWX\$\$\$\$\$0	Six Linear Super-LED® Split Traffic Advisor™, Requires No Special Control Head, Replace Symbol "\$" with Number of Split Warning LED Colors, Order is Red/Blue/Amber, 6 Max. For WeCan® Series Only	562.68
††	SLW\$\$\$\$\$0	Five Linear Super-LED® Split Traffic Advisor™, Requires No Special Control Head, Replace Symbol \$ with Number of Split Warning LED Colors, Order is Red/Blue/Amber, 5 Max. Driver Side Warning Lights Alternates with Pass. Side Warning Lights, No Individual Control of Rear Inboard Warning For SX Series Only	562.68
††	SLX\$\$\$\$\$0	Six Linear Super-LED® Split Traffic Advisor™, Requires No Special Control Head, Replace Symbol \$ with Number of Split Warning LED Colors, Order is Red/Blue/Amber, 6 Max. Driver Side Warning Lights Alternates with Pass. Side Warning Lights, No Individual Control of Rear Inboard Warning For SX Series Only	562.68
††	SLY\$\$\$\$\$0	Five Linear Super-LED® Split Traffic Advisor™, Includes Control Head, Replace Symbol \$ with Number of Split Warning LED Colors, Order is Red/Blue/Amber, 5 Max, For Low Current Series Only, Do Not Use on WeCan® Series	660.96
††	SLZ\$\$\$\$\$0	Six Linear Super-LED® Split Traffic Advisor™, Includes Control Head, Replace Symbol \$ with Number of Split Warning LED Colors, Order is Red/Blue/Amber, 6 Max, For Low Current Series Only, Do Not Use on WeCan® Series	749.52
††	SPW\$\$\$\$\$0	Five DUO™ Color Linear Super-LED® Traffic Advisor™, Requires No Special Control Head, Replace Symbol "\$" with Number of Warning LED Colors, Order Red/Blue/Amber, 5 Max. For SY & SZ Series Only	799.20
††	SPX\$\$\$\$\$0	Six DUO™ Color Linear Super-LED® Traffic Advisor™, Requires No Special Control Head, Replace Symbol "\$" with Number of Warning LED Colors, Order Red/Blue/Amber, 6 Max. For SY & SZ Series Only	959.04
††	SPY\$\$\$\$\$0	Five DUO™ Color Linear Super-LED® Traffic Advisor™, Requires No Special Control Head, Replace Symbol "\$" with Number of Warning LED Colors, Order Red/Blue/Amber, 5 Max. For WeCan® Models Only	799.20
	SPZ\$\$\$\$\$0	Six DUO™ Color Linear Super-LED® Traffic Advisor™, Requires No Special Control Head, Replace Symbol "\$" with Number of Warning LED Colors, Order Red/Blue/Amber, 6 Max. For WeCan® Models Only	959.04
	DELDTACP	Delete WeCan Control Point, for use with SPZ DUO Traffic Advisor Option Only - DEDUCT	21.06
	DELDUOCP	Delete WeCan Control Point, for use with SB Series Lightbars Only - DEDUCT	21.06
	DELWCCP	Delete WeCan Control Point, for use with SW, SV and SR Series Only - DEDUCT	21.06
	DELTA1D1	Delete TACTALD1 from 6-8 Light LED Traffic Advisor™ - DEDUCT	54.00
	WCC9SUB	Substitute WCC9 WeCan® Controller for WeCan Electronic Control Point Module. When Purchased with WeCan SW & SR Series Lightbars Only, (Not for use with DUO™ Lightbars, including DUO Traffic Advisors™) Add	85.86
	SLXXPAT	Criss/Cross Flash Pattern of End Linear-LED's, For SX Series Only, Do Not Use on SW Series	71.28
††	795H	GTT Self-Contained LED IR Opticom™ Emitter, Refer to GTT Opticom Emitters Section for Pricing	
††	SX795H	Installation (Pre-wired) of 795H in a Liberty™ Series Lightbar, No Charge when Purchased with 795H	
††	SX795HLR	Two LR11 Super-LED® Flashing Take-Down Lights and Installation (Pre-wired) of 795H (795H Purchased Separately), Center Mount Option Only When Purchased with Liberty™ Lightbars	145.26
††	SX795L**	Two LR11 Super-LED® Flashing Lights (Red/Blue and/or Amber) and Installation of 795H (795H Purchased Separately), Center Mount Option Only, When Purchased with Liberty™ Lightbars	118.80
††	SZDSCBL	Driver Side Cable Exit, Includes 25' Power and Ground Cable, For SY and SZ Duo™ Lightbars Only	32.94
††	SWDSCBL	Driver Side Cable Exit, Includes 20' Power Cable and Control Cable, For WeCan® Series Only, Do Not Use on Low Current Series	32.94
††	SLDSCBL	Driver Side Cable Exit, Includes 25' Power and Ground Cable, For Low Current Series Only, Do Not Use on WeCan® Series	28.08
††	WCQDPLUG	Quick Disconnect Plug for WeCan® Lightbars Only	201.42
	SLPHOTO	Photo Cell Option for Hi/Low Power, For SY, SZ, SP and SX Series Only	23.22

All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: **A** = Amber; **B** = Blue; **C** = Clear/White; **R** = Red; **G** = Green

Replace symbol in model number with letter indicating SPLIT lens or LED color desired: **D** = Red/Clear; **E** = Blue/Clear; **F** = Amber/Clear; **H** = Green/Clear

† (to be discontinued, check availability) †† (special order, check availability, non-returnable, non-cancelable) **J** = Red/Blue; **K** = Red/Amber; **L** = Red/Green; **M** = Blue/Amber

! Indicate length desired: 5 foot, 6 foot, 7 foot or 8 foot \$ Indicates Lower Price

Lightbars

↓ †† - Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

MODEL	DESCRIPTION	COST
	SWPHOTO Photo Cell Option for Hi/Low Power, WeCan Series Lightbars only.	23.22
†† SOLARPNL	Solar Panel to Reduce Parasitic Draw. For LC (Low Current) Lightbars with Passenger Side Cable Exit	352.62
†† SOLARPWC	Solar Panel to Reduce Parasitic Draw. For WeCan® Lightbars with Passenger Side Cable Exit	352.62
SXBULK18	Bulk Package of 18 LFL Liberty™ Series Lightbars, In Place of Standard Individually Boxed Lightbars - DEDUCT	32.40

Liberty TRIO Series Super-LED Lightbars

Includes Four Corner 3-Color Modules, LR11 Alley Lights and Clear Lenses. 44" Lightbar Offers Nine 3-Color Inboard Modules and a Single Dual LR11 Take-Down Light. 48" and 52" Lightbars Offers Ten 3-Color Inboard Modules and Two Single LR11 Take-Down Lights.

TRIO1 WeCan Series Super-LED Lightbars, Red and Blue Warning with White Illumination

S341	43.125"	3064.50
S381	48.5"	3226.50
S321	54"	3226.50

TRIO2 WeCan Series Super-LED Lightbars, Red and Blue Warning with Amber Traffic Advisor™ and White Illumination

S342	43.125"	3064.50
S382	48.5"	3226.50
S322	54"	3226.50

TRIO3 WeCan Series Super-LED Lightbars, Red and Blue Warning with Green Command Corners and White Illumination Inboard

S343	43.125"	3176.28
S383	48.5"	3338.28
S323	54"	3338.28

TRIO4 WeCan Series Super-LED Lightbars, Red and Blue Warning with Amber Traffic Advisor™ and Green Command Corners with White Illumination Inboard

S344	43.125"	3176.28
S384	48.5"	3338.28
S324	54"	3338.28

Liberty TRIO Options

SUB44STD	Substitute a Single High Intensity Take-Down Light for the Single Dual LR11 Take-down, 44" TRIO Lightbars Only	73.44
SUBDLR11	Substitute Two Dual LR11 Take-Down Lights for Two Single LR11 Take-down Lights, 48" and 54" TRIO Lightbars Only	63.72
SUBTDLED	Substitute Two Super High Intensity Take-Down Lights for Two Single LR11 Take-down Lights, 48" and 54" TRIO Lightbars Only	145.26

Justice® Super-LED® WeCan® Series Lightbars

Black Base with Clear Outer Lenses Standard. Low Current Switching with Multiple Flash Patterns and Passenger Side Cable Exit. (For Mounting Options, See Optional Edge®, Justice® and Liberty™ Mounting Kits).

Justice® JV WeCan® Series Super-LED®, Includes Four Corner Linear-LED® Modules with 9 Super-LED®s Per Module.

JV4****	44" 4 Amber, Blue, Red and/or White	763.56
JV8****	50.125" 4 Amber, Blue, Red and/or White	799.20
JV2****	56.25" 4 Amber, Blue, Red and/or White	838.08
JV0****	62.375" 4 Amber, Blue, Red and/or White	888.84

Justice® JY WeCan® Series Super-LED®, Includes Four Corner Linear-LED® Modules with 6 Super-LED®s Per Module.

JY4****	44" 4 Amber, Blue, Red and/or White	705.24
JY8****	50.125" 4 Amber, Blue, Red and/or White	740.88
JY2****	56.25" 4 Amber, Blue, Red and/or White	779.76
JY0****	62.375" 4 Amber, Blue, Red and/or White	832.14

Justice™ JY Montana State Super-LED® Series Lightbar, Includes, 12-JDC*, 2-LTH*, LR11 Take Down and Alley Lights and a Mounting Kit. Packages Available As Listed Below.

JY8MT	JY8MT Lightbar	1175.00
JY8MT1	JY8MT Lightbar and CCSRN3	1743.40
JY8MT2	JY8MT Lightbar, CCSRN3 and SA315P with SAK#	1880.51
JY8MT3	JY8MT Lightbar and 295SDA1	1619.50
JY8MT4	JY8MT Lightbar, 295SDA1 and SA315P with SAK#	1756.61
JY8MT5	JY8MT Lightbar and 295SLSA6	1462.63
JY8MT6	JY8MT Lightbar, 295SLSA6 and SA315P with SAK#	1599.74

Justice® WeCan® Series Options

JDC*	One CON3™, Amber, Blue, Red or White	53.46
JDH*	One LTR3™, for Use in Center Section Only, Red, Blue or Amber	53.46
JDL*	One LIN6™, Amber, Amber, Blue, Red or White	85.86
JDL#	One DUO™ LIN6™, Red/Amber or Blue/Amber, For use in Rear of Bar as a DUO™ Traffic Advisor	90.72
JTLS1	Two LR11 Super-LED® Flashing Take-Down Lights with 15° Horizontal Adjustment	59.94
JALF1	Two LR11 Super-LED® Flashing Alley Lights with 15° Horizontal Adjustment	59.94
JDLF**	Two Red, Blue and/or Amber Flashing LR11 Super-LED® Modules in Alley Light Positions, with 15° Horizontal Adjustment	118.80



JCTLS1	One LR11 Super-LED® Flashing Take-Down Light, for Single Center Section, with 15° Horizontal Adjustment	35.64
JCTLS12	Two LR11 Super-LED® Flashing Take-Down Lights, for Two Center Sections, with 15° Horizontal Adjustment	59.94
JCTLS1D	One Dual LR11 Super-LED® Flashing Take-Down Lights, for Single Center Section, with 15° Horizontal Adjustment	59.94
JTDLED2	Two Super High Intensity LED Take-Down Lights	118.80
JWLLED2	Two Super High Intensity LED Work Lights	118.80
JXALF1L	Two Super-LED® External Alley Lights, for Standard End Section	159.84
JXALF**L	Two Red, Blue and/or Amber Super-LED® Modules in External Alley Light Positions, for Standard End Section	126.36
JBTTLED	Two LED Brake/Turn/Tail Lights	100.98
JTA2W	Two Wire Control Traffic Advisor™, Standard Feature if Appropriate Number of Lightheads are Purchased	
JTACNTL	Traffic Advisor™ Includes Internal, External Harness and TACTALD1, Lightheads Purchased Separately. When Purchased with Lightbar Only. For Use with CON3™ Center Module Only	294.30
JTACBL	Traffic Advisor™ Includes Internal and External Harness, for use with CCSRNTA3, Lightheads Purchased Separately. When Purchased with Lightbar Only. For Use with CON3™ Center Module Only	118.80
WCC9SUB	Substitute WCC9 WeCan® Controller for WeCan Electronic Control Point Module. When Purchased with WeCan JV & JY Series Lightbars Only, Add	85.86
DELWCCP	Delete WeCan Control Point, for use with JV and JY Series Only - DEDUCT	21.06
†† JDSCBL	Driver Side Cable Exit, in Place of Passenger Side	
JBULK18	Bulk Package of 18 Justice® Series Lightbars, In Place of Standard Individually Boxed Lightbars-DEDUCT	32.40

Justice® Super-LED® Competitor™ Series Lightbars

Black Base with Clear Outer Lenses Standard. Standard Current Switching with Scan-Lock™ Flash Patterns, Pattern Override Mode and Passenger Side Cable Exit. (For Mounting Options, See Optional Edge®, Justice® and Liberty™ Mounting Kits).

Justice® "JC" Competitor™ Series Super-LED®, Includes Four Corner Linear-LED® Modules with 9 Super-LED@s Per Module.

JC4****	44" 4 Amber, Blue, Red and/or White	587.52
JC8****	50.125" 4 Amber, Blue, Red and/or White	632.88
JC2****	56.25" 4 Amber, Blue, Red and/or White	676.62
JC0****	62.375" 4 Amber, Blue, Red and/or White	728.46

Justice JE Montana State Super-LED Series Lightbar, Includes 12 CON3's, LR11 Take Down and Alley Lights and a Mounting Kit.

JE8SP1*	JE8SP1* Lightbar	825.00
---------	------------------	--------

Justice® "JE" Competitor™ Series Super-LED®, Includes Four Corner Linear-LED® Modules with 6 Super-LED@s Per Module.

JE4****	44" 4 Amber, Blue, Red and/or White	529.20
JE8****	50.125" 4 Amber, Blue, Red and/or White	574.02
JE2****	56.25" 4 Amber, Blue, Red and/or White	617.76
JE0****	62.375" 4 Amber, Blue, Red and/or White	668.52

Justice® Competitor™ Series Options

JDC*	One CON3™, Amber, Blue, Red or White	53.46
JDH*	One LTR3™, for Use in Center Section Only, Amber, Blue, Red or White	53.46
JDL*	One LING™, Amber, Blue, Red and/or White	85.86
JHALF1	Two LR11 Super-LED Steady-Burn Alley Lights with 15° Horizontal Adjustment (Replaces JHALM1)	94.50
JHTLS2	Two LR11 Super-LED Steady-Burn Take-Down Lights with 15° Horizontal Adjustment (Replaces JHTDM1)	94.50
JHCTLS1	Two LR11 Super-LED Center-Mounted Steady-Burn Take-Down Lights with 15° Horizontal Adjustment for two center sections (Replaces JHCTDM1)	94.50
JHCTLS1D	One Dual LR11 Super-LED® Take-Down Light, for Single Center Section, with 15° Horizontal Adjustment	94.50
JHTDALL1	Four LR11 Super-LEDs, Two Steady-Burn Take-Down and Two Steady-Burn Alley Lights with 15° Horizontal Adjustment (Replaces JHTDAL)	147.42
JHCTAL1	Four LR11 Super-LED®, Two Center-Mounted Steady-Burn Take-Down and Two Steady-Burn Alley Lights with 15° Horizontal Adjustment for two center sections (Replaces JHCTDAL)	147.42
JHCTAL1D	Four LR11 Super-LED®, One Dual LR11 Center-Mounted Steady-Burn Take-Down Light, for Single Center Section and Two Steady-Burn Alley Lights with 15° Horizontal Adjustment	147.42
JHFLASH	Flasher for Flashing Take-Down or Flashing Work Lights, Please Specify	59.94
JHBTTLED	Two LED Brake/Tail/Turn Lights	142.56
JTACNTL	Traffic Advisor™, Includes Internal and External Harness and TACTLD1, Lightheads Purchased Separately. When Purchased with Lightbar Only. For Use with CON3™ Center Module Only	294.30
JTACBL	Traffic Advisor™ Internal and External Harness, for use with CCSRNTA3, Lightheads Purchased Separately. When Purchased with Lightbar Only. For Use with CON3™ Center Module Only	118.80
†† JDSCBL	Driver Side Cable Exit, in Place of Passenger Side	
DELCSPCP	Delete WeCan Control Point, for use with Justice Competitor Series Plus Lightbars Only - DEDUCT	21.06
JBULK18	Bulk Package of 18 Justice® Series Lightbars, In Place of Standard Individually Boxed Lightbars-DEDUCT	32.40



Lightbars

All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: **A** = Amber; **B** = Blue; **C** = Clear/White; **R** = Red; **G** = Green

† Replace symbol in model number with letter indicating SPLIT lens or LED color desired: **D** = Red/Clear; **E** = Blue/Clear; **F** = Amber/Clear; **H** = Green/Clear

‡ (to be discontinued, check availability) ††† (special order, check availability, non-returnable, non-cancelable) **J** = Red/Blue; **K** = Red/Amber; **L** = Red/Green; **M** = Blue/Amber

! Indicate length desired: 5 foot, 6 foot, 7 foot or 8 foot \$ Indicates Lower Price

↓ †† - Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

MODEL DESCRIPTION COST

Century™ Elite Series LED Lightbars

Century™ Elite Series LED Lightbars, Includes Four Corner Linear-LED® Modules.

CE4****	44", 4 Amber, Red, Blue or White	466.56
CE8****	50", 4 Amber, Red, Blue or White	507.60

Century Elite CE Montana State LED Series Lightbar, Includes, 4-CEDLX*, LR11 Take Down and Alley Lights and a Mounting Kit. Packages Available As Listed Below.

CE8MT	CE8MT Lightbar	695.00
CE8MT1	CE8MT Lightbar, CCSRN3 and SA315P with SAK#	1263.40
CE8MT2	CE8MT Lightbar, CCSRN3 and SA315P with SAK#	1400.51
CE8MT3	CE8MT Lightbar and 295SDA1	1139.50
CE8MT4	CE8MT Lightbar, 295SDA1 and SA315P with SAK#	1276.61
CE8MT5	CE8MT Lightbar and 295SLSA6	982.63
CE8MT6	CE8MT Lightbar, 295SLSA6 and SA315P with SAK#	1119.74

Century™ Elite Series Options

CEDLX*	One LIN12™ LED Amber, Red, Blue or White	81.54
CETAT8	Eight TIR Lamp Amber LED Traffic Advisor™, Requires No Special Control Head, For CE4, 44", Models Only	288.36
CETAL5	Five LED Lamp Amber Linear-LED® Traffic Advisor™, Requires No Special Control Head, For CE8, 50", Models Only	406.62
CTLS1	Two LR11 LED Take Down Lights	59.94
CALF1	Two LR11 LED Alley Lights	59.94

Towman's™ Strobe Series Lightbars

With Passenger Side Exit 15' Cable

Towman's™ 9M Series, All Models Include LED Brake/Tail/Turn, Work Lights and Scan-Lock™.

9M140W00	60" Includes One Power Supply and Four Strobes (2Front/2Rear)	779.22
----------	---	--------

Towman's™ 9M Series Options

9MH2**	Two Halogen Lights, Includes Flasher with Steady-Burn Priority Mode	100.44
9MH4****	Four Halogen Lights, Includes Flasher with Steady-Burn Priority Mode for One Set of Lights	140.40
DEL9MWL	Delete Rear Facing Halogen Work Lights (Required if using a TA9M06) - DEDUCT	25.92
DEL9MSTP	Delete Brake/Tail/Turn Lights (Required if using a TA9M06) - DEDUCT	25.92



Towman's™ Super-LED® Series Lightbars

Individual Control of Front and/or Rear Lightheads. All Models Include 4 Corner Amber Linear-LED® Modules, Halogen Work Lights, LED Brake/Tail/Turn Lights.

Towman's™ Liberty™ Competitor™ Series

†† SLO7AAAA	60" Long, 4 Slide Bolt Mounting Brackets, Amber	940.68
SLEAA	Two Linear-LED' Lightheads, Factory Installed, Amber	110.70
SLTTALN6	Six Lamp Linear-LED' Traffic Advisor™ with TACTLD1, Requires Deletion of Work Lights or Brake/Tail/Turn Lights	394.74
SLETKAA	Two Linear-LED' Lighthead Kit, Customer Installed, Amber	110.70
DELSLEBT	Delete Brake/Tail/Turn Lights - DEDUCT	25.92
DELSLEWL	Delete Work Lights - DEDUCT	25.92

Towman Freedom™ Competitor™ Series

FL07AAAA	60" Long, 3 Slide Bolt Mount, Amber	979.02
FLE7AA	Two Single Level TIR Style LED Lightheads, Factory Installed, Amber	123.66
FLE7KAA	Two Single Level TIR Style LED Lighthead Kits, Customer Installed, Amber	123.66
DELFLTBT	Delete Brake/Tail/Turn Lights - DEDUCT	25.92
DELFLTWL	Delete Work Lights - DEDUCT	25.92

Towman's™ Justice® Competitor™ Series

†† JF07AAAA	62.375" Long, 3 Slide Bolt Mounting Brackets, Amber	805.14
JF0BAAAA	62.375" Long, 3 Slide Bolt Mounting Brackets, Amber and 6 CON3™ Amber	948.24
†† JF0DAAAA	62.375" Long, 3 Slide Bolt Mounting Brackets, Amber with a Five CON3™ Traffic Advisor™, No Work Lights	1129.68
JDC*	One CON3™, Red, Blue or Amber	53.46

Towman's Century™ Series

CW0BAAAA	60" Long, 3 Slide Bolts Mounting Brackets, Amber with 4 Amber Inboard Modules	813.78
CDT6A	Optional, One Amber TIR6 Inboard Module	36.18
CEDLXA	One Amber LIN12™ Super-LED®	81.54

4500 Series Surface Mount Lightbars

4500 Plus Super-LED® Build-A-Bar™ Series, Not All Options Available on All Lightbars, 4500B Series is a Build-A-Bar, All Inner Lightheads Purchased Separately.

†† 45B52	4500 Series Build-A-Bar™, 52" Long	230.04
†† 45B52*	4500 Series Build-A-Bar™, 52" Long, with Center-Mounted LED ICC Lights, Replace * with Color of ICC light, A = Amber or R = Red	230.04



††	45B±±	4500 Series Build-A-Bar™, ±± Insert Length 60", 72" or 76" Long	345.06
††	45B±±*	4500 Series Build-A-Bar™, ±± Insert Length 60", 72" or 76" Long, with Center-Mounted LED ICC Lights, Replace * with Color of ICC light, A = Amber or R = Red	345.06
††	45B±±	4500 Series Build-A-Bar™, ±± Insert Length 82", 84", 86", 88" or 90" Long	428.76
††	45B±±*	4500 Series Build-A-Bar™, ±± Insert Length 82", 84", 86", 88" or 90" Long, with LED ICC Lights, Replace * with Color of ICC light, A = Amber or R = Red	428.76
††	45KFL	Interior KKK Front Super-LED® Lighting Package, Includes Two Corner Red, Two 400 Series Red and Two 400 Series White Linear-LEDs	813.78
††	45KRL	Interior KKK Rear Super-LED® Lighting Package, Includes Two Corner Red, Two 400 Series Red, Two 400 Series Amber Linear-LEDs and Halogen Load Lights	867.24
††	45DLOUTA	Delete Outboard Two Amber ICC Lights Only	
††	45DLOUTR	Delete Outboard Two Red ICC Lights Only	
††	45DLCNTA	Delete Center Amber ICC Light Only	
††	45DLCNTR	Delete Center Red ICC Light Only	
††	45CL*	Add One Single Color Corner Linear-LED' Lighthouse, Amber, Blue, Red or White	140.40
††	45ADRB*	NEW ROTA-BEAM™ Super-LED® Beacon, Red, Blue or White	215.46
††	45FL*	Add One Single Color 400 Series Linear-LED' Lighthouse, Amber, Blue, Red or White	127.44
††	45ADL8*	Add One Single Color 700 Series Super-LED® Lighthouse (Flashing), Red, Blue or Amber	127.44
††	45ADLS8*	Add One Single Color 700 Series Super-LED® Lighthouse (Steady), Amber, Blue, Red or White (Flasher Purchased Separately)	127.44
††	45FLASH	Add One Internal Flasher & Harness Only, For up to Two 400 or 700 Series Linear-LED' Super-LED® Lighthouses	47.52
††	45TA	Super-LED® Traffic Advisor™ and Halogen Load Light Upgrade, for use with 4500B Series 82" or Larger	937.98
††	795H	GTT Self-Contained LED IR Opticom™ Emitter, Refer to GTT Opticom™ Emitters Section for Pricing	
††	45795H	Installation of 795H in a 4500 Series Lightbar, No Charge when Purchased with 795H	

4500 Plus Build-A-Bar™ Series, Not All Options Available on All Lightbars. 4500B Series is a Build-A-Bar, All Inner Lighthouses Purchased Separately.

††	45B±±	4500 Series Build-A-Bar™, ±± Insert Length 38" or 44" Long	177.12
††	45B52	4500 Series Build-A-Bar™, 52" Long	230.04
††	45B52*	4500 Series Build-A-Bar™, 52" Long, with Center-Mounted LED ICC Lights, Replace * with Color of ICC light, A = Amber or R = Red	230.04
††	45B±±	4500 Series Build-A-Bar™, ±± Insert Length 60", 72" or 76" Long	345.06
††	45B±±*	4500 Series Build-A-Bar™, ±± Insert Length 60", 72" or 76" Long, with Center-Mounted LED ICC Lights, Replace * with Color of ICC light, A = Amber or R = Red	345.06
††	45B±±	4500 Series Build-A-Bar™, ±± Insert Length 82", 84", 86", 88" or 90" Long	428.76
††	45B±±*	4500 Series Build-A-Bar™, ±± Insert Length 82", 84", 86", 88" or 90" Long, with LED ICC Lights, Replace * with Color of ICC light, A = Amber or R = Red	428.76
††	45KFS	Interior KKK Front Strobe Lighting Package, Includes Three Strobes	162.00
††	45KRS	Interior KKK Rear Strobe Lighting Package, Includes Three Strobes and Two Load Lights	223.02
††	45KFH	Interior KKK Front Halogen Lighting Package, Includes Three Halogen Modules	144.18
††	45KRH	Interior KKK Rear Halogen Lighting Package, Includes Three Halogen Modules and Two Load Lights	199.26
††	45LRLOAD	Add a Pair of Triple (6 LR11's total) LR11 Super-LED® Load Lights (Replaces 45MRLOAD)	238.68
††	45ALOAD	Add Two Load Lights	62.10
††	45DLOUTA	Delete Outboard Two Amber ICC Lights Only	
††	45DLOUTR	Delete Outboard Two Red ICC Lights Only	
††	45DLCNTA	Delete Center Amber ICC Light Only	
††	45DLCNTR	Delete Center Red ICC Light Only	
††	45ADDDHAL	Add One 700 Series Halogen Lighthouse	49.14
††	45ADDSTR	Add One 700 Series Strobe Lighthouse	56.16
††	45ADDAST	Add One Outboard Angled Strobe Lighthouse	56.16
††	45ADRB*	NEW ROTA-BEAM™ Super-LED® Beacon, Red, Blue or White	215.46
††	45ADROTA	Add One Rotator	49.14
††	45ADL8*	Add One Single Color 700 Series Super-LED® Lighthouse (Flashing) Red, Blue or Amber	127.44
††	45ADLS8*	Add One Single Color 700 Series Super-LED® Lighthouse (Steady), Amber, Blue, Red or White (Flasher Purchased Separately)	127.44
††	795H	GTT Self-Contained LED IR Opticom™ Emitter, Refer to GTT Opticom™ Emitters Section for Pricing	
††	45795H	Installation of 795H in a 4500 Series Lightbar, No Charge when Purchased with 795H	

Options, Mounting Kits

For Edge®, Justice® & Liberty™ Model/Year/Length, Available at Time of Lightbar Purchase ONLY. (For Mounting Kit Options and Replacement Strap & Mounting Kits, See Replacement Parts, Mounting Kits & Strap Kits).

Chevrolet, with Lightbar Purchase Only.

	MKEA81	Caprice / 2011-2012 / 43"-44"	39.42
	MKEZ81	Caprice / 2011-2012 / 44" - 48"	29.70
	MKEZ63	Colorado Pickup / 2004-2011 / 48"	29.70
	MKEZ45	GMC 3500 Truck / 1999-2011 / and GMC 2500 / 2003-2011 / 52"-55"	29.70
	MKEZ70	Impala / 2006-2012 / 48"-50"	29.70

All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: **A** = Amber; **B** = Blue; **C** = Clear/White; **R** = Red; **G** = Green

Replace symbol in model number with letter indicating SPLIT lens or LED color desired: **D** = Red/Clear; **E** = Blue/Clear; **F** = Amber/Clear; **H** = Green/Clear

† (to be discontinued, check availability) †† (special order, check availability, non-returnable, non-cancelable) J = Red/Blue; K = Red/Amber; L = Red/Green; M = Blue/Amber

! Indicate length desired: 5 foot, 6 foot, 7 foot or 8 foot \$ Indicates Lower Price



Lightbars



↓ †† - Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

MODEL	DESCRIPTION	COST
MKEA70	Impala Low Profile Adjustable / 2006-2012 / 43"-44"	39.42
MKEZ71	RV/Suburban / 2007-2012, Tahoe / 2007-2012 / 52"-55"	29.70
MKAJ71	RV/Suburban / 2007-2012, Tahoe / 2007-2012, Adjustable Leveling Foot / 52"-55"	39.42
†† MKEZ45	Silverado Pickup / 1999-2006 (2007 Classic) / 52"-55"	29.70
MKEZ73	Silverado Pickup / 2007-2011 / 52"-55"	29.70
Chrysler, with Lightbar Purchase Only.		
†† MKEZ62	Aspen / 2007-2011 / 48"-50"	29.70
†† MKEZ69	Charger / 2005-2010 / 48"-50"	29.70
MKEZ82	Charger / 2011-2012 / 48"-50"	29.70
MKEA84	Charger / 2011-2012 / 43"-44"	39.42
†† MKEA69	Charger Low Profile Adjustable / 2005-2010 / 43"-44"	39.42
MKEZ62	Dakota / 2005-2011 / 48"-50"	29.70
MKAJ62	Dakota, Adjustable Leveling Foot / 2005-2011 / 48"-50"	39.42
MKEZ85	Durango / 48"-50" / 2011-2012	29.70
†† MKEZ62	Durango / 2004-2010 / 48"-50"	29.70
†† MKAJ62	Durango, Adjustable Leveling Foot / 2004-2010 / 48"-50"	39.42
†† MKEZ62	Jeep Grand Cherokee / 2005-2011 / 54"-55"	29.70
†† MKAJ62	Jeep Grand Cherokee, Adjustable Leveling Foot / 2005-2011 / 54"-55"	39.42
MKEZ58	Ram 1/2 Ton Pickup / 2002-2008 / 52"-55"	29.70
MKEZ58	Ram 2500/3500 Pickup / 2003-2009 / 52"-55"	29.70
MKEZ78	Jeep Liberty / 2011 / 43"-44"	29.70
MKEZ78	Jeep Liberty / 2012 / 48"-50"	29.70
MKEZ79	RAM 1500-3500 / 2010-2011 / 52"-55"	29.70
MKEZ86	Ram 1500 / 2012 / 52"- 55"	29.70
MKEZ80	Jeep Patriot / 2011 / 43"-44"	29.70
Ford, with Lightbar Purchase Only.		
†† MKEZ47	Crown Victoria / 1992-2011 / 48"-50"	29.70
†† MKEA47	Crown Victoria, Low Profile Adjustable / 1992-2011 / 43"-44"	39.42
MKEZ67	Escape (Standard Roof Rack Only) / 2001-2011 / 43"-50"	29.70
MKEZ51	Escape Hybrid / 2005-2012 / 48"-50"	29.70
†† MKEZ38	Excursion, For Edge Series / 2000-2006 / 55"-60"	29.70
†† MKEZ74	Expedition (Low Profile Rack Mount) / 2007-2011 / 52"-55"	29.70
†† MKEZ60	Expedition / 2003-2011 / 52"-55"	29.70
MKEZ55	Explorer / 2002-2010 / 48"-50"	29.70
MKEZ74	Explorer, Roof Rack Mount / 2011-2012 and 2013 Police Interceptor Utility / 52" -55", Not for Use with Justice Series	29.70
MKEZ84	Explorer, Roof Rack Mount / 2011-2012 and 2013 Police Interceptor Utility / 43"-50"	29.70
MKEZ83	Explorer / 2011-2012 and 2013 Police Interceptor Utility / 48"-55"	29.70
MKEX83	Explorer 2011-2012 and 2013 Police Interceptor Utility / 43"-44" (Not for Use with Roof Rack)	39.42
†† MKEZ61L	F-150 / 2004-2010 / 52"-55"	29.70
†† MKEZ61	F-150 / 2004-2010 / 60"	29.70
†† MKEZ38	F-250/350/450/550 Super-Duty / 1999-2011 / 60", Edge Only	29.70
†† MKEZ45	Ranger / 2006-2011 / 48"-50"	29.70
MKEA76	Taurus / 2010-2012 and 2013 Police Interceptor / 43"-44"	39.42
MKEZ76L	Taurus / 2010-2012 and 2013 Police Interceptor / 48"-50"	29.70
Permanent Mount, with Lightbar Purchase Only.		
MKEZ7	1-1/2" Permanent Mount / ALL	
MKAJ7	Adjustable Leveling Foot for 1-1/2" Permanent Mount / ALL	11.07
MK8H	5" Permanent Mount (Cast Aluminum) / ALL / ALL	28.08
MK9S	Slide Bolt Brackets for Flat Surface Mounting (2 ea.) 48"/55"	28.08
MK20S	Slide Bolt Brackets for Flat Surface Mounting (3 ea.) 60+"	41.58
MKEZ29	1-1/2" Mounting Foot with Strap Hardware (Straps Purchased Separately)	
MKEA29	Low Profile Adjustable Foot with Strap Hardware (Straps Sold Separately)	11.07
MK7SS2	Stainless Steel Heavy Duty 10° Adjustable Permanent Mount Feet, Low	103.68
MK7SS4	Stainless Steel Heavy Duty 10° Adjustable Permanent Mount Feet, High	133.38

Replacement Parts, Mounting Kits & Strap Kits

Replace # with the vehicle # listed on previous page.

Replacement Strap Kits & Mounting Kits

RMKEZ#	Replacement Mounting Kit Includes Feet, Hardware & Straps of your Choice	84.78
RMKEZ29	Replacement 1 1/2" Mounting Foot with Strap Hardware (Straps Purchased Separately)	50.22
RMKEA29	Replacement MKEA29 Mounting Foot with Strap Hardware (Straps Purchased Separately)	62.10
STPKT#	Straps and Bolts Only for Mounting Kit, For Use with MKEZ or MKAJ Only	50.22
STPEA70	Straps and Bolts Only for MKEA70 Mounting Kit, Impala / 2006-2012	50.22
†† STPEA69	Straps and Bolts Only for MKEA69 Mounting Kit, Charger / 2005-2010	50.22
†† STPEA47	Straps and Bolts Only for MKEA47 Mounting Kit, Ford Crown Victoria / 1992-2011	50.22
RMKEZ7	Replacement 1-1/2" Permanent Mounting Kit #7	50.22

RMK9S	Replacement Slide Bolt Mounting Kit #9S (2 ea.)	50.22
RMK20S	Replacement Slide Bolt Mounting Kit #20S (3 ea.)	67.50
RMK8H	Replacement 5" Riser Mounting Kit #8H	68.04
RMKAJ#	Replacement Adjustable Leveling Foot, Includes Feet, Hardware and Choice of Strap # 16, 52, 54, 62, 71 or 72	95.04
NOTE	All straps are special ordered and NON-RETURNABLE. Some modification may be required by the end user to adapt these straps to fit exact vehicle roof line and door jamb positions. This list is intended as a GUIDE ONLY to assist in obtaining the closest strap for vehicle make and fit, and DOES NOT GUARANTEE an exact fit in every case.	

Options, Low Profile Mounting Kits

For Legacy™ Series Lightbars Only

Chevrolet

MKLP81	NEW Caprice / 2011-2012 / 48" - 50"	29.70
--------	-------------------------------------	-------

Chrysler

MKLP82	NEW Charger / 2011-2012 / 48" - 50"	29.70
--------	-------------------------------------	-------

Ford

MKLP76	NEW Taurus / 2010-2012 and 2013 Police Interceptor / 48" - 50"	29.70
--------	--	-------



Replacement Parts, Low Profile Mounting Kits & Strap Kits

For Legacy™ Series Lightbars Only

Replacement Strap Kits & Low Profile Mounting Kits

MKLP7	NEW Low Profile Permanent Mounting Foot, When Purchased with Lightbar	
MKLPQDU	NEW Low Profile Foot with Universal Quick Disconnect Mounting Brackets	29.70
RMKLPQDU	NEW Replacement Low Profile Foot with Universal Quick Disconnect Mounting Brackets	84.78

24 VDC Products

Refer to Series Section for Options. For other 24 VDC Models that are Not Listed Below, Contact Factory for Pricing and Availability.

Super-LED® Beacons, 24 VDC, For Strobe Beacons, Consult Strobe Beacon Section on this Price List.

†† L31H*F4	NEW L31 Super-LED® Beacon, Class 1, High Dome, Amber, Blue or Red, Flat Mount, Cast Base	340.20
†† L32L*F4	NEW L32 Super-LED® Beacon, Class 1 in Amber, Class 2 in Red or Blue, Low Dome, Amber, Blue or Red, Flat Mount, Cast Base	211.14
†† L21H*P4	NEW L21 Super-LED® Beacon, Class 1, High Dome, Amber or White, Perm/Pipe/"J" Hook Mount, Polycarbonate Base	194.94
†† L21L*P4	NEW L21 Super-LED® Beacon, Class 1, Low Dome, Amber or White, Perm/Pipe/"J" Hook Mount, Polycarbonate Base	194.94
†† L22H*P4	NEW L22 Super-LED® Beacon, Class 2 Amber, High Dome, Amber, Blue, Red or White, Perm/Pipe/"J" Hook Mount, Polycarbonate Base	114.48
†† L22L*P4	NEW L22 Super-LED® Beacon, Class 2 Amber, Low Dome, Amber, Blue, Red or White, Perm/Pipe/"J" Hook Mount, Polycarbonate Base	114.48
†† L10HAP4	NEW L10 Super-LED® Beacon, Class 1, High Dome, Amber, Perm/Pipe Mount, Polycarbonate Base	84.24
†† L10LAP4	NEW L10 Super-LED® Beacon, Class 1, Low Dome, Amber, Perm/Pipe Mount, Polycarbonate Base	84.24

Lighthheads, 24 VDC

†† OSU0EDCR	NEW OS Series White Illumination Light, Clear Lens	21.60
†† 50S03ZAR	NEW 500 Series TIR6 Super-LED®, Amber with Amber Lens	94.50
†† 50T03ZBR	NEW 500 Series TIR6 Super-LED®, Blue with Blue Lens	94.50
†† 50W03ZRR	NEW 500 Series TIR6 Super-LED®, Red with Red Lens	94.50
†† 60U0EHCR	NEW 6" Round Surface Mount, Super-LED® Ambulance Interior Light	118.26
†† 60U0EJCS	NEW 6" Round Surface Mount, 6 LED Interior Light, White, Includes Switch	105.30
†† LINZ6*24	NEW LINZ6 Series Super-LED® Lighthouse, Amber, Blue, Red or Clear, with Clear Lens	89.10
†† M4*24	NEW M4 Series Super-LED® Lighthouse with Scan-Lock™ Flash Patterns, Amber, Blue, Red or Clear, with Color Lens	107.46
†† M6*24	NEW M6 Series Super-LED® Lighthouse with Scan-Lock™ Flash Patterns, Amber, Blue, Red or Clear, with Color Lens	132.30
†† M6BTT24	NEW M6 Series Brake/Tail/Turn Lighthouse, Red Lens	94.50
†† M6BUW24	NEW M6 Series Back-Up Lighthouse, Clear Lens	126.90
†† M6ZC24	NEW M6 Series Super-LED® Gradient Scene Light	220.86
†† M6T24	NEW M6 Series Amber Turn Signal, Sequential Arrow, Amber Lens	82.62
†† M7*24	NEW M7 Series Super-LED® Lighthouse with Scan-Lock™ Flash Patterns, Amber, Blue, Red or Clear, with Color Lens	134.46
†† M7ZC24	NEW M7 Series Super-LED® Gradient Scenelight	118.26
†† M9*24	NEW M9 Series Super-LED® Lighthouse with Scan-Lock™ Flash Patterns, Amber, Blue, Red or Clear, with Color Lens	207.90
†† MPB4B	NEW Micro-Pioneer Super-LED® Work Light, Bail/Stud Mount, Black Housing	220.32
†† MPB4W	NEW Micro-Pioneer Super-LED® Work Light, Bail/Stud Mount, White Housing	220.32
†† MPP4W	NEW Micro-Pioneer Super-LED® Work Light, Low Profile Pedestal/Swivel Mount, White Housing	299.70
†† MPR4W	NEW Micro-Pioneer Super-LED® Work Light, Straight Recessed Mount, White Housing	217.62
†† PELCB4	NEW Perimeter Enhancement Light, White Super-LED®, Black Housing	118.26

All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: A = Amber; B = Blue; C = Clear/White; R = Red; G = Green

Replace symbol in model number with letter indicating SPLIT lens or LED color desired: D = Red/Clear; E = Blue/Clear; F = Amber/Clear; H = Green/Clear

† (to be discontinued, check availability) †† (special order, check availability, non-returnable, non-cancelable) J = Red/Blue; K = Red/Amber; L = Red/Green; M = Blue/Amber

! Indicate length desired: 5 foot, 6 foot, 7 foot or 8 foot \$ Indicates Lower Price

24 VDC, Green Products & Parts

↓ †† - Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

MODEL	DESCRIPTION	COST
†† PELCC4	NEW Perimeter Enhancement Light, White Super-LED®, Chrome Housing	118.26
†† PFP14	NEW Pioneer Plus™, Super-LED® Flood Light, Single Panel, White Housing	449.82
†† PFP24	NEW Pioneer Plus™, Super-LED® Flood Light, Dual Panel, White Housing	784.62
†† PFBP12C4	NEW PAR-36 Round 12-Super-LED® Flood Light, With Pedestal/Swivel Mount and an On/Off Switch, Chrome Rear Cover	258.66

Sirens, 24 VDC

†† ALPHA24R	NEW Alpha Series Siren, Remote, for use with Remote Switches, Purchase Separately	145.26
†† ALPHA24S	NEW Alpha Series Siren, Self-Contained	172.26
†† BETA124R	NEW Beta Series Full Function Siren, Remote, for use with Remote Switches, Purchase Separately	156.06
†† 295SL102	NEW 295SL Series, Full Function Siren, (up to Two 100 Watt speakers), Includes Microphone	264.06

Green Products

Refer to Series Section for Options Mounting.

Strobe Beacons, 22 Watt, Polycarbonate Base, Quint Flash™ and Manual Hi/Low.

†† 2022LPG	NEW Perm/Pipe Mount, Low Dome	84.24
†† 2022LPGM	NEW Magnetic Mount, Low Dome	93.96
†† 2022HPG	NEW Perm/Pipe Mount, High Dome	84.24
†† 2022HPGM	NEW Magnetic Mount, High Dome	93.96

L32, Super-LED® Beacons, Cast Aluminum Base. Includes Scan-Lock™ Flash Patterns, Hi/Low and Cruise

†† L32L4F	NEW Green with Clear Dome, Flat Mount	265.14
†† L32LGF	NEW Green, Flat Mount	265.14
†† L32LGM	NEW Green, Magnetic Mount	282.96
†† L32LGV	NEW Green, Magnetic/Suction Mount	284.04

Lighthoods, Super-LED® (Unless Specified) with Scan-Lock™ Flash Patterns

†† 40G02ZCR	NEW 400 Series, Single Level, Green with Clear Lens	83.16
†† 40G02ZGR	NEW 400 Series, Single Level, Green with Green Lens	83.16
†† 50G00FGR	NEW 500 Series, 5MM LED Green with Green Lens	97.20
†† 60G02FCR	NEW 600 Series, Green with Clear Lens	128.52
†† 60G02FGR	NEW 600 Series, Green with Green Lens	128.52
†† 70G02FGR	NEW 700 Series, Green with Green Lens	128.52
†† IONG	NEW ION Series, Green with Clear Lens	118.26
†† LINZ6G	NEW LINZ6 Series, Green with Clear Lens	86.40
†† M4G	NEW M4 Series, Green	112.86
†† M6G	NEW M6 Series, Green	139.86
†† M6GC	NEW M6 Series, Green with Clear Lens	139.86
†† M7G	NEW M7 Series, Green	139.86
†† M9G	NEW M9 Series, Green	210.60
†† RSG02ZCR	NEW LIN3 Series, Green with Clear Lens	63.72
†† RSG03ZCR	NEW TIR3 Series, Green with Clear Lens	56.70
†† VTX609G	NEW Vertex Series, Green with Clear Lens	78.30

Replacement Parts, Lens Kits

Lens kit worksheets are available from your local distributor or your authorized managing sales representative.

Edge® Classic, 94 & 96 Series, Lens Kits

†† LENSKIT1	Lens Kit for Classic Edge® Lightbar	116.10
†† LENSKIT2	Lens Kit for Classic Edge® Lightbar	152.82
†† LENSKIT3	Lens Kit for Classic Edge® Lightbar	152.82

Edge® 9M Series, Lens Kits

†† 9MLENKT1	Lens Kit for Edge® 9M Series Lightbar	116.10
†† 9MLENKT2	Lens Kit for Edge® 9M Series Lightbar	152.82
†† 9MLENKT3	Lens Kit for Edge® 9M Series Lightbar	152.82

Edge® Ultra 9U & Freedom Series, Lens Kits

†† 9ULENKT1	Lens Kit for Edge® Freedom™ Series Lightbar	116.10
†† 9ULENKT2	Lens Kit for Edge® Freedom™ Series Lightbar	152.82
†† 9ULENKT3	Lens Kit for Edge® Freedom™ Series Lightbar	152.82

Patriot & Liberty Series Lens Kit, For Use with 500 Series Alley lights

†† 9LLENKT1	Lens Kit for LFL Liberty™ Series Lightbar	116.10
†† 9LLENKT2	Lens Kit for LFL Liberty™ Series Lightbar	152.82
†† 9LLENKT3	Lens Kit for LFL Liberty™ Series Lightbar	152.82

Liberty™ Series Lens Kits, For use with LR11 Alley Lights (Not for use with 500 Series Alleys)

†† SLENKT1	NEW Lens Kit for Liberty Series Lightbars with LR11 Alley Lights	116.10
†† SLENKT2	NEW Lens Kit for Liberty Series Lightbars with LR11 Alley Lights	152.82
†† SLENKT3	NEW Lens Kit for Liberty Series Lightbars with LR11 Alley Lights	152.82

Replacement Parts, Bulbs For Whelen Lights

Pictorial reference is located at the end of this Price List.

Halogen Bulbs, 12 Volts, Unless Specified, Snap-In, Bulb Only.

††	H27DSN28	27 Watt, 24 Volt, Stop/Tail/Turn	17.01
††	H35DSN12	35 Watt Halogen Dual Filament for Interior Light Only	18.36
††	H35SN24	35 Watt, 24 Volt (Yellow Dot)	17.01

Halogen Bulbs, 12 Volts, H-1

††	H55H112	55 Watts, For Delta™ Rotators, Guardian™ Models G1 and G2 Series	12.69
----	---------	--	-------

Halogen Bulbs, 12 Volts, Unless Specified, Twist-Lock, Includes Twist-Lock Adapter & Snap-In Bulb.

††	H35HSC12	35 Watt Halogen Bulb for 810 Scene Light	20.79
††	H35ASC24	35 Watt Halogen Bulb for 24 Volt 810 Scene Light	20.79
††	H35DTL12	35 Watt Halogen Bulb, 3 Position Connector for Interior Light Only, Dual Filament	20.79

Strobe Tubes

††	UNI	Universal Flash Tube (Replaces S406, S600, Z360)	43.20
††	4ELTUBE	400 Series Linear Strobe Tube/Reflector Assembly	49.68
††	4ECTUBE	4E Series Combination Rear Strobe w/Halogen Lamp Reflector Assembly	75.60
††	500LTUBE	500 Series Linear Strobe Tube/Reflector Assembly	62.64
††	58L4TUBE	508E Series Linear Strobe Tube/Reflector Assembly, 4 Screw Lens Design	96.12
††	81L4TUBE	810E Series Linear Strobe Tube/Reflector Assembly, 4 Screw Lens Design	96.12
††	6ELTUBE	600/6E Series Linear Strobe Tube/Reflector Assembly	67.50
††	7ELTUBE	700/7E Series Linear Strobe Tube/Reflector Assembly	67.50
††	7ECTUBE	7E Series Combination Rear Strobe w/Halogen Lamp Reflector Assembly	75.60
††	80DTUBE	800D/1200D Series Helix 1-1/2 Turn, 3 Pin Plug-In Base Strobe Tube	42.66
††	80TUBE	800C/1200C Series Helix 1-1/2 Turn Strobe Tube with black reflector 1200C Series, 800C Series, FHEAD / GHEAD / XHEAD Series	42.66
††	900STUBE	900 Series Non-Linear Strobe Tube/Reflector Assembly	70.20
††	9UTUBE	Edge® 9M/Ultra Corner Tube/Reflector	49.68
††	LFLTUBE	Edge® LFL Corner Tube/Reflector	49.68
††	DIRECTIO	Large Directional Strobe Tube with Reflector (MN200S Style) 9000FF Series, 9000FM, 9801 Series, 9804 Series, 9806 Series, AdvantEdge®+Plus™ Series	61.02
††	FT10A	3-Pin "U" Strobe Tube, Plug-in, VP410 Series, VP415 Series, 2004, 2012, 2015	21.60
††	FT1510	Linear Tube for 1510 Series	18.90
††	FT20A	3-Pin Helix 1-1/2 turn Strobe Tube, Plug-in, VP420 Series, VP422 Series, 2022, G5 & G7 Series	24.84
††	FT25	Flash Tube, 2500 Series Beacons	24.84
††	LINEAR14	Linear Strobe/Reflector Module, Centurion™ Lower Level CL14 Series Strobe, FastTrax™ Front Strobe	49.68
††	LINEAR17	Linear Strobe/Reflector Module, Dash-King™ Series, Centurion™ Lower Level CL17 Series Strobes	49.68
††	MICROSID	Micro Side Beam Strobe and Reflector 9802M, MC100S Series, R4DX Series	48.06
††	S1000	1000 Series Strobe Flash Tube	9.72
††	M469	1 1/2 Turn Helix Strobe Tube with Reflective Base, V-Head	42.66
††	REPTSSTR	Twin Side Beam™ Dual Strobe Reflector Assembly	77.76
††	SMALLDIR	Small Directional Strobe with Reflector (no side kickers), For SOLO*S	48.06
††	SSTUBE	Super Strobe® Helix 1-1/2 turn Strobe Tube and Polished Reflector, DOT6H, S360C/S360D/S360S Series, SS361, SS363, SS364	42.66
††	TURBO94	Linear Strobe Tube/Reflector Ass'y for 94EDGE, 94 Towman's™ Edge®, 94EDGE with Traffic Advisors™ and Micro Edge®	49.68
††	TURBOASY	Linear Strobe/Reflector Module for "Classic" Edge® and Edge+Plus™	49.68
††	TURB6DUP	Duplex Linear Strobe/Reflector Module for 96 Series Edge® Bars, Dash-King 2000	49.68
††	TURB6ASY	Linear Strobe/Reflector Module For B-Link™, 94/96 Series Edge® Bars (Full Size)	49.68
††	TURB6HAL	Linear Strobe & Snap-in Halogen/Reflector Module for Models 9404, 9406	52.92
††	TURB6KIT	Linear Strobe/Reflector Module for Models 9404, 9406	49.68

DOT3® Systems with Deutsch® Waterproof Connectors

††	REPDIRD	DOT3 100 Series Rear Strobe Assembly, Replaces Old Style AMP W.P., (P/N 02-0341827-00C)	65.88
††	REPS30WD	DOT3 200 Series Rear 1-1/2 Turn Helix Strobe Assembly, Replaces Old Style AMP W.P., (P/N 36-0361836-00C)	48.06
††	REPSTTWD	DOT3 100/200 Series Brake/Tail/Turn Bulb Assembly, Replaces Old Style AMP W.P., (P/N 34-0061856-00C)	26.46
††	DIRECTWD	DOT3 100 Series Rear Strobe Assembly with Deutsch® Waterproof Connector	64.26

DOT3® Systems with AMP® Waterproof Connectors

††	REPSTTWA	DOT3® 100/200 Series Brake/Tail/Turn Bulb Assembly	26.46
††	H35TL12W	DOT3® 100/200 Series Back-up Light Assembly	26.46
††	REPDIRWA	DOT3® 100 Series Rear Strobe Assembly	65.88
††	REPS30WA	DOT3® 200 Series Rear Strobe Assembly, 1 1/2 Turn Helix Strobe Assembly	48.06

Snap-In Bulbs

††	H20SN12	20 Watt (Green Dot) , TA836 Series, TA870A Series, TA837 Series, TA1652H Series, TA1664H Series, BLTA, 97 Edge® Bar Series/All Dual Halogen Models, SSNF™ Series Halogen Lighthead	10.26
----	---------	--	-------

All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: **A** = Amber; **B** = Blue; **C** = Clear/White; **R** = Red; **G** = Green

Replace symbol in model number with letter indicating SPLIT lens or LED color desired: **D** = Red/Clear; **E** = Blue/Clear; **F** = Amber/Clear; **H** = Green/Clear


† (to be discontinued, check availability) †† (special order, check availability, non-returnable, non-cancelable) J = Red/Blue; K = Red/Amber; L = Red/Green; M = Blue/Amber

! Indicate length desired: 5 foot, 6 foot, 7 foot or 8 foot \$ Indicates Lower Price


↓ †† - Special Order, Non-Returnable, Non-Cancelable. See "Made-To-Order" Statement on Table of Contents Page of this Price List.

MODEL	DESCRIPTION	COST
†† H27SN12	27 Watt (Red Dot), 508 Series, 64 Back Series, 810 Series, 830 Scenelight, AdvantEdge®+Plus™ & Super AdvantEdge®+Plus™ Lightbars, Towman's™ Lightbars, Edge®+Plus™, B-Link™ Bar Full Size Halogen Modules, Dash-Miser™ Halogen Models	10.26
†† H35SN12	35 Watt (White Dot), 4000 Motor/Reflector Assembly/Brushless, 52 Series, DOT3® Systems, Edge® California Steady-Burn, RDX Series	10.26
†† H35HSN12	35 Watt, Horizontal Filament (Gold Dot), GH Series, 64 Series, 73 Series, 97 Scenelight, 5000 Super AdvantEdge®+Plus™	10.26
†† H50SN12	50 Watt, Horizontal Filament (Blue Dot), 97 Series Scenelight, 9E Series, 7E Series (Flashing Only) (Formerly ARSASN12)	10.26
†† H50ASN12	50 Watt, Halogen Bulb for RB6P, RB6D, B6R and Centurion™ Lightbars	10.26
†† H60SN12	60 Watt, 7E Series, 9E Series, RB6T Series	10.26
†† STOPSN12	Brake/Tail/Turn Light, DOT3® Systems (Incandescent Globe Style)	10.26
Linear Snap-In Flash Tubes		
†† TURBO5	Linear Strobe Tube only for 900, 97 & 9E Linear, and 81E Linear. Snap-In with Stiff Trigger Lead 4.75" Long	25.38
†† TURBO64	Linear Strobe Turbo Tube for 64 Series, Snap-in 6" long, 508 Series Linear, 1997 Edge® Bars, Super AdvantEdge®+Plus™, TA864S	25.38
†† TURBOTUB	Linear Strobe Turbo Tube, 97 Series, Snap-in 6-3/4" long, 4000-4SI/6SI/8SI Series, 810 Series, 9000 Series, 97 Linear Strobe Series, 9802 Series, 9804 Series, 9806 Series, DOT3103, ECAPTT Series, MCEDGE Series, MCED3 Series, MEDGE Series, T103	25.38
Bi-Pin Halogen Bulbs		
†† H20W12V	20 Watt, TA4000A, TA9000A Series, TA9000D	4.59
†† H27W12V	27 Watt, 9000 Series Alley Light (Full Size), 9000FM Work Light, CR12/212 Series, GRLHAL, TS200H, TS200C	4.59
†† H35W12V	35 Watt, 4000 Series Motor/Reflector Assembly with Brushes, Val-U-Bar™ Series Motor/Reflector Assembly with Brushes	4.59
†† H50W12V	50 Watt	4.59
Twist-Lock Halogen & Strobe Bulbs		
†† S30TL	Twist-Lock Helix 1-1/2 Turn Strobe Tube, 52 Series Twist-Lock, 56 Series Twist-Lock, 64 Series Twist-Lock, 73 Series Twist-Lock, 9000 Series, 97 Series Twist-Lock, Dash Miser™/DashMiser Plus™ Twist-Lock Series, GSF/GSE Series, SBS8S	29.16
†† TA20TL12	20 Watt, 2 Position Connector, TA836A, TA837A, TA838A, TA839A, TA870A, TA1620A, TA1622A (Formerly ADABULB)	11.34
†† H27TL12	27 Watt, 3 Position Connector, 9000 Series Take-Down and Flashers, DashMiser™/DashMiser Plus™ Halogen Series	11.34
†† H35TL12	35 Watt, 3 Position Connector, GHF/GHE Series, 52 Series Halogen, 64 Series, 64 Series Opti-Scenelight™, 73 Series, 73 Series Opti-Scenelight™	11.34
†† H50TL12	50 Watt, 3 Position Connector, 97 Series, 97 Series Opti-Scenelight™	11.34
†† BRAKTL12	Brake/Tail/Turn, 3 Position Connector, (Incandescent), 52 / 64 / 73 & 97 Series Brake/Tail/Turn (Globe Style, Not Flat Back Style)	11.34

STROBE



HALOGEN & INCANDESCENT



WHELEN® USER DIRECT WARRANTY (FOR AUTOMOTIVE PRODUCTS ONLY)

Whelen Engineering Company, Inc. warrants products of its manufacture against defects in material and workmanship. This is provided that the product has been installed and operated in accordance with the manufacturer's recommendations. During the warranty period (see below) the Factory Repair Center or an Authorized Whelen Repair Center† will repair or replace (at its option) any parts or electronic assemblies of the unit which disclose a defect in material or workmanship. The Repair Center will return the repaired unit, transportation cost prepaid.

The above warranty is between the first purchaser (ultimate user) only and Whelen Engineering Company, Inc. (manufacturer). **No prior authorization is required for returning Whelen products for warranty consideration.** Each Whelen product sold is covered only by the official warranty in effect at time of purchase.

This warranty is not applicable to any Whelen product that has failed due to abuse, misuse, improper installation, excessive voltages, or alterations to the product that affects, in the manufacturer's judgment, intended use and service. Whelen will not be held liable for any incidental or consequential damages, and assumes no responsibility or liability for expenses incurred in the removal and/or re-installation of products requiring service and/or repair; nor the packaging, handling, and shipping to the Factory Repair Center or Authorized Whelen Repair Center†; nor for the handling of products returned from the repair center after service or repair.

There are no other warranties, expressed or implied, including, but not limited to, any implied merchantability or fitness for a particular use. Whelen Engineering Company, Inc. reserves the right to modify this warranty statement at any time; or discontinue, modify, or upgrade any products of its manufacture with design improvements without prior notice.

The use of magnetic or vacuum/suction mounted warning lights mounted on the roof or exterior of a vehicle in motion is at the sole discretion and risk of the user. Whelen Engineering makes no warranties or guarantees of equipment used in this way.

All power plugs/cigar plugs, incandescent and halogen bulbs, polycarbonate/plastic materials, radar products, aviation equipment, industrial products and high power voice/siren systems are not covered by this warranty (see applicable warranty statement).

All Non-Whelen manufactured items that are sold by Whelen are covered by that manufacturer's warranty, and are excluded from this warranty statement (such as, GTT Emitters). This warranty will be void when using or substituting other than all-genuine Whelen system components, such as remote head assemblies, xenon flash tubes, shielded cables, strobe power supplies, siren amplifiers and siren speakers. This warranty gives you specific rights, and you may also have other rights which vary from state to state.

WHELEN ENGINEERING COMPANY ELECTRO-MECHANICAL AND STROBE PRODUCTS STANDARD / 2 YEAR WARRANTY

Whelen products are covered by a direct warranty for up to a maximum two years from date of purchase (not to exceed three years from date of manufacture), with proof of purchase. In accordance with the policy statement described herein, the unit may be returned directly to the factory or to an Authorized Whelen Repair Center† for warranty consideration. Whelen siren speakers, when used with a Whelen siren amplifier, are covered by a 2 year warranty from the date of manufacture. Heavy-Duty motor assemblies (so marked) are covered by a direct warranty for up to three years from date of manufacture. For warranty consideration, both the siren speakers and motor assemblies are subject to the conditions and steps described herein.

HDP® / 5 YEAR WARRANTY

Whelen Automotive Non-Lightbar Strobe Power Supplies, LED Ballasts and LED Products bearing the official HDP label and manufactured to HDP standards, are covered by a direct warranty for up to five years from date of manufacture. In accordance with the policy statement described herein, the unit may be returned directly to the factory or to an Authorized Whelen Repair Center† for warranty consideration.



12 MONTH WARRANTY — BACK-UP ALARMS

Whelen Back-Up Alarms are covered by a 12 month warranty and are subject to the conditions and steps described herein.

10 YEAR LIMITED WARRANTY — LIGHTBAR POWER SUPPLY

*All repairable warranty and non-warranty Edge® style lightbar strobe power supplies will be replaced with a compatible new power supply. If out of initial warranty period but less than 10 years old, the charge will be a flat fee of \$185.00 (warranty for standard power supply is 2 years and HDP® Heavy-Duty Professional power supply is 5 years). This is subject to the conditions and steps described herein.

12 AND 24 MONTH DIRECT WARRANTY — XENON FLASH TUBES

(Except Flash Tubes from 1000/1500/2000/3000 & VP Series which are covered by a 6 Month Warranty)

If the xenon flash tube component of a "Whelen" brand (not from 1000/1500/2000/3000 or VP Series) product is returned to Whelen within 12 months of the date which is affixed to the flash tube, Whelen will replace that flash tube free of charge ONE TIME ONLY, subject to the conditions and steps herein. Whelen "Gold Medallion" flash tubes including all linear flash tube assemblies, carry a 24 month warranty. Whelen will pay ground transportation from Whelen's factory or Authorized Whelen Repair Center† to the customer via UPS where available (in the Continental U.S.).

12 MONTH EXTENDED WARRANTY — WHELEN REPAIRED STROBE POWER SUPPLIES

Whelen offers to repair or replace, free of charge, any part of its strobe light power supplies that have been repaired by Whelen within 12 months and are less than 5 years old, subject to the conditions and steps herein. Whelen will pay ground transportation from Whelen's factory or Authorized Whelen Repair Center† to the customer via UPS where available (in the Continental U.S.).

WHELEN ENGINEERING COMPANY OUT-OF-WARRANTY FACTORY REPAIR PROGRAM:

*If found to be repairable, the Whelen Factory Repair Center (only) will repair Non-Lightbar Electronic Strobe Power Supplies for \$100 each. This does not include replacement of any other electro-mechanical parts including flash tubes, polycarbonate domes, motors, or hardware items.

*Follow the "Steps To Be Taken For Return" noted below, and include a check or money order for \$100 for each unit returned. For Whelen products older than 10 years, repair charges will be determined upon examination only (minimum charge is \$185). Contact factory service center for further details.

STEPS TO BE TAKEN FOR WARRANTY RETURN:

- 1) Whelen products are to be returned **freight prepaid** to the: Whelen Factory Repair Center Building B, 51 Winthrop Road, Chester, CT 06412-0684; or an Authorized Whelen Repair Center†. Do not ship by bus.
- 2) A copy of the sales receipt must be returned with the defective unit to qualify for warranty coverage from date of purchase.
- 3) Include a short statement explaining the problem.
- 4) Include your name, address, and day-time telephone number.
- 5) Whelen and its Authorized Repair Centers will, via UPS, ship back the repaired unit **freight prepaid**, usually within a few days after its receipt.

WHELEN®

ENGINEERING COMPANY, INC.

51 Winthrop Road
Chester, CT 06412-0684
Phone: (860) 526-9504
Fax: (860) 526-4078
www.whelen.com


— EFFECTIVE 12/18/12, REPLACES ALL PREVIOUSLY PUBLISHED SERVICE POLICIES —

† The only AUTHORIZED WHELEN REPAIR CENTER(S) are predetermined by the Whelen Factory via official listing obtained from Whelen Engineering Company, Chester, CT.

* New/Revised

Introducing
LEGACY™

All LED Lightbar



The Sharper Edge® ...

Reminiscent of the **classic Edge** in styling but with an even **lower profile** than the **Liberty™** lightbar, Legacy™ was **redesigned** from the rugged extrusion up to **maximize the performance** of today's LED technology. Available in WeCan® version only and loaded with **attention getting** new flash patterns. Legacy is **almost invisible** on the roof of your vehicle until you **hit the switch** and **take over the road!**



WHELEN®

ENGINEERING COMPANY, INC.

51 Winthrop Road, Chester, CT 06412

860-526-9504 Fax: 860-526-4078

www.whelen.com

American Employees, American Manufacturing, American Pride!

Law Enforcement, the proud tradition.



In a country that values tradition, our name stands out!

The only major manufacturer of American-Made warning lights, Whelen offers a complete line of lightbars and supplemental lighting for the interior and exterior of your vehicle. Certified, stand-up warning lights that will demand attention whether you are driving a stealth vehicle or loaded marked cruiser.

Often copied, make sure you specify genuine, American-Made Whelen law enforcement lights by contacting an Authorized Managing Sales Representative. Find us at www.whelen.com.

WHELEN[®]
ENGINEERING COMPANY, INC.

51 Winthrop Road, Chester, CT 06412
860-526-9504 Fax: 860-526-4078
www.whelen.com

American Employees, American Manufacturing, American Pride!



INDEX

.....5	45795H.....42	5TSMAB.....9	8WC00EZR.....12
000.....6, 17, 20	45ADDAST.....42	5TSMAC.....9	90**5F*R.....10
0AC0EDCR.....6	45ADDDHAL.....42	5V*02Z*R.....8	90**5S*R.....10
0R*00FCR.....6	45ADDSTR.....42	60*02F*R.....9	900STUBE.....46
0R*00SCR.....6	45ADL8*.....42	60*02S*R.....9	902000*R.....10
0RB00SCR.....6	45ADLS8*.....42	602000*R.....9	90A00TAR.....11
0S*00FCR.....6	45ADRB*.....42	60A00TAR.....9	90BTT.....11
0S*00MCR.....6	45ADROTA.....42	60BR6FCR.....9	90E000ZR.....11
0S*00SCR.....6	45ALOAD.....42	60BTT.....9	90F000*R.....11
0SB00SCR.....6	45B±±*.....42	60C00VCR.....9	90FLANGB.....11
0SC0EDCR.....6	45B±±.....42	60C00WCR.....9	90FLANGC.....11
1200DH*P.....4	45B52*.....41, 42	60C0EHCR.....11	90J000CR.....11
1510*.....3	45B52.....41, 42	60C0EJCS.....11	90RA5FCR.....10
1510M*.....3	45CL*.....42	60C0ELZR.....9	90RB5FCR.....10
1SWITCH.....22	45DLCNTA.....42	60CBEGCS.....11	90RC5FCR.....11
201000*R.....7	45DLCNTR.....42	60CREGCS.....11	90X000RR.....11
2015HP*.....3	45DLOUTA.....42	60F000*R.....9	90X000TR.....11
2015HP*M.....3	45DLOUTR.....42	60G02FCR.....45	97FKIT.....11
2015HP*V.....3	45FL*.....42	60G02FGR.....45	9EFLANGE.....11
2015LP*.....3	45KFH.....42	60J000CR.....9	9FLANGEB.....11
2015LP*M.....3	45KFL.....42	60K000XR.....9	9LLENKT1.....45
2015LP*V.....3	45KFS.....42	60K000YR.....9	9LLENKT2.....45
2022AP*.....3	45KRH.....42	60RA6FCR.....9	9LLENKT3.....45
2022HP*.....3	45KRL.....42	60RC6FCR.....9	9LLTH.....36
2022HP*M.....3	45KRS.....42	60U0EHCR.....44	9M140W00.....41
2022HP*V.....3	45LFLASH.....42	60U0EJCS.....44	9MALY.....28
2022HPG.....45	45LRLOAD.....42	60X000RR.....9	9MH2**.....41
2022HPGM.....45	45TA.....42	60X000TR.....9	9MH4****.....41
2022LP*.....3	4ECTUBE.....46	64FKIT.....9	9MLENKT1.....45
2022LP*M.....3	4EFLANGE.....8, 21	6EFLANGE.....10	9MLENKT2.....45
2022LP*V.....3	4EGRILB.....8	6EHDLTMK.....10	9MLENKT3.....45
2022LPG.....45	4EGRILP.....8	6ELTUBE.....46	9MMEDGEM.....28
2022LPGM.....45	4ELTUBE.....46	6FLANGEB.....9	9MMEDGEP.....28
20C0CDCD.....8	4FLANGEB.....8	6SCOENZR.....9	9MTD2.....28
20C0CDCR.....8	4ILKT1.....8	70*02F*R.....10	9SC0ENZR.....11
20R00XRR.....7	4SWITCH.....22	70*02S*R.....10	9ULENKT1.....45
2519HP*.....3	4TSMAB.....8	702000*R.....10	9ULENKT2.....45
2519HP*M.....3	4TSMAC.....8	70A00TAR.....10	9ULENKT3.....45
2519HP*V.....3	50**2ZCR.....8	70BR6FCR.....10	9UTUBE.....46
2519LP*.....3	50**3ZCR.....8	70BTT.....10	A441A.....19
2519LP*M.....3	50*00F*R.....8, 20	70C00VCR.....10	A442A.....19
2519LP*V.....3	50*02Z*R.....8	70C00WCR.....10	A444A.....19
295HFS2.....23	50*03Z*R.....8, 21	70C0ELZR.....10	A446A.....19
295HFS2X.....23	500LTUBE.....46	70F000*R.....10	AFL530.....6
295HFS3.....23	502000*R.....8, 20	70G02FGR.....45	AFM1660.....6
295HFS4.....23	508TRIM.....9	70J000CR.....10	AFM560.....6
295HFSA5.....23	50AC2ZCR.....8	70K000ZR.....10	ALPHA1.....23
295HFSA7.....23	50AC3ZCR.....8	70RA6FCR.....10	ALPHA12S.....23
295HFSC9.....23	50BC2ZCR.....8	70RC6FCR.....10	ALPHA12SL.....21
295HFSDA.....23	50BC3ZCR.....8	70X000RR.....10	ALPHA2.....23
295SDA1.....23	50C000ZR.....8	70X000TR.....10	ALPHA24R.....45
295SL100.....23	50C00WCR.....8	73FKIT.....10	ALPHA24S.....45
295SL101.....23	50CC2ZCR.....8	795H.....25, 36, 38, 42	ALPHA3.....23
295SL102.....45	50CC3ZCR.....8	7CAST1.....10	ALPHA4.....23
295SLSA1.....23	50CR2ZCR.....8	7CAST3.....10	ALPHA5.....23
295SLSA6.....23	50CR3ZCR.....8	7ECTUBE.....46	ALPHASL.....23
2E*00Z*R.....7, 20, 21	50G00FGR.....45	7EFLANGE.....10	AVN1#.....1
2ED00ZCR.....7	50K000*R.....9	7EGRILB.....10	AVN1*.....1
2EE00ZCR.....7	50R00XRR.....8	7EGRILP.....10	AVN2**.....1
2EJ00ZCR.....7	50S03ZAR.....44	7ELTUBE.....46	AVNBKT1.....1
2F*00Z*R.....7, 20	50T03ZBR.....44	7FLANGEB.....10	AVNBKT2.....1
2FLANGEB.....7	50W03ZRR.....44	7GCV6LRC.....10	AVNBKT3.....1
2FLANGEC.....7	50X000RR.....9	7GIKT1.....10	AVNBKT4.....1
2G*00F*R.....8	52SMAB.....9	7PLAST1C.....10	AVNS1*.....1
2GBKT1.....8	580CAA*R.....9	800BGH.....4	AVNS2**.....1
2GFLANGB.....8	580CAAZR.....9	800DH*P.....3	B6MM**P.....3
2GFLANGC.....8	58EC20*R.....9	800DL*M.....3	B6TM**1P.....3
2GROMMET.....7, 8	58L4TUBE.....46	800DL*P.....3, 21	BBKT15.....3, 5
2SWITCH.....22	5BKT1.....9	80C00EZR.....12	BBKT20.....3, 4, 5
3FLANGEC.....7	5BRUSH.....9	80C0EHCR.....11	BBKT30.....4
3GROMMET.....7	5FLANGEB.....9, 20	80C0EJCR.....11	BETA1.....23
3PC0C0CD.....15	5FLANGEC.....9, 20	80CBEHCR.....12	BETA112R.....21, 23
3S*00F*R.....7	5FLANGEP.....9	80CREHCR.....12	BETA124R.....45
3SBCCDCR.....7	5G*00F*R.....9	80DTUBE.....4, 46	BETA2.....21, 23
3SC0CDCR.....7	5GBKT1.....9	80R0EJCR.....12	BETA2BKT.....23
3SR0CDRR.....7	5GC00WCR.....9	80R0EKCR.....12	BETAMIC.....23
3SRCCDCR.....7	5GC0CCCR.....9	80TUBE.....46	BGH.....3, 4, 5
3SWITCH.....22	5GFLANGB.....9	810CA0ZR.....10	BGL.....3, 4, 5
40**5SCR.....8	5GFLANGC.....9	810CAA*R.....10	BRAKTL12.....47
40*02Z*R.....8	5GROMMET.....9, 20	810TRIM.....10	CALF1.....41
402000*R.....8, 21	5HSGB1.....9, 20	81EC20*R.....10	CAST1L.....10
40A00AAR.....8	5HSGB125.....9, 20	81L4TUBE.....46	CAST3.....10
40BTT.....8	5HSGPED.....9, 21	8635CU.....12	CAST3H.....10
40C00VCR.....8	5LSMAB.....9	86CE1.....12	CAST4V.....10
40G02ZCR.....45	5LSMAC.....9	87241L3.....11	CCSRN3.....22
40G02ZGR.....45	5S*00F*R.....8, 21	87241R3.....11	CCSRN32.....22
40J000*R.....8	5SCA0CCR.....8	87242L3.....11	CCSRN33.....22
43LENS*.....2	5SR00XRR.....8, 21	87242R3.....11	CCSRN34.....22

CCSRN35	22	F36C	13	FXALF1D	35	I13UFZ	31
CCSRNT32	22	F36PC	13	FXTLS1	35	I34UF4P	31
CCSRNT33	22	F45C	13	FXTLS1D	35	I34UF5P	31
CCSRNT34	23	F45PC	13	G1M*	27	I34UF8	31
CCSRNT35	23	F54C	13	G1MM90	27	I34UFZ	32
CCSRNTA3	22	F54PC	13	G1P*	27	I35LR6L	34
CCTRIM	23	F63C	13	G1V*	27	I35LR8L	34
CDT6A	41	F63PC	13	G2M*	27	I35LR8LT	34
CE4****	41	FC2####	35	G2P*	27	I35UF4P	31
CE8****	41	FC4####	35	G2V*	27	I35UF5P	31
CE8MT	41	FC8####	35	G7M*	27	I35UF8	31
CE8MT1	41	FCDSCBL	36	G7MC**	27	I35UFZ	31
CE8MT2	41	FCWSSSS0	35	G7MM90	27	I37UF4P	31
CE8MT3	41	FCXSSSS0	35	G7P*	27	I37UF5P	31
CE8MT4	41	FDCT10*R	7	G7PC**	27	I37UF8	31
CE8MT5	41	FDCT10JR	7	G7V*	27	I37UFZ	31
CE8MT6	41	FDFF11*R	7	G7VC**	27	I38UF4P	32
CEDLX*	41	FDFF11JR	7	GAMMA2	23	I38UF5P	32
CEDLXA	41	FECT10*R	7	GB2####	36	I38UF8	32
CETAL5	41	FECT10DR	7	GB2***	36	I38UFZ	32
CETAT8	41	FECT10ER	7	GB4####	36	I39UF4P	31
CF*	28	FECT10JR	7	GB4****	36	I39UF5P	31
CL25C	12	FEDC06*R	7	GB8####	36	I39UF8	31
CRIMPAV	19	FEDC06DR	7	GB8****	36	I39UFZ	31
CRIMPD	19	FEDC06ER	7	GBA	36	I41UF4P	31
CRIMPIV	19	FEDC06JR	7	GBAW#	36	I41UF5P	31
CS240	6	FEFP11*R	7	GBAW*	36	I41UF8	31
CSP660	6	FEFP11DR	7	GBDL#	36	I41UFZ	31
CSP690	6	FEFP11ER	7	GBDL*	36	IEPSSSS0	34
CTLS1	41	FEFP11JR	7	GBDS#	36	ILPSSSS0	34
CW0BAAAA	41	FL0TAAAA	41	GBDS*	36	IM06UF8	33
D1500*	3	FL2****	35	GBTL	36	IM06UFZ	33
D2**	1	FL2**00	35	GBTS	36	IM13UF8	33
D4****	1	FL4****	35	H20SN12	46	IM13UFZ	33
D6*****	1	FL4**00	35	H20W12V	47	IM35UF8	33
D8SSSS0	1	FL8****	35	H27DSN28	46	IM35UFZ	34
DBKT3	1	FL8**00	35	H27SN12	47	IM38UF8	34
DBKT4	1	FLALY	35	H27TL12	47	IM38UFZ	34
DBKT5	1	FLBULK18	36	H27W12V	47	INSTLRDX	27, 28
DBKT6	1, 26	FLCRUZ**	35	H35ASC24	46	ION*	2, 12
DCH	3, 4, 5	FLD##	35	H35DSN12	46	IONBKT1	2, 12
DEL9MSTP	41	FLD**	35	H35DTL12	46	IONBKT2	2, 12
DEL9MWL	41	FLDSCBL	36	H35HSC12	46	IONBKT3	2, 12
DELCSPCP	40	FLETA	41	H35HSN12	47	IOND	2, 12
DELDTACP	38	FLETKAA	41	H35SN12	47	IONG	45
DELDUOCP	38	FLH2CC	35	H35SN24	46	IONGROM	2, 12
DELFLTBT	41	FLLED**	1	H35TL12	47	IONJ	2, 12
DELFLTWL	41	FLTALN5	35	H35TL12W	46	IONK1B	2, 12
DELGBCP	36	FLTALN5L	35	H35W12V	47	IONK1W	2, 12
DELSLEBT	41	FLTALN6	35	H50ASN12	47	IONM	2, 12
DELSLEWL	41	FLTALN6L	35	H50SN12	47	IONPEDB	2, 12
DELTAC1A	26	FLWSSSS0	35	H50TL12	47	IONPEDC	2, 12
DELTALD1	26, 36, 38	FLWL2	35	H50W12V	47	IONSM*	12
DELWCCP	36, 38, 40	FLXSSSS0	35	H55H112	46	IONSMC*	12
DH2000*	3, 4, 5	FLYSSSS0	35	H60SN12	47	IONSMO	12
DIRECTIO	46	FLZSSSS0	35	HA238A	11	IONSMJ	12
DIRECTWD	46	FN55QLED	29	HA238AD	11	IONSMO	12
DL2000*	3, 4, 5	FN55VLED	29	HA238C	11	IONSMW*	12
DP2**	1	FN60QLED	29	HA238CD	11	IONSMWD	12
DP4****	1	FN60VLED	29	HA239C	11	IONSMWJ	12
DP6SSSS0	1	FN72QLED	29	HA239CD	11	IONSMWM	12
DP8SSSS0	1	FN72VLED	29	HGDOMEH*	4	IONW*	2, 12
DS2****	28	FNMINI	29	HHS2200	23	IONWD	2, 12
DS8****	28	FT10A	3, 46	HOWLER11	22	IONWJ	2, 12
DSALF1	29	FT1510	3, 46	HOWLER12	22	IONWM	2, 12
DSALF1D	29	FT20A	3, 46	HOWLER13	22	ISP188	6
DSAM	29	FT25	3, 46	HOWLER14	22	ISP94	6
DSCENTD*	28	FT8****M	28	HOWLER15	22	IUPSSSS0	32
DSCENTS*	29	FT8****P	28	HOWLER18	22	IW30UF6P	30
DSD*	29	FT8**00F	28	HOWLER2	22	IW30UFX	30
DSEND*	28	FTALY	28	HOWLER4	22	IW34UF6P	30
DSFLASH	29	FTD****	28	HOWLER5	22	IW34UFX	30
DSRB**	29	FTD**	28	HOWLER7	22	IW35UF6P	30
DSTLS1	29	FTTD2	28	HOWLER9	22	IW35UFX	30
DSTLS1D	29	FV2****	35	HWLC112	22	IW37UF6P	30
EPSL1	23	FV4****	35	HWLFT11	22	IW37UFX	30
EPSL2S6	23	FV8****	35	I06LR6L	34	IW38UF6P	30
EPSL2S9	23	FW2****	35	I06LR8L	34	IW38UFX	30
EXT15	19	FW4****	35	I06LR8LT	34	IW39UF6P	30
EXT20	19	FW8****	35	I06UF4P	31	IW41UF6P	30
EXT25	19	FWBTTLED	35	I06UF5P	31	IW41UFX	30
EXT30	19	FWDSCBL	36	I06UF8	31	IW42UF6P	30
EXT40	19	FWTLS1D	35	I06UFZ	31	IW42UFX	30
EXTRACT	20	FX2****	35	I08UF4P	31	IWDSSSS0	30
F09C	13	FX4****	35	I08UF5P	31	IWPSSSS0	30
F09PC	13	FX795H	36	I08UF8	31	IX13UF5P	29
F18C	13	FX795HLR	36	I08UFZ	31	IX13UF6P	29
F18PC	13	FX795L**	36	I13UF4P	31	IX13UFX	29
F27C	13	FX8****	35	I13UF5P	31	IX13UFZ	29
F27PC	13	FXALF1	35	I13UF8	31	IX34UF5P	30

INDEX

IX34UF6P	30	JBULK18	40	L32L*F4	4, 44	M4G	45
IX34UFX	30	JC0****	40	L32L*M	4	M4GM2LRC	13
IX34UFZ	30	JC2****	40	L32L*V	4	M4IM2LRC	13
IX35UF5P	29	JC4****	40	L32L4F	45	M6#	14
IX35UF6P	30	JC8****	40	L32LGF	45	M6*	13
IX35UFX	30	JCTLS1	40	L32LGM	45	M6*24	44
IX35UFZ	30	JCTLS12	40	L32LGV	45	M6*C	13
IX37UF5P	29	JCTLS1D	40	L360BGB	4	M6*CS	14
IX37UF6P	29	JDC*	28, 39, 40, 41	L360PMKT	4	M6*S	14
IX37UFX	29	JDH*	28, 39, 40	L41*M	5	M6BRUSH	14
IX37UFZ	29	JDL#	39	L41*P	5	M6BTT	14
IX38UF5P	30	JDL*	39, 40	L41*V	5	M6BTT24	44
IX38UF6P	30	JDLF**	39	L51*M	5	M6BUW	14
IX38UFX	30	JDSCBL	40	L51*P	5	M6BUW24	44
IX38UFZ	30	JE0****	40	L52*M	5	M6FB	14
IX41UF5P	30	JEONFPA	29	L52*P	5	M6FC	14
IX41UF6P	30	JE2****	40	L53AM	5	M6FC600	14
IX41UFX	30	JE2NFPA	29	L53AP	5	M6FCV2	14
IX41UFZ	30	JE4****	40	L6BKT2	19	M6FCV3	14
IXPSSSS0	30	JE8****	40	L6BKT3	19	M6FCV4	14
IZ06UF4P	32	JE8SP1*	40	L6BKT5	19	M6G	45
IZ06UF5P	32	JF0BAAAA	41	LEDLOAD	6	M6GC	45
IZ06UF8	32	JF0DAAAA	41	LENSKIT1	45	M6HDLMTK	14
IZ06UFZ	32	JF0TAAAA	41	LENSKIT2	45	M6P15B	14
IZ08UF4P	32	JHALF1	40	LENSKIT3	45	M6P15C	14
IZ08UF5P	32	JHBTTLLED	40	LFLTUBE	46	M6T	14
IZ08UF8	32	JHCTAL1	40	LIN4KIT	19	M6T24	44
IZ08UFZ	32	JHCTAL1D	40	LINEAR14	46	M6ZC	14
IZ13UF4P	32	JHCTLS1	40	LINEAR17	46	M6ZC24	44
IZ13UF5P	32	JHCTLS1D	40	LINZ6*	18	M7#	14
IZ13UF8	32	JHFLASH	40	LINZ6*24	44	M7*	14
IZ13UFZ	32	JHTDALL1	40	LINZ61	18	M7*24	44
IZ19UF4P	33	JHTLS2	40	LINZ62	18	M7*C	14
IZ19UF5P	33	JTA2W	40	LINZ65	18	M7*CS	14
IZ19UF8	33	JTACBL	40	LINZ6D	18	M7*S	14
IZ19UFZ	33	JTACNTL	40	LINZ6FC	18	M7BRUSH	14
IZ30UFX	32	JTDLED2	40	LINZ6G	45	M7FB	14
IZ30UFZ	32	JTLS1	39	LINZ6J	18	M7FC	14
IZ31UFX	33	JV0****	39	LINZ6K	18	M7FC700	14
IZ31UFZ	33	JV2****	39	LSK	3, 4, 5	M7G	45
IZ33UF4P	33	JV4****	39	LT2****M	28	M7GCV8C	14
IZ33UF5P	33	JV8****	39	LT2****P	28	M7IC8C	14
IZ33UF8	33	JWLLLED2	40	LTALY	28	M7ICV8C	14
IZ33UFZ	33	JXALF*L	40	LTTD1	28	M7ZC	14
IZ34UF4P	32	JXALF1L	40	M04ZB	21	M7ZC24	44
IZ34UF5P	33	JY0****	39	M04ZJ	21	M9#	14
IZ34UF8	33	JY2****	39	M04ZJ2	21	M9*	14
IZ34UFZ	33	JY4****	39	M04ZR	21	M9*24	44
IZ35LR8	34	JY8****	39	M05ZB	21	M9*C	14
IZ35LR86	34	JY8MT	39	M05ZJ	22	M9*CS	14
IZ35LRZ	34	JY8MT1	39	M05ZJ2	22	M9*S	14
IZ35LRZ6	34	JY8MT2	39	M05ZR	22	M9BRUSH	14
IZ35LRZ8	34	JY8MT3	39	M1BATT	21	M9BTTX	14
IZ35UF4P	32	JY8MT4	39	M1FNDR	21	M9BUW	14
IZ35UF5P	32	JY8MT5	39	M1GROUND	21	M9FB	14
IZ35UF8	32	JY8MT6	39	M2#	13	M9FC	14
IZ35UFZ	32	KCF*	27	M2*	13	M9FC900	14
IZ36UF4P	32	L10H#P	5	M2*C	13	M9FCZ900	14
IZ36UF5P	32	L10HAM	5	M2D	13	M9G	45
IZ36UF8	32	L10HAP	5	M2FB	13	M9LZC	14
IZ36UFZ	32	L10HAP4	5, 44	M2FC	13	M9T	14
IZ37LR8	34	L10HAV	5	M2FNDR	21	MBCC11**	14
IZ37LR86	34	L10L#P	5	M2GROM	13	MBCC11JJ	14
IZ37LRZ	34	L10LAM	5	M2PEDB	13	MBDC11**	14
IZ37LRZ6	34	L10LAP	5	M2PEDC	13	MBDC11JJ	14
IZ37LRZ8	34	L10LAP4	5, 44	M2W#	13	MBFF12**	15
IZ37UF4P	32	L10LAV	5	M2W*	13	MBFF12JJ	15
IZ37UF5P	32	L21H*M	4	M2W*C	13	MBFT11**	14
IZ37UF8	32	L21H*P	4	M2WD	13	MBFT11JJ	15
IZ37UFZ	32	L21H*P4	4, 44	M4#####	21	MBFX11**	15
IZ38LR8	34	L21H*V	4	M4#	13	MBFX11JJ	15
IZ38LR86	34	L21L*M	4	M4*****	21	MBPI06**	15
IZ38LRZ	34	L21L*P	4	M4*	13	MBPM05**	15
IZ38LRZ6	34	L21L*P4	4, 44	M4*24	44	MBPM05JJ	15
IZ38LRZ8	34	L21L*V	4, 44	M4*C	13	MBPS07**	15
IZ38UF4P	33	L22H*M	4	M4*CS	13	MC11M*	26
IZ38UF5P	33	L22H*P	4	M4*S	13	MC11P*	26
IZ38UF8	33	L22H*P4	4, 44	M469	46	MC11S*	26
IZ38UFZ	33	L22H*V	4	M4B6B	21	MC16M*	26
IZ39UF4P	33	L22L*M	4	M4B6CHRG	21	MC16MF	26
IZ39UF5P	33	L22L*P	4	M4B6L	21	MC16MJ	26
IZ39UF8	33	L22L*P4	4, 44	M4B6R	21	MC16P*	26
IZ39UFZ	33	L22L*V	4	M4BGCHRB	21	MC16PF	26
IZ41UF4P	33	L31H*F	4	M4BKT1	13	MC16PJ	26
IZ41UF5P	33	L31H*F4	4, 44	M4BRUSH	13	MC16S*	26
IZ41UF8	33	L31H*M	4	M4BSEP	21	MC16SF	26
IZ41UFZ	33	L31H*V	4	M4D	13	MC16SJ	26
IZPSSSS0	33, 34	L31HKF	4	M4FB	13	MC16V*	26
JALF1	39	L31HRFN	4	M4FC	13	MC16VF	26
JBTTLLED	40	L32L*F	4	M4FC400	13	MC16VJ	26

Dash/Deck/Visor

Beacons

Power Supplies & Flashers

Lighthoods

Systems - DOT & Motorcycle

Sirens, Switches & Speakers

Safety Sire, Emitters & Back-Up Alarms

Traffic Advisors

Lighbars, Mini

Lighbars

24 VDC, Green Products & Parts

MC23M* 27
MC23P* 26
MC23S* 27
MC23V* 27
MC9MED2* 14
MCFLED2* 14
MCSLED2* 14
MICROSID 46
MIRROR15 3, 5
MIRROR20 3, 4, 5
MJTDALL1 28
MJY****M 28
MJY****P 28
MJY****V 28
MK20S 29, 43
MK7SS2 43
MK7SS4 43
MK8H 29, 43
MK9S 29, 43
MKAJ62 43
MKAJ7 43
MKAJ71 43
MKEA29 43
MKEA47 43
MKEA69 43
MKEA70 43
MKEA76 43
MKEA81 42
MKEA84 43
MKEZ83 43
MKEZ29 43
MKEZ38 43
MKEZ45 42, 43
MKEZ47 43
MKEZ51 43
MKEZ55 43
MKEZ58 43
MKEZ60 43
MKEZ61 43
MKEZ61L 43
MKEZ62 43
MKEZ63 42
MKEZ67 43
MKEZ69 43
MKEZ7 29, 43
MKEZ70 42
MKEZ71 43
MKEZ73 43
MKEZ74 43
MKEZ76L 43
MKEZ78 43
MKEZ79 43
MKEZ80 43
MKEZ81 42
MKEZ82 43
MKEZ83 43
MKEZ84 43
MKEZ85 43
MKEZ86 43
MKLP7 44
MKLP76 44
MKLP81 44
MKLP82 44
MKLPQDU 44
MMK 3, 4, 5
MPB4B 44
MPB4W 44
MPBB 15
MPBW 15
MPP4W 44
MPPB 16
MPPBBS 16
MPPBCS 16
MPPW 15
MPPWCS 16
MPR15B 16
MPR15W 16
MPR4W 44
MPRB 16
MPRW 16
NOTE 44
OE13UR8 34
OE13UR8T 34
OSUOEDCR 44
OZP\$\$\$\$0 34
P28DC11 7
P28FX11 7
P36HHS 15
P36SLC 15
P36SLCHG 15

P46FL* 15
P46HHS 15
P46S2* 15
P46S2*3 15
P46S2X 15
P46S3*H 15
P46SLC 15
P46SLCHG 15
P46WL* 15
PAH112 24
PAP112 24
PAPEXT15 24
PAR28* 7
PAR28D* 7
PAR28D 7
PAR28DJ 7
PAR28E 7
PAR28J 7
PAR36ES* 20
PBA0127 16
PBA0130 16
PBA103 16
PBA106 16
PBA106V 16
PBA203 16
PBA206 16
PBA206V 16
PBAINTC 16
PBAPED 16
PBAPED2 16
PBAPEDA 16
PBAPEDD 16
PBSLFC 17
PBSLFCB 17
PBSLFC 17
PBSLFLR 17
PBSLFLRB 17
PBSLICB 17
PBSLILRB 17
PBSLIR 17
PC1 22
PC2 22
PC3 22
PC4 22
PC5 22
PC5S 22
PCC10W 22
PCC10W1 22
PCC4W 22
PCC6W 22
PCC6W1 22
PCC8R 22
PCCS9NP 22
PCCS9RW 22
PCP2 16
PCP2AFS 16
PCP2AP 17
PCP2AP1 17
PCP2ASF 16
PCP2P 16
PCP2P2 16
PCP3 16
PCP3A 16
PCP3AP 17
PCP3AP1 17
PCP3P 17
PCP3P1 17
PEIMDC12 6
PELCB 15
PELCB4 44
PELCC 15
PELCC4 45
PF #LB# 36
PFA1 16
PFA1LB1 17
PFA1LB2 17
PFA1LP 16
PFA1P 16
PFA1P1 16
PFA2 16
PFA2LB1 17
PFA2LB2 17
PFA2P 16
PFA2P1 16
PFBP12 15
PFBP12C 15
PFBP12C4 45
PFBP6 15
PFBP6C 15
PFBS12 15

PFBS12C 15
PFBS6 15
PFBS6C 15
PFLASH 16
PFP1 16
PFP14 45
PFP1AC 16
PFP1AP 16
PFP1AP1 16
PFP1LB1 17
PFP1LB2 17
PFP1LP 16
PFP1P 16
PFP1P1 16
PFP2 16
PFP24 45
PFP2AC 16
PFP2AP 16
PFP2AP1 16
PFP2LB1 17
PFP2LB2 17
PFP2P 16
PFP2P1 16
PINPUSH 20
PLAST3V 10
PLAST4V 10
PLAST4VL 10
PROGRAM1 6
PS*00F*R 17
PSB00FBR 17
PSBKT1 18
PSBKT451 18
PSBP12 15
PSBP12C 15
PSBP6 15
PSBP6C 15
PSBS12 15
PSBS12C 15
PSBS6 15
PSBS6C 15
PSC00FCR 17
PSC0ADCR 18
PSC0CDCR 18
PSL1B 17
PSL1BB 17
PSL1P 17
PSL1PB 17
PSL1R 17
PSL1R5 17
PSL1R5B 17
PSL1RB 17
PSL2 17
PSL2B 17
PSL2BB 17
PSL2BLK 17
PSL2P 17
PSL2PB 17
PSL2R 17
PSL2R5 17
PSL2R5B 17
PSL2RB 17
PSP1 16
PSP1AC 16
PSP1ALP 16
PSP1AP 16
PSP1AP1 16
PSP1LP 16
PSP1P 16
PSP1P1 16
PSR00XRR 18
PSRASXCR 18
PSTANK 18
PT360F 15
PT360FW 15
PT360P 15
PT360PW 15
PTP1 16
PTP1LP 16
R1* 2
R1\$\$\$\$0 27
R10HDM* 28
R10HDP* 28
R10HDV* 28
R1LPHM* 27
R1LPHV* 27
R1LPHM* 27
R1LPP* 27
R1LPMF 27
R1LPP* 27
R1LPPF 27

R1LPV* 27
R1LPVF 27
R2** 2
R2\$\$\$\$0 27
R2HDM* 28
R2HDP* 27
R2LPHM* 27
R2LPHV* 27
R2LPHM* 27
R2LPP* 27
R2LPV* 27
R316**F 5
R316**M 5
R316**V 5
R316*F 5
R316*M 5
R316*V 5
R416**F 5
R416**M 6
R416**V 6
R416*F 5
R416*M 5
R416*V 5
RB6P*M 3
RB6P*P 3
RB6T*P 3
RBKT1 18, 19
RBKT2 18, 19
RBKT4 18
RBKT5 18, 19
RBKT6 18, 19
RBKT7 18, 19
RBKT8B 18, 19
RBKT8C 18, 19
RBKTHD1 18, 20
RBKTHD2 18, 20
RBKTHD3 18, 20
RBKTHD3D 20
RBKTHD4L 18, 20
RBKTHD4R 18, 20
RBKTHD5 18, 20
RBKTHD6 18, 20
RDLPPAB 27
RDXMM90 28
REPDIRWA 46
REPDIRWD 46
REPS30WA 46
REPS30WD 46
REPSTTWA 46
REPSTTWD 46
REPTSSTR 46
RF6016L! 26
RFLANG2B 18, 20
RFLANG2C 18, 20
RFLANGDC 18, 20
RFLANGEA 18
RFLANGEC 18
RGROMMET 18, 19
RMK20S 44
RMK8H 44
RMK9S 44
RMKAJ# 44
RMKEA29 43
RMKEZ# 43
RMKEZ29 43
RMKEZ7 43
RMKLPQDU 44
RP\$\$\$\$0 34
RP13** 34
RPHOTO 5, 6
RS*02ZCR 18, 20
RS*03ZCR 18, 20
RSG02ZCR 45
RSG03ZCR 45
RV*03ZCR 18, 20
S1000 46
S240CC 11
S30HAA 11
S30HAAD 11
S30HAC 11
S30HACD 11
S30HACP 11
S30HACPD 11
S30TL 47
S321 39
S322 39
S323 39
S324 39
S341 39

INDEX

S342	39	SK02JJ	17	SX84MT6	37	TFLANGEC	6
S343	39	SK02W**	17	SX86MT	37	TGROM2	7
S344	39	SK02WJJ	17	SX86MT1	37	TURB6ASY	46
S360D*B	4	SL0TAAAA	41	SX86MT2	37	TURB6DUP	46
S360D*P	4	SLD**	37	SX86MT3	37	TURB6HAL	46
S381	39	SLDSCBL	38	SX86MT4	37	TURB6KIT	46
S382	39	SLEAA	41	SX86MT5	37	TURBO5	47
S383	39	SLENKT1	45	SX86MT6	37	TURBO64	47
S384	39	SLENKT2	45	SXBULK18	39	TURBO94	46
S660AAAA	11	SLENKT3	45	SXTDLED	37	TURBOASY	46
S660CCCC	11	SLETKAA	41	SXTLS1	38	TURBOTUB	47
S690AAAA	11	SLN2QLED	29	SXTLS1D	38	UFM8	6, 20
S690CCAA	11	SLN2VLED	29	SXTLS1M*	38	UHF2150A	6
S690CCCC	11	SLPHOTO	38	SXWLED	37	ULF44	6
SA122FMP	24	SLPMM**	2	SY2****	37	UNI	46
SA2****	36	SLTALN5	38	SY4****	37	UPS64LXA	6, 20
SA314A	24	SLTALN5L	38	SY8****	37	V23*TPB	19
SA314B	24	SLTALN6	38	SY8MHP	37	V23*TPC	19
SA315P	24	SLTALN6L	38	SY8MHP1	37	V23P20B	19
SA31101D	24	SLTTALN6	41	SY8MHP2	37	V23P20C	19
SA31101P	24	SLW\$\$\$\$0	38	SY8MHP3	37	V23PEDB	19
SA32C06	24	SLX\$\$\$\$0	38	SY8MHP4	37	V23PEDC	19
SA340STS	24	SLXXPAT	38	SY8MHP5	37	VHB609#	11
SA340TS	24	SLY\$\$\$\$0	38	SY8MHP6	37	VHB609*	11
SA350M	21, 24	SLZ#	37	SZ2####	37	VTC6*	11
SA350MH	21	SLZ\$\$\$\$0	38	SZ2****	37	VTCFB	11
SA4****	36	SMALLDIR	46	SZ4####	37	VTCFC	11
SA40	24	SMLLAA	2	SZ4****	37	VTX609#	11
SA41	24	SMLLBB	2	SZ8####	37	VTX609*	11
SA8****	36	SMLLBC	2	SZ8****	37	VTX609G	45
SABKT1	24	SMLLBR	2	SZSDSCL	38	VTXFB	11
SABKT21	24	SMLLCR	2	T0*00M*R	6	VTXFC	11
SABKT24	24	SMLLR	2	T0CACCCR	6	W20SS	25
SABKT9	24	SOCKPUSH	20	TA1252L	26	W20SSRK	25
SAK1	24	SOLARPNL	36, 39	TA1652L	26	W441D	19
SAK11	24	SOLARPWC	36, 39	TA1660L!	26	W441D14	19
SAK17	24	SP2****	37	TA1664H!	26	W441DIN	19
SAK20	24	SP4****	37	TA20TL12	47	W442D	19
SAK23	24	SP8****	37	TA4437M	26	W442DIN	19
SAK24	24	SPALF1	38	TA637A	26	W444D	19
SAK25	24	SPW\$\$\$\$0	38	TA837A	26	W446D	19
SAK32	24	SPX\$\$\$\$0	38	TA870A	26	WBUA107	25
SAK34	24	SPY\$\$\$\$0	38	TA870L	26	WBUA112	25
SAK37	24	SPZ\$\$\$\$0	38	TA8852H	26	WBUA112C	25
SAK38	24	SR2****	37	TACF85**	25	WBUA97	25
SAK39	24	SR4****	37	TACF85	25	WCC9	22
SAK40	24	SR8****	37	TACTLD1	26	WCC9SUB	36, 38, 40
SAK41	24	SRALF1	37	TACTRL1A	26	WCQDPLUG	36, 38
SAK42	24	SSFPOS	6	TACTRL3A	26	WION*	2, 12
SAK43	24	SSFPOS16	6	TAD6	1, 25	WIOND	2, 12
SAK44	24	SSTUBE	4, 46	TAD8**	1, 25	WIONJ	2, 12
SAK45	24	STAPVC30	26	TAD8	1, 25	WIONM	2, 12
SAK46	24	STAPVC35	26	TADCTL1	1, 25	WIONSM*	12
SAK47	24	STAPVC40	26	TADF6	26	WIONSMC*	13
SAK48	24	STAPVC50	26	TADF8	26	WIONSMCD	13
SAK5	24	STOPSN12	47	TADP6	1, 25	WIONSMJ	12
SAK9	24	STPEA47	43	TADP8**	1, 25	WIONSMJ	12
SB2####	36	STPEA69	43	TADP8	1, 25	WIONSMMM	12
SB2****	36	STPEA70	43	TADP8FT	25	WIONSMW*	12
SB4####	36	STPKT#	43	TADSW1	1, 25	WIONSMWD	13
SB8####	36	SUB44STD	39	TADSW2	1, 25	WIONSMWJ	13
SB8****	36	SUBDLR11	39	TAL65	25	WIONSMWM	13
SD210R	25	SUBTDLED	39	TAL85	25	WIONW*	2, 12
SD210RX	25	SW2****	37	TAM63	25	WIONWD	2, 12
SD370	25	SW4****	37	TAM65	25	WIONWJ	2, 12
SEXT20	19	SW8****	37	TAM83**	25	WIONWM	2, 12
SEXT20D	19	SWBTTLED	38	TAM83	25	WMM6K	3
SEXT25	19	SWDSCBL	38	TAM8348	25	WPA1	21, 23
SEXT25D	19	SWPHOTO	39	TAM85**	26	WPA112	21, 23
SEXT30	19	SWTLS1D	38	TAM85	26	WPA2	23
SFION*	2	SWW\$\$\$\$0	38	TANBKT1	25	WPA3BM	23
SFIOND	2	SWX\$\$\$\$0	38	TANF65	25	WPKM1	23
SFIONE	2	SX2****	37	TANF85**	25	WPLOW1A	20
SFIONJ	2	SX4****	37	TANF85	25	WPLOW2A	20
SFP1*	2	SX795H	38	TAPVC15	26	WPLOW3AA	20
SFP1D	2	SX795HLR	38	TAPVC25	26	WPLOWZ1A	20
SFP1E	2	SX795L**	38	TAPVC35	26	WPLOWZ2A	20
SFP1G	2	SX8****	37	TAPVC50	26	WPLOWZ3A	20
SFP1J	2	SX84MT	37	TATPR20	26	WS321	21, 23
SK01**	17	SX84MT1	37	TAZ66	25	WS321B9	21, 24
SK01JJ	17	SX84MT2	37	TAZ86**	25	WSMIC321	21, 23
SK01W**	17	SX84MT3	37	TAZ86	25	WSSC30	24
SK01WJJ	17	SX84MT4	37	TDP\$\$\$\$0	26	WSSC30HK	24
SK02**	17	SX84MT5	37	TFLANGEB	6	WSSPA30	24

Authorized Managing Sales Representatives

CONNECTICUT, MAINE, MASSACHUSETTS NEW HAMPSHIRE, RHODE ISLAND, VERMONT

Kevin Russell & Associates, LLC
P.O. Box 625
Old Lyme, Connecticut 06371
(860) 388-3933 • FAX: (860) 388-3147
e-mail: amsr1@whelen.com

DELAWARE, MARYLAND, PENNSYLVANIA, VIRGINIA, WASHINGTON D.C.

Mobile Fleet
P.O. Box 591
Reedsville, Pennsylvania 17084
(866) 674-1110 • FAX: (443) 593-0590
e-mail: amsr2@whelen.com

FLORIDA

Morganelli & Associates
1401 Saratoga Street
Deland, Florida 32724
(386) 738-3669 • FAX: (386) 738-5331
e-mail: amsr3@whelen.com

ALABAMA, GEORGIA, MISSISSIPPI, NORTH CAROLINA, SOUTH CAROLINA, TENNESSEE (Except Memphis)

Thomas J. Madden & Associates, Inc.
935 Hwy 124, Bldg 400, Suite 401
Braselton, Georgia 30517
(678) 963-2060 • FAX: (678) 963-2061
e-mail: amsr4@whelen.com

HAWAII

Pacific Sales Representatives, Inc.
P.O. Box 240256
Honolulu, Hawaii 96824-0256
(808) 373-4666 • FAX: (808) 373-3045
e-mail: amsr6@whelen.com

KENTUCKY, OHIO, WEST VIRGINIA

Holstein & Associates
9031 Heritage Drive
Plain City, Ohio 43064
(614) 873-2121 • FAX: (614) 873-3095
e-mail: amsr7@whelen.com

ARKANSAS, LOUISIANA, TENNESSEE (Memphis only), TEXAS

John Wright & Associates
1111 W Abram Street
Arlington, Texas 76013
(817) 459-2001 • FAX: (817) 459-2515
e-mail: amsr8@whelen.com

ALASKA, IDAHO, MONTANA, OREGON, WASHINGTON

Kent D. Bruce Company, LLC
P.O. Box 225
Black Diamond, Washington 98010
(360) 886-9410 • FAX: (360) 886-9411
e-mail: amsr10@whelen.com

CALIFORNIA, NEVADA (Northwest and South) WATTCO

2230 Cordelia Road
Fairfield, California 94534
(707) 435-9233 • FAX: (707) 435-1941
e-mail: amsr12@whelen.com

IOWA, MINNESOTA, NORTH DAKOTA, SOUTH DAKOTA

W. Reeves & Associates LLC
P.O. Box 477
Norwalk, Iowa 50211
(515) 981-5967 • FAX: 866-336-3503
e-mail: amsr13@whelen.com

KANSAS, MISSOURI, NEBRASKA, OKLAHOMA

Busch & Associates, LLC
6970 West 152nd Terrace
Overland Park, KS 66223
(913) 390-1777 • FAX: (913) 390-7889
e-mail: amsr14@whelen.com

COLORADO, NEVADA (Northeast) UTAH, WYOMING

Rep Services, LLC
18800 East Clarke Road, Unit 101
Parker, Colorado 80134
(303) 840-7451 • FAX: (303) 805-0133
e-mail: amsr19@whelen.com

NEW JERSEY, NEW YORK

Mobile Fleet
P.O. Box 1240
140 Broadhollow Road
Farmingdale, New York 11735
(631) 206-2920 • FAX: (631) 206-2923
e-mail: amsr20@whelen.com

INDIANA, MICHIGAN

C. S. Trojan & Associates, Inc.
1375 Rickett Road
Brighton, Michigan 48116
(810) 227-7775 • FAX: (810) 227-9195
e-mail: amsr22@whelen.com

ILLINOIS

Coatar & Associates, Inc.
19027 Jodi Road, Suite F
Mokena, Illinois 60448
(708) 478-5220 • FAX: (708) 478-5221
e-mail: amsr23@whelen.com

WISCONSIN

Coatar & Associates, Inc.
P.O. Box 3121
Eau Claire, Wisconsin 54702-3121
(715) 834-5348 • FAX: (715) 834-3733
e-mail: amsr23@whelen.com

ARIZONA, NEW MEXICO

Charlotte Young & Associates, Inc.
500 N Estrella Pkwy #B2-423
Goodyear, Arizona 85338-4168
(626) 914-5115 • FAX: (626) 914-9559
e-mail: amsr25@whelen.com

WHELEN FACTORY INQUIRY

Automotive Sales
e-mail: autosale@whelen.com
Automotive OEM Sales
e-mail: autooem@whelen.com
Automotive Government Sales
e-mail: autousos@whelen.com
Automotive Catalog
e-mail: catalog@whelen.com
Customer Service
e-mail: custserv@whelen.com

CANADIAN INQUIRY

**EASTERN: NEWFOUNDLAND,
NEW BRUNSWICK, NOVA SCOTIA,
PRINCE EDWARD ISLAND**
Malcolm Leslie & Associates
400 Morobel Drive, Unit 1
Milton, Ontario, Canada L9T 4N6
(905) 878-8457 • FAX: (905) 878-0877
e-mail: amsr15@whelen.com

CENTRAL: MANITOBA, ONTARIO, QUEBEC, NUNAVUT

Malcolm Leslie & Associates
400 Morobel Drive, Unit 1
Milton, Ontario, Canada L9T 4N6
(905) 878-8457 • FAX: (905) 878-0877
e-mail: amsr15@whelen.com

WESTERN: ALBERTA, BRITISH COLUMBIA, SASKATCHEWAN, YUKON AND NORTHWEST TERRITORIES

Harvey Gorsline & Associates
2121 Capistrano Crescent
Kelowna, British Columbia, Canada V1V 2A3
(250) 491-3286 • FAX: (250) 491-4106
e-mail: amsr21@whelen.com

WHELEN/CANADA FACTORY INQUIRY

Canadian Automotive Sales
e-mail: canadiansales@whelen.com
Automotive Catalog
e-mail: catalog@whelen.com
Customer Service
e-mail: custserv@whelen.com

INTERNATIONAL INQUIRY

Contact Factory
e-mail: autousos@whelen.com

WHELEN[®]
ENGINEERING COMPANY, INC.

51 Winthrop Road, Chester, Connecticut 06412-0684 • (860) 526-9504 • Fax: (860) 526-4078 • www.whelen.com